


John McLaughlin
9 Green Meadows Dr.
Nantucket, MA 02554

3 6 9 12. Carb. Soda. to 1 dr. Saccharin

18428 Baby.

E. L. FREEMAN & SON,
Stationers, Printers, and
Blank Book Manufacturers,
3 WESTMINSTER ST.,
PROVIDENCE, - - - R. I.

Miss Folger
N/16994

X 8 0
6 0
6 0
6 0 0

18117 Olin Crosby Comp. Medicine

To N.H.A. FROM John F. McLaughlin

11

ATE.

June 18th 1889

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15657	℞ Old Rye Whiskey	℥viii	43	Bartlett	
	15658	℞ Emplastrum picis cum cantharides cum ext Cannabis Indica ℥ii cum ext Belladonnae ℥i ss et ft in emplastrum et spread on sheep skin 7x9 inches. leave 3/8 in border.	qs	1x=	Kite. Brise & Little	
	15659	℞ Bromid. Soda ℥i Aquae ℥iv Sig. Take a teaspoonful in water after morning and evening meal		1x	Kite Wife. Mary Robins	
	15660	℞ Elix. Cinch. Iron & Strych. ℥iv Sig. Take a teaspoonful every 6 hours in a teaspoonful of water		1x	Mack J. Burk	
	15661	℞ Vini. Colch. Sem. ℥ii Magnesia Carb. ℥iv Magnesia. Sulph. ℥vi Aquae Foeniculi qs ℥vi Sig Tablespoonful in water every 4 hours		1x	Elliott Mrs. H. Mowry	
	15662	℞ Fld. Ext Convalaria ℥v Tr. Nucis Vomicae ℥vi Acidi Nitro Muriatic Dil ℥iv Fld. Ext Cascara Sagrada ℥viii Elixir Amanti qs ℥iv Sig Take a teaspoonful in water before each meal		1x	Kite Dr. King	

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15663	℞				
		Fld. Ext Convalaria	ʒiv	⊞x		
		" " Cascara Sagrada	ʒiii		Kite	
		Tr. Ferri Chlo.	ʒiii		Bros Harris	
		" Gentian Comp. gs	ʒiv	~~Dxx~~		
		Sig. Take a teaspoonful in sweetened water 3 times daily after meals.				
	15664	℞				
		Fld. Ext Ergotae	ʒvi		Wilkins	
		Acidi Sulph. Dil.	ʒiii			
		Aquae gs	ʒiv	~~Dxx~~	Mrs Davenport.	
		Sig. One teaspoonful every 4 hrs. home				
	15665	℞				
		Podophyllin	gr. ½	⊠⊠	Chamberlain	
		Extri Valerian.	gr. xv			
		Extri "	gr. viii			
		Belladonnae Rad. Pulv.	gr. xxx			
		~~℞~~ ft in pil No. xxxvi				
		Sig One pill after meals.				
	15666	℞				
		Ferri et Quininae Cit. grs xx			Gillette	
		Syr Simplex		⊠⊠		
		℞ Ag Font ää ad ʒii		bott		
		Sig Teaspoonful 3 times a day		teaspn.		
	15667	℞				
		Morph. Sulph.	gr iss	⊠⊠	Kite	
		Syr. Hypophosphites (Fellows) gs	ʒiv	~~Dxx~~	Denham	
		Sig Take a teaspoonful in water before each meal.				
	15668	℞				

Over

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15668	℞				
		Bromid Sodae	gr xxx	1.00	Kite	
		Fl. Hydrocyanic.	m x		Dunham	
		Loca Cordial				
		Aquae āā	℥i	.40.		
		Sig Take at once a dose				
	15669	℞				
		Morr Morphiæ	gr ¼	.05	Kite	
		Fl Ext Pichii	℥i			
		Fr Digitalis	℥ii ss			S. Reing
		Acid Nitro Hyd chlo Dil	℥vi			
		℞ Lithiated Hydrangia	q s	℥iv		
		Sig Take a teaspoonful				
		in water 3 times daily				
	15670	℞				
		Potassa Bromide	℥x		Wallace	
		℞ Aquae	℥ii	1.00		
		Sig Teaspoonful in water at				
		night repeated in one hour				
		if awake				
	15671	℞				
		Morr Morphiæ	gr ¾	.05	Kite	
		Bismuth Sub Nit	℥ii			
		Chloroformi	m xxxii		Merschmidt	
		℞ Ess. Pancreas q s	℥ii			
		Sig Take a teaspoonful				
		in water after each meal.				
	15672	℞				
		Ext Cinch Iron. & Strychnia	℥iv		Mearle	
		Sig Take a teaspoonful				
		every 6 hours in a teaspoonful				
		of water after each meal		.05		

15762

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15673	℞ P.D. Ale		⊞X	Kiely	
		Hematic Hypophosphites ℥	℥iv		Meirs	Leitch
		Sig Take 20 drops in water 3 times daily after each meal.				
	15674	℞ Hyd chlo corros Tablets Bott i			Kiely	
		Sig use one tablet in 2 quarts of hot water twice daily		⊡X	Meirs	Keane
	15675	℞ Apiol	℥ss	⊡X	"	"
		Sig Take 5 drops in water after each meal				
	15676	℞ Ammon. Iodph.	gr i			
		Hyd. Chlo. Corr.	gr ss			
		Liq. Arsenici Chlorid.	℥i ss	⊡X	"	
		Acid. Nitro Muriatic Dil.	℥iv			"
		Tr. Ferri Chloridi	℥ii ss			
		Syrupus qs	℥iv	Ozs.		
		Sig. Take a teaspoonful in water after three meals daily.				
	15677	℞ Marsh's Pills.	xx	10	Marsh	
		Sig Take one every 6 hours.				
	15678	℞ Hyd. Chlo. Corr.	gr ss			
		Liq. Arsenici Chlorid.	℥i ss	⊡N	Note.	
		Acid Nitro Muriatic Dil.	℥iv			
		Tr. Ferri Chlo.	℥ii ss		Miss Barrett	
		Lithiated Hydrangea. qs	℥iv	Ozs.		
		Sig Take a teaspoonful in sweetened water after 3 meals daily.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15679	℞				
		Sulph. Quinniae	gr xl		Marsh.	
		Acid. Sulph. Dil	gtts. xl	⅄x		
		Aqua.	℥iv	~~⅄x~~		
		Sig Take a teaspoonful every 6 hours.				
	15680	℞				
		Syr. Hypophosphites Comp.	℥iv	⅄x	Birbe	
		Sig. Syrup of Hypophosphites. Dose. Teaspoonful.				
	15681	℞				
		Fr. Buchu.	℥ii			
		Spts. Etheris Nit.	℥iii	⅄x	Pitman	
		Fl. Opii.	℥i		Alex Laycock.	
		Aquae	℥i ss	~~⅄x~~		
		Sig A teaspoonful in a little water 3 times a day.				
	15682	℞				
		Saccharinae	℥i	⅄x	Kite	
		Sodae Carbonas.	gr. xxxvi		Mrs J B. King	
		Sig Saccharin. Quiny. little sweetens				
	15683	℞				
		Pulv. Sprudel Salts.	bott i	⅄	Kite	
		Sig Take a teaspoonful in a glass of water as necessary.			Mrs Brewer	
	15684	℞				
		Mur. Morphia	gr i ss		Kite	
		Fr Digitalis	℥i ss		Mrs Boyer	
		Acid Nitro chlo Hyd Dil	℥iv		⅄x	
		Fr. Nucis Vomica	℥iv			
		Ext. Pancreas	gr ii	℥iv		
		Sig Take a teaspoonful in water before or after eating t. i. d.				
	15682	℞				
		Saccharinae	℥i	⅄x	Kite	
		Sodae Carbonas.	gr. xxxvi		Mrs J B. King	
		Sig Saccharin. Quiny. little sweetens				
	15683	℞				
		Pulv. Sprudel Salts.	bott i	⅄	Kite	
		Sig Take a teaspoonful in a glass of water as necessary.			Mrs Brewer	
	15684	℞				
		Mur. Morphia	gr i ss		Kite	
		Fr Digitalis	℥i ss		Mrs Boyer	
		Acid Nitro chlo Hyd Dil	℥iv		⅄x	
		Fr. Nucis Vomica	℥iv			
		Ext. Pancreas	gr ii	℥iv		
		Sig Take a teaspoonful in water before or after eating t. i. d.				

15682

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
					Keith	
15685	℞					
		Extr Nigra	℥ii	10¢	Mrs Spencer	
	Sig	one spoonful				
15686	℞					
		Balsam Copaiba	℥ii	50¢		
		S. Spts Nitri	℥i			
		Ol Lemon	℥i			
		Harlem Oil	Bott 1/2			
	℞	Simp Syrup	℥ii			
15687	℞					
		Spts Ammonia Arom.	℥i			
		Sodae Bicarb.		10¢		
		" Bromid.	aa ℥ii			
		Aqua Cinnamon.	℥iii	25¢		
	Sig	A dessertspoonful before meals				
15688	℞					
		Stokes Liniment.	℥vi	50¢	Marsh	
	Sig	As directed				
15689	℞					
		Mur. Morph.	gr. i sp.			
		Fr. Nucis Vomic.	℥iv	25¢	K.	
		Acid. Nitro Mur. dil.	℥iv			
		Essence Pancreatine				
		Comp. Fr. Gentian aa gs.	℥iv			
	Sig.	Take a teaspoonful in water 3 times daily				
15690	℞					
		Fowlers Sol of Arsenic	℥i	10¢		
	Sig	Three drops in a wineglass of water after meals				

Stationers, 3 Westminster St.

June 24th 1889

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15691	℞				
		ℏ Bromid. Potass.	gr xv		Kite	
		ft in emp. charta ℏ charta no.	vi			K.
		Sig. One powder repeated in an hour if necessary.				
	15692	℞				
		Strem. Bromid	gr i		Chamberlain	
		~~Zinc~~ Valerianate	gr. x.	☒x		
		Podophyllin	gr. ¼			
		Extract. Rad. Rubr.	gr xxv.	☒		
		ft pil. No. 40 ~~Selectoris~~				
		Sig. One pill after meals				
	15693	℞				
		Sodium Bromid	(gr. 150) 10.	☒	Vermyne	
		" Iodide	(" 180) 12.			
		Elixir Simplicis	(℥iv) 120.	☒	Mrs Robinson	
		Sig A teaspoonful three times a day in a little water after meals.				
	15694	℞				
		Stokes Liniment	℥vi	☒x	Marsh	
		Sig Use as directed				
	15695	℞				
		Sulph Morphia	gr i		Marsh	
		Aquae Camphor	℥i	☒		
		℞ Aquae	āā ℥i			
		Sig Take a teaspoonful every 3 hours				
	15696	℞				
		Liq Potas Arsenitis	℥ii	☒x	McGlynn	
		℞ Elixir Galisaya	℥v			
		Sig a teaspoonful in a wine glass of water after meals				

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
					Marsh	
15697	℞	Fluid Buchu	℥ii	1⁰⁰		
	Sig	Take a teaspoonful in a tablespoonful of water 3 time a day				
15698	℞	Sub. Nit. Bismuth	℥i	40		
		Salol Cerium	gr. XXIV			
	ℳ	ft. chartæ No.	XII			
	Sig	one every hour				
15699	℞	Liq. Arsenici Chlorid	℥vi			
		Acidi Hydrochlor. Dil.		50	Martin	
		Aquæ Aurantii	āā ℥iv			
		Syr. Simplicis	~~℥i~~ ℥vi	~~40~~		
	Sig.	Teaspoonful in half tumbler of water with meals.				
15700	℞	Hyd. Chlor. Sapo		10	K.	
15701	℞	Antipyrin	gr. v.	10		
	ft.	in sing. Chart. # Chart. No. iv				
	Sig.	Take as directed		10		
15702	℞	Bismuth Sub. Nit.	~~gr xl~~ gr v			
		ft in sing chartæ # chartæ No. xii		XO		
	Sig	One powder after each meal.				
15703	℞	Sulph. Ammoniac	gr. 4	20	Marsh.	
		Syr. Liquoricæ	℥iv	~~40~~		Gibbs
	Sig	Take a teaspoonful every two hours				

June 26th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15704	℞ Spir. Ethers Comp. (of Hoffmans Anodyne)				
		Elix. Valerian. Ammon				
		Spir. Lavender Comp. āā. gs.	℥ii			
	Dij.	Take a half teaspoonful in water every half hour till relieved			Mrs Boyer	
	15705	℞ Bromide Soda	℥i ℘.			
		Agnae	℥ii			
	Dij.	Take a teaspoonful every 4 to 3 hours nebly 6 gr. to ℥i			Miss. Alice Little	
	15706	℞	increased to gr i per order			
		Hyd. Chlo. Corr.	gr. ss		Dr. W.	
		Aquae	℥iv		Williams	
	Sig	Dilute with an equal quantity of water and use after each micturition				
	15707	℞ Elix. Lactopeptine	℥iii. ss			
	Nyrctus	Elix. Gent. et h. Fenic Chlor.	℥iii			
	Dij.	℥i t.i.d. before or after meals				
	15708	℞ Potass. Citratas.	℥i			
		Aquae	℥vi			
	Sig	A teaspoonful in half a glass of water One hour before meals.				
	15709	℞ Hydrarg Chlo Mitis				
		in chart āā gr ii to iv				
	Sig	Calomel into grains				

January 27th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15710	℞		00		
		Listerine	℥iii			
		Sod. Bi Carb.	℥iii			
		Pulv. Rhei	℈ii			
	Sig.	one to three teaspoonfuls when necessary				
	15711	℞				
		Potass. Bromid.	℥vi	℈ii		
		Ammonii Bromid.	℥vi	℈ii		
		Sodii Bromide.	℥vi	℈ii		
		Aquae q.s. ad.	℥viii	~~ℳ~~		
	Sig.	Bromide Solution		ad x		
		Dose: ℥i in water at bed time - Repeat in one hour if necessary				
	15712	℞				
		Iodid. Potass	~~℈ss~~			
		Syr. Liquoricæ	~~℥ss~~ ℥v	sx		Mark
	Sig.	Take a teaspoonful every 6 hours				
	15713	℞				
		Fl. Buchu	~~℥ii~~ ℥ii			
		Syr. Tolu	~~℥ii~~ ℥ii	~~ℳ~~		Mark
	Sig.	Take a teaspoonful every 6 hours		ad ii		
	15714	℞				
		Ferri Iodid		gr 3/4.		
		Chloroformi		M.xvi		
		Syr. Rubi Virg		q.s ad ℥ii		Rich
	Sig.	Take a teaspoonful in water every 4 hours				Dr. Ring

Freeman & Co.

PATIENT.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15715	℞				
		Syr. Ferri Phosphat. et Ammoniæ		XD		
		et Strychnin	℥ ii	Do		
	Sig	A teaspoonful three times a day after meals.				
	15716	℞				
		Fld. Ext Cinnalaxia	℥ iv			
		Fl. Aqua Satviae	℥ iii	XD	Kite	
		" Nucis Vomicae	℥ iv		Louis	Bunnell
		Acid Nitro Muriatic Dil.	℥ iv			
		Fl. Gentian Comp. qs	℥ iv	Do		
	Sig	Take a teaspoonful in water before each meal.				
	15717	℞ For Nervousness				
		Bromid. Sodae.	℥ iv			
		Spts. Etheris Comp.		XD	"	"
		Elixir Valerinate Ammoniæ āā qs	℥ ii			
	Sig	Take a teaspoonful in water every 2 hours till relieved.				
	15718	℞				
		Pil. Valerinate (Special) No. C	i.x=		"	"
	Sig	Take one pill after each meal				
	15719	℞				
		Mur Morphia	gr 3/4			
		Bismuth Sub carb	℥ ii		Mrs Wilkes	
		Chloroformis	m xxxii			XD
		Ext Pancreas	gr ℥ ii			
	Sig	Take a teaspoonful in water before eating				

June 29th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15720	℞				
		Iodid Potass.	gr. xl		Patterson	
		Fld. Ext Stillingia	ʒi ss			
		Syr. Sarsaparilla Comp.				
		Aquae. āā	ʒ ii			
		Sig A teaspoonful three times daily				
	15721	℞				
		Tr. Ferri Chlor.	ʒ iv			
		Glycerinae.	ʒ i			
		Aquae. ʒs	ʒ iv			
		Sig Take one teaspoonful after meals.				
	15722	℞				
		Hydrobromate Hyoscyamine	gr ½			
		Antipyrin	gr. lxxx			
		Morph. Sulph.	gr. ¼	1.25	Kilo	
		Bromid Soda	ʒ iii		Innes & Starbuck	
		Coca Cordial gs	ʒ ii			
		Sig Take a teaspoonful in water every hour till relieved.				
	15723	℞			K	
		Antipyrin	gr. v.			
		Elix. ipecac Chact.	ʒ i		Masterson	
		Fl. Chact. No. xii				
		Sig. Take one teaspoonful every three hours				
	15724	℞			K.	
		Listerine	ʒ iv			
		Sig. Use a teaspoonful in water as a wash for mouth			Masterson	

June 29th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15725	℞ Antipyrin	9ij x.	Dx	Kite	
		Aq. et ft in sing Spirae ℞ Chartae	No. vi			Shark.
	Sig	Take one powder 3 times daily				
	15726	℞ Bromid. Sodae	9ij xv.		Kite	
		Aquae	℥s ℥i.			Sylvaro.
	Sig.	Take a teaspoonful in water every 3 hours.				
	15727	℞ Pil. Valerianic Specials	No. C	Ix=	Kite	
	Sig.	Take one pill after each meal.				Dries & Starbuck
	15728	℞ Pil. Lactic	No. vi	Dx	K.	
	Sig.	Take as directed				
	15729	℞ Ammon. Carb.	grss			
		Chloroformi	mxxx		Kite	
		Elixir Valerianate Ammonia		Dx		Lawrence
		Coca Cordial	āā ℥ss ℥iv			
	Sig	Take a greatspoonful in water every ~~hour~~ hour till relieved.				
	15730	℞ Liquid Elix. Iron		Sx		
		Triple Phosphate	℥iv			
	Sig.	Teaspoonful before each meal				
	15731	℞ Fr. Bucher	℥ii			
	Sig.	Take half teaspoonful every six hours in a wineglass of water				

July 1st 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15732	℞				
		Morphia Sulph.	gr. ii			
		Ant. & Pot. Tart.	gr. i			
		Syr. Simar Co.	℥i			
		Syr. Tolu Balsamic	℥ii			
		Muc. Acaciae	℥i			
	Sig.	Teaspoonful every 2 hours For Cough				
	15733					
		Ammon. Brom.	gr. i			
		Bromid. Sodae	℥iv			
		Tr. Gelsemium	mxiv			
		Coca Cordial				
		Aquae	aa 9viss			
	Sig	Take a teaspoonful when necessary				
	15734	℞				
		Hydrag. Bichlorid.	gr. xl			
		Glycerin.	℥ss			
		Aquae Camphorae	gr. Oss			
		ft in Sol.				
	Sig	Locally as directed by Dr. Wm.				
	15735	℞				
		Tablets Morph. Sulph.	gr 1/8.			
	Sig	Take one as necessary.	No. xii			
	15736	℞				
		Amist. Cretae	℥iss			
		Elixir Lactopeptine	℥i.			
		Bismuth Sub. Carb.	℥ss			
	Sig	Teaspoonful every 3 hours.				
	15737	℞				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15737	℞ Liq Potassa Arsenitis ℥ii Sig Four drops twice a day in wineglass of water.		⅄X	Mastin	
	15738	℞ Bismuth Sub Nit ℥ii ss Aquae ℥iv Sig Shake Bottle. Teaspoonful 4 times a day.		XD	Williams	
	15739	℞ Spts Frumenti Rye. ℥ii Sig Whiskey		1.⅄X	"	
	15740	℞ Aqua Calcis ℥i Sig Tablespoonful.		1D	"	
	15741	℞ Fr Aconite mXVI Fr Hyoscyamus ℥i Fl Ext Buchu ℥ii Spir Ethers Nitrosi q.s ad ℥iv Sig Take a teaspoonful in water every 4 hours.		XD	Kile E.R. Folger	
	15742	℞ Ammon Bromid. gr ⅄ss Bismuth Sub. Carb. ℥ii Chloroformi mLXXX Elixir Valerinat Ammonia XXX Hennessy āā qs ad ℥iv Sig. Take 2 teaspoonful every 4 hours		⅄X	Kile Dr. Lawrence	
	15743	℞				

See note

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
15743	℞					
		Ammonia Bromid	℥i ss			
		Fl Extr Liquorice	℥i	10		
	M	Aquae q.s. ad	℥iv			
	Sig	as directed				
15744	℞					
		Bromid Potassa	℥ss	50	Marsh	
	M	Aquae	℥i			
	Sig	Take a teaspoonful	℥iv			
		every 4 hours				
15745	℞					
		Cordeia Sulph	gr ii.		Kate	
		Bromid Soda	℥iii ii	☐X		King
		Chloroformi	m xxxii			
		Coca Cordial				
	M	Elix Valerinat Ammon	ää q.s	℥ii		
	Sig	Take a teaspoonful		℥ii		
		in water when necessary				
15746	℞					
		Tinct Belladonna	℥iv		Gibson	
		Syr Aurantii Cort	℥ii	☐X		
	M	Aquae q.s. ad	℥ii			
	Sig	Take one teaspoonful	℥vi			
		before meal.				
15747	℞					
		Hyd Chlorid.	℥ii			
		Bromid. Soda	℥iv			
		Aquae q.s.	℥ii			
	Sig.	Take a teaspoonful				
		in water when sleep less				
		or irritable				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15748	℞ Ammon. Muriat gr. C Ac. Muriatic dil. gtt Lx. Bl. Bt. Glycerine ℥ss. XO Aquae Purae q.s. ad ℥iv Sig In ½ in water 3 times daily				
	15749	℞ Liquor. Sulph. qt I XO ~~Sulph.~~ Sig Liquoris ℥iv O Marsh.				
		Sig Take a teaspoonful every 6 hours.				
	15750	Bismuth Sub. Nit. ℥iv 50 Marsh Elixir Lactophosphis ℥iv				Smith
		Sig Take a teaspoonful every 6 hours after meals.				
	15751	℞ Hyd. Chlo. Corros. Sapo. aa ℥i XO Kile				
		Inv. Knill				
	15752	℞ Hyd. Chlo. Corros. Tablet. lot ℥i OX Sig Take one tablet in 2 quarts of hot " " water 4 times daily.				
	15753	℞ Morph. Sulph. gr. 1/20 XX Quiniae Sulph. gr. iii. K. Muriat. Ammon. gr. vi HH Atropello ding Capsule Dr. Short No. Capsule, No. x. Sig. Take one every 3 hours				

MW

Dodges 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15754	℞ Bismuth Sub Nit	℥ii		Williams	
		Aq Anis	℥iv	☐x		
		Sig Teaspoonful after each meal.				
	15755	℞ Ridges Food	℔ i	☐x	"	
	15756	℞ Salol in capsules ää gr v to xii		☐	"	
		Sig One capsule t i d.		☐x		
	15757	℞ Eff. Citrate Lithia	℥ii	☐x		
		Sig Teaspoonful in a tumbler of water three times daily				
	15758	℞ Mur. Morph. gr. 1/16. ☐x				
		Ext. Belladonna gr. 1/8				
		Oleum Theobroma q.s. M.				
		ft. in dose rectal suppository				
		No. vi				
		Use one every 2 hours till relieved				
	15759	℞ Mur. Morph.	gr i/8	☐☐	Pitt	
		Bismuth. Sub-Carb.	℥ii			
		Chloroformis	mLxxx		Dr. Lawrence	
		Elixir Valerinate Ammonia	aa ℥iv			
		Sig Take 2 teaspoonfuls in water every 4 hours				

January 5th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15760	℞ Pil. Jalapæ Co. Spec. Formul. M. C.			M.	
		Sig. Take one pill after each meal			Mt. Worcester	
	15761	℞ Liq. Sodæ Chlorinat.	℥i		William	
		Sig Mouth Wash	ad ℥ii			
	15762	℞ Sodii Salicylat.	℥ix			
		fiat in chart No XII				
		Sig One every 3 hours.				
	15763	℞ Salicin Pond. āā gr. v.				
		No. xv.				
		Sig. One every three hours				
	15764	℞ Liq. Sodæ Chlorinat. (Squibb's Pur.)	℥iv			
		Sig. Take a small teaspoonful in water 3 times daily			M. A. Allen	
	15765	℞ Listerine	℥iv			
		Sig. Use a teaspoonful in a wine glass of water as a wash for mouth			M. A. Allen	

over

July 5th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15766	℞ Acid. Salicyl.	℥iii		Wood Bro	
		Glycerin Burgundum q.s.	℥i			
		M. ft in unguent				
		Sig. Use as an Ointment 2 to 3 times daily				
	15767	℞ Pulv. Ipecac et Opii	gr ℥ss			
		Hyd. Chlor. Mite	gr ss	##		
		Sacch. Alb.	gr. X			
		M ft pulv in chartae No. X				
		Sig One powder every 3 hours till the bowels are better.			For Diarrhoea	
	15768	℞ Bromid. Sodae	℥iv	XD	Kile	
		Aquae	qs ad ℥ii	D.to		
		Sig Take a teaspoonful in water every 3 hours				
	15769	℞ Aro. Spts. Ammonia	℥ii	XX	Kile	
		Sig Take a small teaspoonful in ½ glass of water every 4 hours				Casey
	15770	℞ Antikrynin in capsules ää gr V No VI		XD	Wilkins	
		Sig Two capsules repeated in two hours if in pain				
	15771	℞ Potassa Bromid	℥ss	ID	"	
		M ft pulv in chart No ii div				
		Sig One powder repeated in an hour if sleepless.				

July 6th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15772	℞ Acid Carbolic gr. x. Glycerine q.s. ℥ii Sig. For Prof use		18	K.	Miss S. Burk
	15773	℞ Lambs Wool ℥ii Wet with sol. Hyd. Bichl. 1 to 2000 (Hyd. Bchl. gr. ¼ Aquae ℥i) Then dry		××	K.	Mrs. Lucas Burk
	15774	℞ Lambs Wool ℥ii wet with Sol Hyd. Chl. Cor., as above		××	K.	Mrs Judge Daly
	15775	℞ Lambs Wool ℥iii Sol. Hyd Chl. cor. as above		××	K.	Mrs Mott
	15776	Ft. Lobelia ℥ss Syr. Ipecac ℥i " Squills ℥i " Tolu ℥i Sig. Take a teaspoonful every 2 hours		××		
	15777	℞ Hyoscyamus ml Fl Extr Buchu ℞ Spir Aetheris Nitrosi āā gr ℥ii Sig Take a teaspoonful in sweetened water every 3 hours.		××	Kiki	

July 6th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15778	℞ Pulv Borax	℥i		Anderson	
		Ft Ferri Mur		1 ☐		
		℞ Glycerine ää	℥ii			Eddi
		Sig Apply with Brush 3 or 4 times a day				
	15779	℞ Potassa Acetas				
		" Citrate ää	℥i			
		" Bi carbon	℥ii	☐ x		Shaw
		Syr Limonis				
		℞ Aquae Dertil ää	℥ii			
		Sig Tablespoonful at a dose in glassful of water twice a day				
	15780	℞ Ferri et Potas Tart	℥i	1x-		Workman
		Lemnia Sulph	gro LX			
		Strychnia "	gr i			
		℞ Infus Gentian Comp	℥viii			
		Sig Teaspoonful after meals.				
	15781	℞ Sodii Bromid.	℥ii			
		Pepsin Sacch.		1.x-		
		Bismuth Subnit ää	℥iv			
		Aquae Camphorae	℥viii			
		Sig. Shake the vial well and Take a teaspoonful after each full meal				
	15782	℞ Tinct. Buchu	℥ii	☐☐		
		Spts. Aeth. Nitrosi	℥iii			
		Tinct Opii	℥i			
		Aquae	℥iii			
		Sig. a teaspoonful 3 times	a day			

July 6th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15783	℞ Zinc. Sulph. gr. iii Tr. Opii gtt. x Aq. Vestiel. ℥ ii Eye Lotion		10		
	15784	℞ Pil. Strych. Sul. gel. Coat. āā gr. 1/40 No. xxx Sig. Take one after each meal		0+	Mosher	
	15785	Pot. Cyanide gr. 1/4 Tr. Aconite M. viii Syr. Ipecac. Syr. Scillae Syr. Tolu āā q.s. ℥i. M. Sig. Take a teaspoonful every two hours		10	K. Dr. King	
	15786	℞ Antipyrin in chartae āā gr. ii Sig One powder No. vi repeated in an hour if necessary		xo	Williams	
	15787	℞ Paraldehyde ℥iv Chloroform M. xvi Ext. Mucilag. Tragacanth q.s. (℥iv) Coca Cordial q.s. ad ℥ii Sig. Take 2 teaspoonfuls in water at night		DO	K. Mrs. Worcester	

July 7th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15788	℞ Salol. in capsule ää gr. v. No. xii Sig. One capsule every four h ours		☐x	Williams	
	15789	℞ Bromid Sodae ℥iv Aquae q.s. ℥ii M. Mix. M. for Sig. Take a teaspoonful in ½ glass water every hour & succeed			Mc	
	15790	℞ Agna Camphor. ℥ii xx Branch Morph. Sulph. gr 1/8 ☐☐ D. W. Brown Sig Take a teaspoonful for a dose.				
	15791	℞ Tr. Aconite m viii Kirk " Belladonnae. m xx Brea Cordial qs ℥i. ☐☐☐. Dr. Sharp Sig Take a teaspoonful every hour till relieved.				
	15792	℞ Bismuth Sub nit Sodae Bi carb ää ℥i ss ++ Mackall Cerium Oxalat ... gr xvi M ft pulv No viii Sig One every 4 hours.				
	15793	℞ Fld Golden Seal Colorless ℥i 1☐ Perry Sig Teaspoonful in atomizer full water as directed				

Stationers, 9 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15794	℞		**		
		Bismuth Sub nit	℥ii			
		Magnum Opalgte	gr xxiv			
		Acidi Carbolici	♎ i			
		M. Aquae Menth Pip	℥i ss			
		Sig One teaspoonful every 3 hours.				
	15795	℞				
		Ext Hyoscyamus	gr i			
		Antipyrin	gr viii			
		M ft capsule No vi		18		
		Sig One every hour till relieved.				
	15796	℞				
		Tinct Digitalis	℥i		Bartlett	
	15797	℞				
		Capsules ?				
		Potass Permangan.		**		
		Capsule No. 4 āā gr. i No. xii				
		Sig. one after each meal				
	15798	℞				
		Pil. Bland. xxiv		ox		
		S. one after each meal				
	15799	℞				
		Aq. Ammon (Fort.)	℥iii			
		Fl. Ol rii	℥iii	ss		
		Ft. Acetic Rad.	℥iii			
		Lin. Chloroformi q.s. ad	℥v.			
		M ft. in Liniment				
		Sig. Local. Poison. For External use only.				

July 8th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15800	℞ Morphia Sulph in pilulae ää gr 1/8 No XII Sig One pill night & morning.		10	Wilkins	
	15801	℞ Bismuth Sub nit ℥iiss Aquae ℥iv Sig Teaspoonful after each meal.		75	Wilkins	
	15802	℞ Pulv Aloes Ferri Sulph ää gr I in sixty pillulae No XII Sig One pill at night.		75	"	
	15803	℞ Sulph Quinia gr Ls Syrup Liquorice ℥iv Sig Take a teaspoonful every 6 hours.		50	Mearsh	
	15804	℞ Stokes Liniment ℥vi Sig use as directed		50	"	
	15805	℞ Liquor. Elix. Gent ch Ferri Chlorid. ää ℥iv Sig. Teaspoonful before each meal				
	15806	℞ Sulfonal in chart aa gr X Sig. One powder in a cup of Ridges food at 8. P. M.				No. VI

July 8th 1889

Stationers, 7 Westminster Pl.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15807	℞ Ovl. Cit. Magnes. Butt (R.E. Congdon)		1.8	Macrae	
		Dij. To be taken at a draught				
		for A.P. Barnes Esq				
		Steward				
	15808	℞ Lauto Wool	3/.	**	Mrs. Wm. Crut	
	15809	℞ Acid. Carbol. M. XVI.				
		Glycerine	3ii	**	"	
		Sig. For Perf. use			"	"
	15810	℞ Ol. Camphorated (U.S.P.)	3ii	**	Macrae	
		Dij. External use only			Mrs. Dingle	
		Camphorated Oil				
	15811	℞ Aquae Mouth Pf.	3ii	8*		
		Liq. Sodae Chlorinat.	3i	5	"	
		Aquae Distillat	3ii		"	"
		M Bene Bougie for Throat				
	15812	℞ Bromide Ammonia	3i			
		Syr. Ipecac	3ii	**		K.
		Syr. Opium				
		Syr. Tolu aa gs.	3ii	**		
		Sig. Take a teaspoonful every 3 hours				
	15813	℞ Mass Pills Ar	xx			

July 8th 1889

E. L. Freeman & Sons

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15814	℞				
		Liq Soda Chlorinat	℥i		Williams	
		Aquae Menth Pip		.08		
		℞ Aquae aa	℥ii			
		Sig Gargle 4 times a day				
	15815	℞				
		Hyd. Chlorat.	gr x	.05		
		Bromid Soda	gr xxx		Kite	
		Fl. Avena Sativa	℥xxx		Miss Johnson	
		Coca Cordial qs	℥ii	.50		
		Sig Take a teaspoonful in water every 4 hours				
	15816	℞				
		Borax	℥ii			
		Acid Carbolic	m xxiv			
		Lanoline	℥i	.10		
		℞ M ft ung.				
		Sig Extend wrist as directed				
	15817	℞				
		Sulph. Quinine	gr xl	.05	Marsh	
		Sp. Liquoricæ	℥iv		Lower	
		Sig Take a teaspoonful every 6 hours				
	15818	℞				
		Fld. Ext. Cascara Sagrada	℥i		Cocker	
		Ext. Malt	℥i			
		Fluct. Nucis Vom.	℥i			
		Syr Simplex qs ad	℥iv			
		Sig Teaspoonful before meals				

July 9 - 1889

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15819	℞				
		Morph. Sulph.	gr ¾	Dicot		
		Iodid. Potass.	ʒii	8x	Kite	
		Sodae Salicylate	ʒi			Ames.
		Aquae q.s	ʒiv			
		Sig Take a teaspoonful in water every 4 hours.				
	15820	℞ Poison.				
		Tr. Aconite	ʒi	dist.	Kite	
		" Cannabis Indica	ʒiv	☐x		Ames
		Liniment. Chloroformis	ʒ ii			
		Sig Use as a Liniment on arm.				
	15821	℞				
		Sodae Salicylate	ʒii 88	☐x	Williams	
		Aquae	ʒiv			
		Sig. ~~Take~~ a Teaspoonful four times a day				
	15822	℞				
		Cyanide Potass.	gr 88	without.		
		Tr. Opii Camph.	ʒiv	xx	Kite	
		Chloroformis	mxxx	ii		King
		Syr. Ipecach.	mcix			
		" Tolu.	q.s ʒii			
		Sig. Take a teaspoonful every 2 hours.				
	15823	℞				
		Elix Gentian et Ferri Chlor Fr. Veratis	ʒiv	☐x	Martin	
		Sig Teaspoonful in wine glassful of water after meals.				

X

July 9th " 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15824	℞ Fld. Ext. (Pastelles) Cascara Sagrada	℥ss	1 D	K.	
		Elix. Gentian Co (Myth.)	℥ss		Albany	
		Tr. Ferri Chlorid. q.s.	℥ii			
	Sig.	Take a half teaspoonful after each meal				
	15825	℞				
		Sol. Quinine	gr. lx.	B/B St.		
		Syr. Liquorice	℥iv	☒		
	Sig.	Take a teaspoonful Every six hours				
	15826	℞				
		Arom Spts Ammonia	℥iv	☐☐	Kahl	
	Sig	Take a coffee spoonful every 4 hours.				
	15827	℞				
		Podophylli	gr ii	8 N		
		Arsen Bromid	gr i		Chamberlin	
		Cinchonidia Sulph				
		Gelsemii Rad Pulv	ää gr	xl		
	℞	ft pil No	xl			
	Sig	One pill after each meal				
	15828	℞				
		Ppii Seed Finis				
		Arom Spts Ammonia	ää ℥ii	☒	Grove	
		Syrup Specac	℥i			
	℞	Ppii Camph	℥		Starbuck	
		Potassa Iodide	℥ss			
		Potassa Bromid	gr xv			
	℞	Syrup Tolu q.s.	ad ℥iv			
	Sig	½ teaspoonful once ~~in~~ from 2 to 8 hours according to cough.				

July 10th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15829	℞ Strych. Elix of the triple Phosphates (1/60 gr) Sig Teaspoonful after each meal	℥iv	$1.00	Williams	
	15830	℞ Pulv. Aloes Ferri Sulph āā gr xv M ft Pil No xii Sig And pill at night.		$1.00	Williams	
	15831	℞ Sol. Fowleri Sig. Three drops three times a day	℥i	$1.00	Williams	
	15832	℞ Pulv. Iodoform Dig. Apply with a brush	℥i	$1.00		
	15833	℞ Liq Sodae Chlor Ad Menth Pip Sig Liq Sodae Chlor etc	℥i ℥iii ℥viii		Martin	
	15834	℞ Morphia Sulph Ant et Potassa tart Syr Scillae Comp Tolu " Mucil Acaciae Sig Teaspoonful every 2 hours for cough.	gr ii ss gr ¼ ℥i ℥ii ℥i		Martin	
	15835	℞ Chlor Potassa Sig Chlor Potassa.	℥iv		Martin	

July 10th 1889

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15836	R/ Syr. Ferri Iodidi 3iv Sig. gtt. 15 in water after meals Hor John		0		Workman
	15837	R Ferri et Pot. Tart. 3vi Quinia Sulph. gr xxx Inf. Gentian Co. 3viii Sig. teaspoonful after meals Hr Winthrop		6		11
	15838	R Ferri et Potass. Tart. 3i Strychnia Sulph. gr i Infus. Gent. Co. 3viii Sig. Teaspoonful after meals Label Mary		8		11
	15839	R Ext. Colocynth Co. 3i Ext. Belladonna gr iii M. ft. pil. No. xx Sig. one pill at night Label Mary		0		
	15840	R Lotio Nigra 3iv Sig. use externally as wash		x0		K.
	15841	R Lapo. Hygl. Chl. Com. 1 Cake		10		11
	15842	R Mur. Morph. gr ii Hyd. Chl. Cor. gr ii Aquae dist. q.s. 3iv M. Poison Use teaspoonful in 2 great tumblers of water				

July 10th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15843	℞ Fowle Pile leme	℥i	##	Mauk	
		Sig use as directed				
	15844	℞ Morph Sulph	gr 1/24		Kile.	
		Quinia "	gr ¼	08		
		Ext Digitalis	gr 1/12		M. Johnson.	
		Antipyrin	gr V			
		℞ et repello sig capsulae				
		repello capsulae No XII				
		Sig Take one capsule every 3 hours.				
	15845	℞ Iodoform	gr V	10	Kile	
		Collodion flex	q.s ℥ss			
		Sig use on childs fingers				
	15846	℞ Hydrarg Chlorid Mite	gr X		William	
		ft chartulae i in chart No ii div		10		
		Sig Dry upon the tongue Calomel.				
	15847	℞ Emplas. Cantharidis		10	Williams	
		Sig. Blister 4 × 4 —				
	15848	℞ Strych. Sulph. Gr. ss.		00		
		Quiniae Sulph.	℥i		Lewis	
		℞ ~~Acid~~ Syr. Zingib.	℥iii		& Shaver	
		Sig Teaspoonful in water after meals.				

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15849	℞				
		Hyd. Chlo. Mite	gr iv	-IX	Kite	
		Sodae Bicarb	gr v		Underwood.	
		~~M~~ ft in chartae No i				
		Sig Take at once.				
	15850	℞				
		Potassii Iodid	ʒ v			
		Aquae	ʒ iv			
		Sig Teaspoonful every 3 hours.				
	15851	℞				
		Meur Morphia	gr 1/8		Keith	
		Bromide Sodae	gr xxx		Thompson	
		M ft chart in sing chartae				
	15852	℞				
		Potass. Bromid.	ʒ ss.		Wilcox	
		Aquae	ʒ ii			
		Sig. Teaspoonful at night in water repeated in an hour if necessary				
	15853	℞				
		Acidi Carbolic Liq.	ʒ ii		Mitchell	
		Olei Lini qs. ad.	ʒ iv			
		S- Apply externally only				
	15854	℞				
		Sol. Arsenicosi	gr i		Mrs. Wilcox	
		Ext. Nucis Vom.	gr xv.			
		Pulv. Digitalis	gr xii			
		Linimae Sapo.	gr xv.			
		Ferri Pulvis (reduced)	gr xxv.			
		M ft pil. No. xxx.				
		Sig. a pill 3 times each day				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15855	℞ Spirt Acid makeacryfine Pulv. Amyl. ā ā Sig Powder	℥i ℥i	XX Ans.	Williams	White
	15856	℞ Lotio Nigri Sig External Use. As directed	℥iv	XX	"	"
	15857	℞ Quinia Sulph Antipyrin M et repello sing capsules repello capsules No Sig Take one capsule every 4 hours.	gr ii gr v ii xii	XX	Reid Mrs. C. C. C	
	15858	℞ Tinct Ferri Chlor. Zinc. Valerian. ā ā No. xxiv Sig. Two night and morning	gr ii	R. E. Cargdas Pills XX		
	15859	℞ Hyd Chloral Sodae Bromid Valerianat Ammonia M et repello two capsules repello capsule No iv Sig Take two on going to bed repeat in ½ hour.	gr x gr x gr iv	XX	Reid Mrs Worcester	
	15860	℞				

July 12th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15860	℞				
		Imm. Iodyd.	gr ¼			
		Bismuth Sub-Nit.	gr xxx	XD	Kite	
		Fl. Kino.	℥iv			
		Coca Cordial	gs ℥ii	Dto		
		Sig. Take ¼ at a dose repeat every 4 hours.				
	15861	℞				
		Hyd. Chlo. Mite	gr v	ID	Kite	
		Sodae Bicarb.	gr x	Dto		
		Dto et ft in sig chartae				
	15862	℞				
		Aqua-Ammonia.				
		Acid. Carbolic.				
		Fl. Camphor.	āā ℥i	1D		
		Ol. Menth. Pip.	gtts x			
		Spt. Vini	gs ℥i	Dto.		
		Sig Drop. ten drops on handkerchief for inhalation				
	15863	℞ Cocaii Muriat.	℥ss	½ quantity OD		
		Glycerin Boracis	℥i			
		Liq. Plumbi Sub. Acet at.	℥i	7A.		
		Sig. Apply twice to four times daily Put in right mouth bottle				
	15864	℞				
		Cocaii				
		Hyd. Chlo. Corus Tablets	bot i	DX	Kite	
	15865	℞				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15865	℞				
		Acid. Benzoic	℥i ℔		Martin	
		Sodæ Biboratis	℥i ℔		"	
		Infus. Buchu	℔i		Mrs Howard	
		Dig. Tablespoonful three times a day				
	15866					
		Bismuth Sub. Nit.	℥ii ℈ss	◇x	Williams	Shaw
		Aquæ	℥iv	◇◇		
		Sig. Teaspoonful after each meal.		(Shake Bottle)		
	15867	℞				
		Tinctur 1st.	gtts xx	◇x	"	
		Aquæ	℥iv	◇◇		"
		Sig Teaspoonful three times a day				
	15868	℞				
		Pulv. Cinnamon	gr. xxiv	◇		
		Sodæ Bicarb.	gr. CCXL	"		"
		Bismuth Sub. Nit.	gr. XL VIII			
		~~Sig~~ ft in chartæ No. XXiv				
		Sig. One powder in water half hour before meals				
	15869	℞ Bismuth. Sub. Carb.	℥ii			
		Pepsin (Saacch.	℥i			
		Sodæ Bi Carb.	℥ℓ.			
		ft in pulv. No. XII				
		Sig. One in a wineglass of water every three hours				
	15870	℞				

E. L. Freeman & Sons

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15870	℞ Pulv. Despumat.	℥i ℔.			
		Ft. Guiaci Gummos.	℥i ℔.			
		Sig. Teaspoonful in water three times a day				
	15871	℞ Acid Carbolic cryst	gr X		Keile	
		Glycerine	℥ii	10	Mrs. H. Parker	
		Sig Ft. Prof use				
	15872	℞ Lambs Wool	℥ss	XX	" " "	
	15873	℞ Tinctura Sulph	℥ii		Mosher	
		Syrupi Glycyrrhiza	℥ii		1.X=	
		Sig Tincture etc	℥viii			
		2gr to ℥				
	15874	℞ Potass. Bromid.	℥iv			
		Hyd. Chloral	℥ii			
Em. Sulph. ℥ss Em. ℥i ℔		Morphiae Sulph.	℥i ℔.		Mosher	
		Tinct. Cardam. Co.	℥i ℔.		X	
		Aquae	℥iii ℔.			
		Sig. ℥i in water 3 times a day				
	15875	℞ Fl Extr Hydrastis	℥i	XX	Keile	
		Lithiated Hydrangea	gr ℥iv		Mrs A. Harris	
		Sig Take a teaspoonful in water every 4 hours.				
	15876	℞ Tablets of Hyd Chlo Corros	No XXV		" "	
		Sig use one tablet in 3 pints of hot water.		XX	XX	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
15877		℞ Capo Hyd. Chlo. Corr. Cake	No		K.	
15878		℞ Tablets Hyd. Chl. Corr. No. XXVI.	IIX		Mrs Parker	
	Sig.	Poison. use one in 2 quarts hot water as directed			"	"
15879		℞ Ft. Cit. at. Lithia Sol. 1	IX=			
	Sig.	Take a teaspoonful in a glass of water per'd times daily			"	"
15880		℞ Ft. Digitalis gr. 1/12 Ext. Nucis Vomic. gr. 1/4 Ferri Sulph. Exicc. gr. III ~~Ext. Gentian. q.s.~~ M. in sing. pil. Sig. pil. No. LX.	IX=	"	"	
	Sig.	Take one pill after each meal				
15881		℞ Fr Belladonna Fl Extr Pichi Lithiated Hydrangea Sig Take a Tablespoonful in water after 3 meal daily	℥ii ℥i q.s.	℥ii ℥i ℥iv	Mrs Hall Folger	
15882		℞ Hyd. Chloral gr. CLX. Elix. Aurantii ℥ii Sig. Hyd. Chloral 10 gr. to ℥i		℥ii		

July 14th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15883	℞ Bromid. Soda	℥iv			1
		Aquae	℥ii			
		Sig. Bromid. Soda 15 gr. to ℥i				
	15884	℞ Tinct. Ferri Chlorid. ℥i ℈.			Watkins	
		Liquiae Sulph. gr. LX.				
		Tinct. Gent. Co. ℥iii				
		Sig. One teaspoonful in water after meals				
	15885	℞ Potass Iodid.	℥ii ss	☒X		
		Aquae	℥iv	☒X	Williams	
		Sig Teaspoonful every four hours.				
	15886	℞ Morph. Sulph.	gr i			
		Chloroformis	℥ss	☒X		
		Sp. Pimi Dulc.	℥iv	☒X	"	
		Sig. Teaspoonful every 2 hours, if necessary during the night.				
	15887	℞ Stokes Liniment	℥vi	☒X	Marsh.	
		Sig. Use as directed				
	15888	℞ Sulph. Zinc	℥ss	10	"	
		Sig Use as directed		Doubt 10		
	15889	℞				

July 14th 1889

Stationers, 5 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15889	℞				
		Mor. Sulph.	gr. 1/24	☒	K.	
		Quiniæ Sulph.	gr. i			
		Salol	gr. v.			
		Ft capsella sing capsule				
		capsella capsule No. xii				
		Sig. Take one capsule				
		every 2 to 3 hours				
	15890	℞				
		Sulfonal.	gr xv	☒	Kile	
		~~ft~~ ft in sing chartae ft chartae No iv			Miss E. Worcester	
		Sig. Take one powder at night.				
	15891	℞				
		Syr. Ipecac.			Putnam	
		Syr. Squills		xx		
		Syr. Senega Rad. āā ʒs.	ʒii			
		Sig: 10 to 15 drops				
		every 2 hours				
	15892	℞				
		Hydrat Chloral	ʒi	☒	William	
		Aquæ	ʒii ss			
		Sig Teaspoonful half an				
		hour before going to bed				
		repeated in hot hours				
		if necessy				
	15893	℞		Wood Box		
		Ung. Picis Liq.	ʒi			
		Ung. Zinci Oxid.	ʒi			
		Ext. use				
	15894	℞ Liq. Pot. Arsenitis	ʒiii			
		S one drop in sauce mala				
		3 times a day				

July 15- 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15895	℞				
		Aloin	gr 1/8			
		Res Podophyllin	gr 1/8	10		
		Ext Belladonnae	gr 1/8.			
		" Nucis Vomicae	gr 1/4			
		~~℞~~ et ft in sig pilulae ℔ Pillulae		~~℔ viii~~		
		Sig Take one or two at night.				
	15896	℞				
		Mur. Morph.	gr. 3/4	10	J. B. King	
		Chloroformis	M. xxiv	~~xx~~		
		Syr. Prunus Cerasus	q.s. ℥i	~~10~~		
	Sig.	Take a teaspoonful				
		in water at 6- and				
		9- P.M. ~~in water~~				
	15897	℞				
		Acid Carbolicum	M xv		Kiki	
		Glycerine	q.s. ℥ii	xx	Court	
		Sig Ext Prof use.				
	15898	℞				
		Zinc. Sulph.	℥i.	10		
	Sig.	Use as directed				
	15899	℞				
		Zincae Sulph.	gr. iv.	50		
		Syrup Liquoricae	℥iv			
	Sig.	Take a teaspoonful				
		every six hours				
	15900	℞				
		Glycerite of Tannin	℥iv		Martin	
	Sig	External Use For Throat.				

July 15th 1889

Stationers, 3 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
		15901	℞ Mur. Morph. Gr. ii ℈.			Kite	
			Bismuth Sub-Carb. ℥iii				
			Chloroformis ℥ℓ.				
			Elix. Valerian Ammon. ℥ℓ			Miss Norris	
			Ess. Pancreatis ℥ℓ ℈s. ad. ℥iv				
			Sig. Take a teaspoonful in water after each				
			Shake Label				
		15902	℞				
			Fluid Et. Potass. Lact. ℥ℓ.				
			Glycerine Picis. ℥ℓ				
			Aquae ℥v			Dr K	
			Sig. A dessertspoonful three times a day				
		15903	℞				
			Bismuth Sub. Carb. ℥ii				
		(oil)	Eucalyptol M. xv.				
			Hydrastis Rhiz. ℈. xii				
			Vaseline ℥ℓ				
			Ol. Theobroma ℥vi				
			Sig. Use in pile Syringe (If too solid when cold add more vaseline)				
		15904	℞				
			Tinct. Hamamelis ℥iv				
			Tinct. Calendula ℥iv				
			Tinct. Aesculi Hippoc. ℥iv				
			Sig. Ten drops in water every 3 hours				

July 16—1889.

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15905	℞				
		Argent. Nit.	gr iv		Pepper	
		Ext Belladonnae.	gr ½	10¢		
		" Nucis Vomicae	gr iii			
		~~Aq~~ et Div in pil. No. ~~XXIV~~				
		Sig One after meals				
	15906	℞ Mist M-n-L	gr 88			
		Bromid. Sodae.	~~3iii~~	XD	Pike	
		Fl. Digitalis	3i			
		Elixir ~~Valerianat~~ Ammonia aa	3ii	~~10¢~~		
		Sig Take a teaspoonful in water every	4 hours			
	15907	℞ Rad. Rhei	3i			
		Rad. Gentianae	3ii	15¢		
		Cort. Aurantii	3i			
		Caryophyllus	3i	10¢		
		S. The Bitters				
	15908	℞				
		Sodae Bromid	3i		Granger	
		Ext Hyos Fl	3ii	15¢		
		Syr Simp				
		~~℞~~ Aquae Purae ad	3iv			
		Sig Teaspoonful every 2 hours				
	15909	℞				
		Hyd. Chlo. Corrosive 8%	3ii	10¢		
		Listerine	3iv	~~10¢~~	Pike	
		Sig. Use a teaspoonful in a wineglass of water 3 to 4 times daily			Weyand.	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15910	℞ Spundel. Salts.	1 lot ÷	80	Kile	
		Sig Take a teaspoonful in a glass of water at night.				Wegand.
	15911	℞ Dummie Sulph.	9ii ÷	XD	"	
		Salol	9i v			"
		~~Do~~ et Repello sing capsulae	Repello capsulae			No. XII
		Sig Take one every 4 hours				
	15912	℞ Pot. Bi Carb.	℥iii	DD		
		Sod. Bi Carb.	℥iii	"		
		I. As directed in mixture				
	15913	℞ Zinc Oxid.	℥i ÷	Wood Boxes		
		Vaselinae	℥i ÷	"		
		D. Ointment				
		Put in two boxes				
	15914	℞ Saccharine	℥i ÷	DD	Kile	
		Sodae Carb. q.s.	9. xxxvi		Mrs H. Parker	
		S. Use a very small quantity to sweeten				
	15915	℞ Potass. Bromid.	℥iv	"		
		Elix. Simplicis	℥iii	"		
		Two teaspoonfuls in ox water at bed-time				

O K

July 16 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15916	℞ Dilut Hypophosphites	℥iv	⊠x		
		Aqua Dest	℥vi			Shaver
		Sig use as directed				
	15917	℞ Sulfonal in Lact				Williams
		aa gr. x. Mitt		⊠x		J. R. Bacon
		Sig. one powder during the evening				
	15918	℞				
		Hydrochlo Cocaine 8%	℥i	⊠⊠		Reid
		Fr Meyers	℥ii			Barnard
		Listerine q s	℥iv	bottle not used		
		Sig use a teaspoonful in a glass of water.		⊠x		
	15919	℞ Stokes Liniment	℥vii	⊠⊠		Mack
		L. Use as directed				
	15920	℞	Amt. of Morph. reduced upon order of July 24 M.H.C.L.			
		Meyr Morphia	gr i ss			Reid
		Chloroform	℥i	⊠⊠		
		Cascara Cordial	℥iii	del.		
		Fr Gentian Comp	℥iii	⊠x		Laurens
		Sig Take a teaspoonful in water every 4 hours.	℥ii			
	15921	℞				
		Sul. Quinine	Gr. L.			Mack
		Syr. Liquorice	℥iv	⊠x		Mrs G. H. Cook
		Sig. Take a teaspoonful every six hours				⊠⊠

July 17th 1889

Stationers, 9 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15922	℞ Wyeth's Elix. of the Valerianate Ammon. ℥ii Sig. Two teaspoonfuls repeated in half an hour if no relief	Pint Bottle ℥iv	℔x		
	15923	℞ Antipyrin in capsules gr v No xii Sig Two capsules repeated in an hour. twice but no more.	℔x		Willis	
	15924	℞ Hyd. Chlor. Mit. gr. iii M. in Chart No. 4 D. Take this powder dry on the tongue			Williams	
	15925	℞ Wyeth's Elix. Ferri et Quin. Phosphate ℥ii D. Teaspoonful after each meal	Stock	℔8	Williams	
	15926	℞ Wyeth. Elix. Peat. et. F. Phil. ℥ii D. ℥i before each meal	Stock	℔x	Williams	
	15927	℞ Ext. Cascara Sagrad. ℥i Bismuth Subnit. ℥ii Aquae ad ℥iii S. Shake the bottle ℥i after each meal	Stock	℔8	Williams	

July 17th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15928	℞ Pil. Morph. Sulph.	No iii	gr ⅛.	IX	McDonald.
		Sig One every 3 hours.				
	15929	℞ Tinct Cardiac	℥iv		IX	K
		S. Take 2 teaspoonfuls in a glass of milk Every 3 hours				
	15930	℞ Mur. Morph.	gr. ¾	XO		K.
		Chloroformi	M. xxxii			
		Elix. Aromatici q.s.	℥ii			
		Sig. Take a teaspoonful Every 4 hours				
	15931	℞ Mur Morphiæ	gr i			Hale
		Bromid Sodae	℥iii		XO	
		Elix. Aromatic gs	℥ii			
		Sig Take a teaspoonful in water every 3 hours of in Pain				
	15932	℞ Fl. Valerianas.	℥i			Morton
		Spir. Aeth. Co.	℥i		XX	
		S. One teaspoonful in water Every 2 hours			XO	
	15933	℞ Ferri Sulph. Exsic.	gr. xii			bottle
		Acid. Sulph. dil. M.	cxx.		OX	
		Magnes. Sulph.	℥ii			
		Inf. Gent. Co. q.s. ad.	℥vi			K.
		S. ℥ss before meals in water				

July 18th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15934	℞ Lambs Wool Cum Keyd. Cht.	℥j.	10		
	15935	℞ Ac. Carbol. M. xv. Glyc.	℥ii	10		
	15936	℞ Liq. Sodae Chlorinat. ℥ss Aquae Menth. Pip. ℥j M. Aquae ää ℥ii Sig. Gargle 4 times a day		08	Wilson	
	15937	℞ Tinct. Sulph. gtts Chloroformi ℥ss Syr. Rubi Idaei ℥iv Sig. Teaspoonful three times a day.		08	Williams	
	15938	℞ Fld. Ext. Ergot. (Bt) ℥ss Sig. Half teaspoonful in water three times a day		08	Watson	
	15939	℞ Ferri Pyrophos. ℥ss Pulv.		10	"	"
	15940	℞ Ergot. Ext. ℥viii Plumbi Theobrom. ℥xii. M. ft. Suppositories No. xii Sig. Suppositories Ergot		10	"	"

July 18 – 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15941	℞ Syrup Ginger	℥iii		Mauk	
		Bismuth Subnit	℥iii	2 ☐		
		Sig Take a teaspoonful every 6 hours.		1/2 quantity both bottles		
	15942	℞ Fr. Digitalis	℥ss ✠			
		Fr. Nucis Vomicae	℥ss		K.	
		Acid. Nitro Muriatici	℥iii			
		Elix. Gentian et Ferri Cit. q.s.	℥iv		Mrs. Johnson	
		S. Take a teaspoonful in water before each meal				
	15943	℞ Vin Colch Sem	℥iv	1 ☐	Wylie	
		Sig 30 drops in water 3 times a day			Shaw	
	15944	℞ Hgd. Chlo. Cocaine 8%	℥i			
		Ft. Myrrh.	℥iv	☐☐	Kite	
		Listerine q.s	℥iv		Curtis	
		Sig Use a teaspoonful in a wineglass of water as a wash for nose & mouth				
	15945	℞ Ef. Cit. Litiia Bot. i		1 ✠ =	Kite	
		S. Take a teaspoonful in a glass of water several times daily			Mrs. Mackum	
	15946	℞ Sol. Hgd. Chl.		1 ☐	K.	
		Cathe i				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15947	℞ Tablet Hyd. Chlor. Cor. No. XXV.		2×	Kite	
		Sig. Use one tablet in 2 quarts of hot water			Wm Medium	
	15948	℞ Mur. Morph. Gr. 1/8 Ext. Belladonnæ Gr. 1/8 Ext. Ergotæ Fl. 1℥ Oleoresin Cubebæ Gr. 5. M ft in Disp. rectal suppos. ft. suppositary No. VI Sig. One every 4 hours		5×	"	
	15949	℞ Effer Solution Citrate Magnesia Bott. I		10	William	
		Sig Preserve label Half the bott full repeated in half an hour if necessary				
	15950	℞ Bromid. Soda ℥ii Bromid. Ammon. ℥ii Fo. Cannabis Sativa ℥ii Coca Cordial q.s. ℥i		10	Kite Mrs Ellis	
		Sig. Take a teaspoonful in water Every 3 hours				
	15951	℞ Elix. Lactopeptine ℥iv Vini Coca ℥iv M ft sol Ft. Bot		50		
		Sig. Ins teaspoonfuls three times a day after eating				

July 19th 1889

E. L. Freeman & Son.

DATE.	NO OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15952	℞ Valerinate Ammonia Elixir Valerinate Ammonia Sig Take a teaspoonful in water every 4 hours beginning at 8 A. M.	℥i ℥ii	xo ~~xo~~	Kite	
	15953	℞ Acid Hydrochlor Dil Sig Ten drops in a wineglass of water after each meal.	℥ss	10	Millar	
	15954	℞ Sulfonal in chart āā gr X to XII Sig One powder in a tumbler of hot water		1.1X	"	
	15955	℞ Tinct Aconite " Opii " Chloroform M. Aquae Ammon Sig Apply externally only	āā ℥ii ℳ x ℥ss		Mitchell	
	15956	℞ Morphia Ext Belladonna Acidum Gallicum Cocoa Theobrom M. Ft in sig rectal suppository Ft rectal suppository No VI Sig Use one suppository every 3 hours.	gr 1/8 gr 1/4 gr VI ~~℥ss~~ gr. XXIV	Xx	Keith	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15957	℞				
		Hyd. Chlo. Corr.	gr xii	XX	Williams	
		Aquae.	℥iv	do.		
		Sig External Use. Poison				
	15958	℞				
		Wyeth's Elixir Gentian et Ft. Ferri Chlorid.		XX		℥iv
		Sig. Teaspoonful t i d.				
	15959	℞				
		Plumbi Acetatis	grs XXIV		Martin	
		Acid Acet	gtts XVIII			XX
		Tr Opii Deod	gtts XII			
		Aquae Dist	℥iii			
		Sig Dose one teaspoonful	℥iii			
	15960	℞				
		Sulfonal	℥ii		Martin	
		Div in chart No VIII				1.0 X
		Sig 15grs Sulfonal each.				
	15961	℞				
		Ft. Buchu	℥ii	℥ℏ		
		Spt. Etheris Nit.	℥iii	XD	Putman	
		Ft. Opii	℥i			
		Aquae.	℥i ss	℥ℏ		
		Sig A teaspoonful every 6 hours				
	15962	℞				
		Pulvis Ipec	℈i			
		Ammon Mur	℥i	XD		
		Ext Opii Aquae Fl	grs iii			
		Syr Scillae	℥ss		Roberts	
		Tolu	℥ss			
		Spts Etheris Nit	℥ii			
		Aquae Cinnamon q s	ad ℥ii			
		Sig Teaspoonful every 2 hours in water				

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15963	℞				
		Ferri Chlo.	ʒvi	XD	Darein	
		Acid. Phosphoric. Dil.	ʒii		bres house	
		Syr. Simplicis	ʒiii	do.		
		Sig				
	15964	℞				
		Ferri et Ammoniæ Cit.	gr.150	10.		
		Syr. Acidi Citrici	ʒi ʒv	50.	XX	
		Stk. Vini Gallici	ʒv	20.		
		Aquæ	ʒi ʒiv	50.		
		Sig Iron & Ammoniæ, A teaspoonful in water after eating				
	15965	℞				
		Mur Morphia	gr i		Reilly	
		Pepsin P.D.	ʒi	1.D	Mrs Russell	
		Bismuth Sub carb	ʒiii			
		Acid Nitro Mur Dil	ʒiii ʒi			
		Ext Pancreas, gr	ʒv			
		Sig Take a teaspoonful in water during or after each meal.	ʒiv			
	15966	℞				
		Tablets Hyd. Chlo. Corr.	bot ÷	DX	Kite	
		Sig Use one tablet in two quarts hot water twice daily			bres. house	
	15967	℞				
		Hyd. Chlo. Corr. Sapo.	cake ÷	1D	"	"
	15968	℞				
		Lotio Ingra.	ʒviii	DX	"	"
		Sig Use externally				

July 20th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15969	℞ Bismuth Subnit: ℥ii Ext. Cascara Sag: ℥i Aquae ad ℥iii Sig. Shake the Bottle Teaspoonful after each meal		$1.25		
	15970	℞ Mytic Elix. Gentian Co. Tinct. Chl. ℥iv Sig. Teaspoonful before each meal		$1.00		
	15971	℞ Sig Polaris Arsenitis ℥iv Sig Fowlers Solution			Marker	
	15972	℞ Pil Asafoetida gr iii No. xii Sig Take at pleasure		1.00	Kirk Dr Parker	
	15973	℞ Salol in capsule āā. gr. iii No. xii Sig. One capsule three times a day		$1.00	Williams	
	15974	℞ Sulphid Sulph. in capsule āā gr. ii No. xii Sig. One capsule night and morning		$1.00	" "	

July 20th 1889 —

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15975	℞				
		Hyd. Chlo. Mite	gr viii	10	Kile	
		Sodae Bicarb	gr v		Dr King	
		~~Ft~~ in chartae No i				
		Sig Take at night				
	15976	℞				
		Fl. Cardamon. Co.	℥iii	B/Bot.		
		Fl. Capsici	℥ii	20		
		Sig. One teaspoonful in water b.p.c each meal				
	15977	℞				
		Stokes Liniment	℥vi	40	Marsh	
		Sig use 2 or 3 times a day				
	15978	℞				
		Fl. Nux. Vom.	℥iv	Rich		
		Ac. Nit. Mur. dil.	℥v.	20	K.	
		Fld. Ext. Cascara Sag.	℥iv			
		Fl. Gentian Co.	℥iv			
		Sig. Take a teaspoonful in water after each meal				
	15979	℞				
		Pil. Cathar. Comp.	gr. x.			
		M. fit. No. x. (each gr i)				
		one pill at bedtime				
	15980	℞				
		Ac. Salicyl.	gr. xxx.			
		Ext. Hyoscyamus	gr. xx			
		Zinc. Ox. Unguent	℥i	10		
		ft. in unguent				

July 20th 1889

Stationers, 7 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15981	℞ Effer Cit Lithia Bott i		IX	Hale	Lewis
	15982	℞ Antipyrin in capsules āā gr v No. VI Sig Two capsules ~~equals~~ one capsule every 2 hours until the pain abates or until all are ~~taken~~.			Williams	
	15983	℞ Spts. Frumenti Sig Bonbon Whiskey	℥ iv		"	
	15984	℞ Potassa Cyanide gr i Potassa Bromid gr 360 Syr Scillae ℥ xv Aqua Camphor ℥ i Aquae ad ℥ ii ℞ Mucil Acaciae gtts ℥ iii Sig Two teaspoonful in water as required		IX	Workman	
	15985	℞ Wyeth Elixir Gentian & Ferri Chlorid Dom. ℥ ii Sig Teaspoonful t. i d.		XX	Williams	
	15986	℞ Elixir Pancreatis ℥ ℥ Teaspoonful hours after meals & Ridge Food.	℥ iv	SX	Williams	
	15987	℞ Sherry Wine Bott i		IXX	Williams	

July 21 - 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15988	℞ Pulv Leini	℥iv		Wallian	
	15989	℞ Olemm Ricini	℥i ℩			
	15990	℞ Fld Ext. Gindelia	℥ß.			
		Fl. Lobelia	℥ii			
		Fl. Ext. Belladonna	℥i			
		Potass Iodid.	℥ß.			
		Glycerina	℥iii			
		Tablespoonful as necessary Asthma				
	15991	℞ Ac. Hydrochl. dil M. ℈x				
		Ess. Pancreas				
		Aquae āā q.s.	℥ii			
		Sig. as above				
	15992	℞ Pulv. Pepsini P.D.&Co. gr.v.				
		Ft. Chalk. No. i				
		Ft. Chart No. iv				
		Sig. as above				
	15993	℞ Ext. Taraxaci gr. x.				
		Tinctur Bisulph. ℥i				
		Ext. Nucis Vomicae gr. x.				
		Ft. Pil. No. xii.				
		One three times a day				
	15994	℞ Chloral Hydrat	℥ii			
		Sodii Bromid.	℥ii			
		Aquae	℥ii			
		S. As directed				

July 21st 1889

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	15995	℞ Chloroform Pura (Squibbs)	℥ss	1D		
		Sig use as directed. Poison.				
	15996	℞ Brom. Sodae	℥ss		Hale	
		Tr Aconiti	m X			Dunham
		Tr Hyoscyamus	m XXIV	1D		
		℔ Elix Glycyrrhiz q.s	℥i	Lott		
		Sig Take a teaspoonful in water every 3 hours.				
	15997	℞ Syrup Ginger	℥iii	1X	Marsh	
		℔ Sol Sit Bismuth	℥iii			
		Sig Take a teaspoonful every 4 hours.				
	15998	℞ Effer Cit Lithiae Bott	i	1X	Williams	
		Sig Preserve label. Teaspoonful in a tumbler of water b i d				
	15999	℞ ~~Comp~~ Brom. Strych Elix.	℥iv	1X	Marsh	
		Sig Take a teaspoonful every hour in a teaspoonful of water after meals.				
	16000	℞ Aqua Calcis	℥iv	1X	Williams	
		Sig Lime Water. Tablespoonful in each tumbler of milk				

July 22 - 1889

E. L. Freeman & Bro.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16001	℞ Eff. Citrate Lithia	bot.	1.x	Kile	King
		Sig Take a teaspoonful in a glass of water several times daily				
	16002	℞ Sapo. Hyd. Chl. Comp. cake		10	Kile	"
	16003	℞ Mur. Morph. gr. 1/8 Ext. Belladonna gr. 1/4 Ext. Ergot. P.D. & Co. gr. vi Oleoresin Theobroma q.s. gr. cxliv Dig. ft. in 9 rectal suppository No. vi L. Use one every 3 hours till relieved			Ellis	
	16004	℞ Tablets Hyd. Chl. Comp. Sig Dis one tablet in two quarts of hot water twice daily	bot.	1.x	Kile	Mrs Pattie
	16005	℞ Fl. Ext. Hydrastis Lithiated Hydrangea Sig Take a teaspoonful before or after each meal.	℥i ℥ii	05	Kile	Barrett
	16006	℞ Ext. Pancreas. Sig Ext. Pancreas Fairchilds use 1/2 to 1 ℥ in each half pint.	℥iv		Kile	Bartlett

July 22 – 1889

Stationers, 3 Westminster Pl.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16007	℞ Quiniae Sulph. gr ii Fld. Ext. Hyoscyamus M iii Ext. Cannabis Ind. gr. 3/16 Ext. Nucis Vomicae gr. 1/4 ft. in sing pil. mass. ft pil. No. viii Sig. Take one pill every 2 hours till relieved			K.	
	16008	Sprudel Salts Pulv. 1/2 i Sig A teaspoonful in a tumblerful of hot water on rising in the morning and at bedtime.		9D.		
	16009	℞ Pulv. Cinchoniae Flav. Bismuth Sub. Nit. aa 3i ft in chartae No. xxiv Sig Take a teaspoonful twice or thrice daily half an hour before eating.			(Pulv. half quantity in twenty-four powders) SD	
	16010	℞ Ext. Cascara Sagrada 3i. Bismuth Subnit. 3ii ß. Aquae 3iii ß. Sig Shake the Bottle Teaspoonful after each meal		IDx	Williams	
	16011	℞ Hyd. Chlorid Aquae 3i. 3iv		XD	Williams	
		S. Poison – Ext. nux. Teaspoonful in a tumbler of water to be used as a wash				

— July 22 - 1889 —

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16012	℞ Mur. Morph. gr. 1/8		☐x	K.	
		Ext Belladonna gr. 1/4				
		Oleum Theobroma q.s. M				
		ft. ai suig. rectal onkt nitory				
		ft suk positoy No. VI				
		Sig. Use one every three hours				
	16.013	℞				
		Bromid Sodae	℥VI		Keith	
		Valerinate Ammonia	℥II	☐x		
		Fr Avena Sativa	℥IIII		Capt Baily	
		Fr Nucis Vomica	℥IV			
		℞ Elix Valer Ammon q.s	℥IV			
		Sig Take a teaspoonful in water after 3 meals daily				
	16.014	℞				
		Tablets Corrus Sublimate	bot	☐x		
		Sig Dissolve tablet in 2 quarts hot water 4 times daily				
	16015	℞				
		Bismuth Sub nit	℥IIss		William	
		Fl Ext Cascara Sag	℥i			
		℞ Agnae	℥III	☐x		
		Sig Shake the Bottle Teaspoonful after each meal				
	16016	℞				
		Sol Fowleri	℥ss	☐x	William	
		Sig Poison. Two drops in water before each meal.				

X

July 23rd 1889

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16017	℞ Mr. Maph. gr. 1/8 Bromid. Soda gr. xxx Coca Cordial q.s. ℥i Sig. Take as directed		10	K. Mrs. Marsh	
	16018	℞ Fr. Arnicae Fr. Hydrastis, āā ℥i Alcohol q.s. ad. ℥iv Sig. Apply externally		25	Mitchell	
	16019	℞ Sulph. Zinnia grs L ℞ Syr Leconis ℥iv Sig Take a teaspoonful every 6 hours.		50 50	Marsh	
	16020	℞ Marsh Pills No XX #0 Sig Take 2 at night.		11		
	16021	℞ Aqua. ℥ii Sig Take 5 drops in water after each meal		10	Kate Griffinson	
	16022	℞ Spir. Etheris Nitrosi ℥ii L. Take a teaspoonful in sweetened water every 2 hours Inhaled		25	K. Master Harry	
	16023	℞ Digitalinae gr. 1/4 Aquae ℥ii		50	Bartlett	

July 23rd 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16024 ℞	Mistura Asafoetida	℥ iiii	☐	Bartlett	
	Sig.	As directed				
	16025 ℞	Soda Salicyl.	gr. xvi	☐	Adams	
		Glycerine	℥ ii			
		Aquae ad.	℥ ii	☐	Baby Rockaway	
	Sig.	Teaspoonful Every two hours for diarrhoea				
	16026 ℞	Valerianate Ammon.	℥ i	☐		
		Bromid. Soda	℥ iii			
		Fl. Nucis Vomica	♏ xl			
		Fl. Hyoscyamus	℥ iii			
		Elix. Valerian. Ammon.	℥ iv	☐		
	S.	Take a teaspoonful in water Every 4 hours				
	16027	Inn. Ipecac.	gr 1/6			
		Ext Belladonnae	gr 1/8	☐	Kile	
		Opium Theobromae.	gr xv			Dunham
		Et stimulating rectal suppository				
		℞ rectal suppository No. vi				
	Sig.	Use one every 3 hours.				
	16028 ℞	Sodii Bromidii	℥ i	☐		
		Aquae Dest	℥ iv			
	Sig.	a teaspoonful & a half on retiring & one on rising in Vichy Discontinue if there be dulness.				

July 23d 1889

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16029	℞				
		Cerati Resinae	℥ ii		Martin	
		Sig Ointment				
	16030	℞			—	
		Ferri Oxidi	℥ iv			
		Vaseline	℥ iv		"	
		~~Ft~~ ft in wrg. Put in two boxes				
	16031	℞				
		Pil. Valerianate Specid No C		1.x=	K.	Louis Chaffin
		Sig Take one pill after each meal.				
	16032	℞				
		Bismuth Sub. Nit.	℥ iii 88	~~1x~~ 1 bott	Marsh	
		Sp. Ginger	℥ iii	~~1x~~ 6.		
		Sig Take a teaspoonful every 6 hours.				
	16033	℞				
		Ext. Cascara Sag.	℥ i			
		Sp. Nucis Vomic.	℥ i	1x	K.	
		Fl. Hyoscyamus	℥ vi		Mrs. Brock	
		ac. Nit. Mur. dil.	℥ iii			
		Ess. Peppermint. gs.	℥ iv			
	16034	℞				
		Acid. Carbolic	m xx			
		Fl. Iodine	℥ i	~~1x~~ 6.	K.	
		Sig Carbolic Acid gr. xx Fl. Iodine ℥ i.				
	16035	℞				
		Ext. Belladonna	gr. iii	dil.		
		Ext. Opii	gr. vi	50	Bradshaw	
		Butyr. Cacoae	℈ i			
		Ft. suppos. No. VI				
		Use one when in pain				

July 24 - 1889

E. L. Freeman & Sons

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16036	℞				
		Liq. Sodae Chlorid.	ʒi	☐x		
		Aqua. Breath. Pipt.				
		Aquae āā	ʒii	☐☐		
		Sig Gargle 4 times a day.				
	16037	℞				
		Hyd Chlo Mite	gr ii ss	1x	Keile	
		Sach Alba Pulv	gr v			
		chalk in ring chart fh chalk	ʒi			
		Sig Take at once				
	16038	℞				
		Syr Morphia	gr ¼		Keile	
		Chloroform	m iv	1☐		
		Syr Scillae				
		Coca Cordial āā	gs	ʒi		
		Sig Take a teaspoonful every 4 hours.				
	16039	℞				
		Sol. Hyd. Chl. Cocaine 8%	ʒi	fb	K.	
		Listerine q.s.	ʒiv	☐☐	Mrs. Roe	
		Sig Use a teaspoonful in a wineglass of tepid water		0x		
	16040	℞				
		Bismuth Subnit.	ʒii	fb	Williams	
		Fld. Ext. Cascara Sagrad.	ʒi	1x		
		Syr. Zingib	ʒii			
		Aquae	ʒii	☐☐		
		Sig Shake the Bottle teaspoonful after each meal				

July 24 – 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16041	℞ Pyrodel Saltz Pulv Brt. ʒi Sig. Take a teaspoonful in a glass of water at night		50	Kite	Mrs. Fisher
	16042	℞ Sol. Trinitrin ʒii Sig. Take one drop every hour till headache is relieved of 10 drops are taken		18	"	"
	16043	℞ Tr. Digitalis part 3 Tr. Ferri Chlorid. " 7 q.s. ad ʒi Sig. Take 10 drops in sweetened water after meals		xx	"	"
	16044	℞ Potass. Iodid. ʒii Syr. Sarsae Comb. ʒiv Sig. Teaspoonfuls after each meal		xx	Williams	
	16045	℞ Sulfonal. in Chartae aa gr. xv Sig. One powder in tea at night.	Do. vi	ox	Williams	
	16046	℞ Syrupi Ferri Iodidi et Strychnia Phosphatum ʒiv Sig Teaspoonful in wine glass full of water before each meal.		80	Martin	

E. L. Freeman & Sons Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16047	℞ Morphia Sulphatis	gr ii ss		Martin	
		Syr Scillae	℥ i	00		
		Syr Tolu	℥ ii			
		Mucc Acaciae	℥ i			
		Sig Teaspoonful every 2 or 3 hours for cough.				
	16048	℞ Emplast Belladonna 6X4 in		XX	Martin	
	16049	℞ Oleum Olivae	℥ ii			
	16050	℞ Mur. Morph. gr. ¼ dissolve in K.				
		Bismuth Sub. Carb. gr. xxx.				
		Chloroform ♎ iv				Mr Dacken
		Coca Cordial q.s. ℥ i				
		Sig. Take a teaspoonful every two hours				
	16051	℞ Cocaine Hyd. Chl.	gr vi	0X		
		Aquae Camphorae	℥ i			
		Sig Use directed.				
	16052	℞ Ammon. Bromidi	℥ i ss	XX		
		Syr. Tolu.				
		Aqua. Camphorae	āā ℥ i ss			
		Sig. Teaspoonful every three hours.				

July 25 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.

16053 ℞
Hyd. Chl. Mite gr. ii p. Disct.
Ipecac. alba gr. iii M ft X
M ft in sing. Pack. 1x Mrs Durkee
S. ℞ Take at once

16054 ℞
Mur. Morph. gr. 1/16
Ext. Belladonna gr. 1/8 Disct
Ext. Ergot gr. iii XX
Pulv. Hyoscyamus gr. xv (gr. CL X)
M ft in sing. Pulv. ost. XXX.
ft. rectal Suppository No. xiii
S. Use one Every 3 hours

16055 ℞
Antikynon in capsule āā gr. v No. VI
Sig One capsule every 2 hours xx while
pain continues

16056 ℞
Eff. Cit. Lithiæ Bott i 1.x- Reid
Sig Take a teaspoonful in Macy
a glass of water several
times daily.

16057 ℞
Made into pil. mass & put in capsule No. 2
Ext. Colchi. Rad gr xv Dx V
Lupinia Sulph gr 1/2 xx
Salol gr v X
M et capsello sing. Capsule
capsello capsule No. xii
Sig. Take one every 3 hours

Dal

July 25th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16058	℞				
		Lumine Sulph.	gr ii		Kile	
		Salol	gr v			
		~~Da~~ et repello in sing capsulas	repello.			
		capsulas No. xii				
		Sig Take one capsule every 4 hours				
	16059	℞ Pil 2 miriae Sulph.			Macdonald	
		āā gr. ii No. xii				
		Sig. One every 3 hours				
	16060	℞				
		Tr. Iodine	3ss.			
		" Aconite Rad.	3ss.			
		Sig. Use as directed				
		Poison				
	16061	℞				
		Morph. Sulph.	gr ½			
		Bismuth Sub. Nit.	gr. 160		Workman.	
		Cretae Praep.	gr 80			
		Pulv. Cinnamomi	gr. 24			
		" Ipecac	gr 12			
		Sacch. Alb.	gr 20.			
		~~Ad~~ Misce chartas No. xii				
		Sig. One powder after every 2nd Operation				
	16062	℞				
		Sodae Brat.				
		Camphorae.	āā gr ½			
		Aquae Rosae				
		Aquae.	āā ℥ ss			
		Sig. Eye water to be used three times daily.				

July 25 — 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16063	℞ Antifebrin	ʒi.88	$ 0		
		Div. in Chartae No. XII				
		Sig Powders for fever. One every hour or two.				
	16064	℞ Bismuth Sub. Nit.	ʒiii	0X	Marsh	
		Syr. Zingiber	ʒii	~~46.~~		
		Sig Take a teaspoonful every 6 hours				
	16065	℞ Ft. Gentian Aud				
		Ft. Ferri Chloid	ʒiv	0X		
		℥ ʒi before each meal				
	16066	℞				
		Ammon. Bromph.	gr 1/16			
		Ext Belladonnae	gr ~~1/6~~	1/16	K. Dunham	
		Ammon Theobromae	gr xv			
		℔ et ft in sing. rectal suppository				
		ft suppository No. VI				
	16067	℞ Pot. Iodid	gr. CLX	~~Bt. Bi~~		
		Sodae Salicyl.	ʒii	0X		
		Fr. Nucis Vom.	~~ʒi~~		K	
		Syr. Sarsaparillae C.S.	~~ʒiv~~		Williams	
		Sig. Take a teaspoonful in water after each meal				
	16068	℞ Bismuth Subnit.	~~ʒii~~	~~ft~~	William	
		℥ Ft. Ipecac	~~ʒiv~~	~~0X~~		
		℥ Fiat in Bretta				
		ʒi after each meal				

July 25 — 1889

E. L. Freeman & Co. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16069	℞ Linimentum Saponis et Opii Sig Ext use. Poison	℥iv	⊞⊠		William
	16070	℞ Sodae Salicylatis Mag. Agnae Sig Teaspoonful every 4 hours.	℥vi ℥iv	⊠×		William
	16071	℞ Todoformi gr. xxx Ether Sulph. ℥iv Sig Ext. use		75		K.
	16072	℞ Ext Cascara Sag Fl ℥i Sig Three drops in water 3 times a day		⊞⊠		William
	16073	℞ Pepsini Sacch. ℥ii Pulv. Gingiberis Bismuth Subnit. āā ℥ss Magnesia Calcined. (Heavy) ℥i		⊠⊠		
	16074	℞ Elixir Pancreatis (Fairchild) ℥iv Sig Teaspoonful two hours after each meal.		⊠⊠		Williams
	16075	℞ Elixir Pepsini (Fairchild) ℥iv Sig Teaspoonful immediately after Eating		⊠⊠		"

July 26th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16076	℞ Ridge's Food.	1/2 ÷			
	16077	℞ Sulph. Quinia Syrup Ipecac Sig Take a teaspoonful every 6 hours.	gr. I. ℥iv		Marsh	
	16078	℞ Hyd. Chlor. Wite gr. iii in sug. chart Sig. Calomel. To be taken dry on tongue		1x	Williams	
N.B. Send Bro. S. Cath. Mixture	16079	℞ Bismuth Subnit. ℥ii ℈p. Mld. Ft. Cascara Sagrada ℥p. (1887) Tinct. Gentian Aquae āā ℥ii Sig. Shake the Bottle ℥i after each meal		8x	Williams	
	16080	℞ Sol. Hyd. Chlor. Corros. 1/16 Listerine q.s. ℥iv Sig. Use a teasponful in a wineglass of water several times daily	℥i	8D	Wm. Hinckley	
	16081	℞ Pulv. Rhei Sundel Salts ā ℥i D. Take a teaspoonful in a glass of water before breakfast	℥i	8D	K. Wm. Hinckley	

July 26th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16082	℞ Mur. Morphia Gr. 1/8			J.A.C.	
		Ext. Belladonnae Gr. 1/8				
		ol. Theobroma q.s.				
		ft. in sing. rectal			Wm Court	
		Supp. ft. suppr. No. VI				
		Use one every 3 to 4 hours till pain is relieved				
	16083	℞ Quiniae Sulph.	℥i.			
		Acid Sulph. Dil.	℥i.			
		Syr. Aurantii	℥ii			
		Aquae	℥ii			
	Sig.	Each teaspoonful contains two grains of Sulph Quinine.			Williams	
	16084	℞ Hydrag Chlorid Mite				
		in chart sing	grs iii/iii		Williams	
	Sig.	Calomel 3 grains				
	16085	℞ Tinct. Gelsemii	℥ ss.			
	Sig.	Tinct Gelsemii dose 1 drop every 3 hours.			Williams	
	16086	℞ ~~Tinct~~ Fld. Ext Scutellaria	℥ ii			
	Sig	Twenty drops three times a day gradually increasing to thirty				

July 27th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16087	℞ Elix Cinch Iron & Strychnia Sig Take a teaspoonful every 6 hours after meals in a teaspoonful of water	℥iv	⅄X	Marsh	
	16088	℞ Liq Chloroformis Sig Chloform Liniment	℥iii	⅄⅄	Keile	M. E. Starbuck
	16089	℞ Antipyrin Bromid Soda ℞ Coca Cordial gr Sig Take a teaspoonful in water every hour till relieved	gr lxxx ℥iii ℥ii	I.X=	Keile	" " "
	16090	℞ Bromidia. Syp. Simplex. āā Sig A teaspoonful in water repeat in an hour if needed for pain.	℥i	⅄X		
	16091	℞ Copaiba Alcum Capsules No 100 Sig Take 2 three times daily after meals.		I.X⅄	Keile Chas Hedley	
	16092	℞ Mur Morphia gr Hyd Chlo Corros ℞ Aqua Sig Use a teaspoonful in a great spoonful of tepid water as directed Poison	xv ℥ss ℥viii	S⅄	Keile	" "

July 27th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16093	℞				
		Gummi Suffh.	gr. ss		K.	
		Salol.	gr. ½ ss			Emrskite
		Bismid Sodae.	gr. v.			
		Ft et repello in caps[ulae] repello caps[ulae] No. x				
		Sig Take one capsule every hour till relieved.				
	16094	℞				
		Emplastum Belladonnae 6 in. x 6 in.				" "
	16095	℞				
		Mur. Morph.	gr. 1/8			
		Ext. Belladonnae.	gr. 1/8.	IX	K.	
		Acidum Tannici	gr. 1/4			Emrskeph.
		Oleum Theobromae	gr. xxiv			
		℞ Ft et fiat in sing rectal suppository				
		ft rectal suppository No. vi				
		Sig Use as directed				
	16096	℞				
		Aloin	gr ss			
		Res. Podophyllin	gr ¼	XX	K.	
		Ext Nucis Vomicae	gr ¼			Lawrence
		" Belladonnae	gr. ¼			
		℞ ft et fiat in sing pillulae ft pillulae No. viii				
		Sig One at night.				
	16097	℞				
		Ext. Digitalis	gr ⅙			
		Gummi Suffh.	gr ½	XO	K	
		Salol.	gr v			Wm. L. Macy
		℞ ft et fiat in sing capsulae repello caps[ulae] No. xii				
		Sig Take one capsule every 3 hours				

July 27th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16098	℞				
		Antipyrin in capsule āāgr. v.	Gr. XII	☒		
		Sig One capsule repeated in an hour.				
	16099	℞				
		Wyeths Elixir Gentian et Ferri	℥ iv	☒		
		Sig Teaspoonful t. i. d.				
	16100	℞				
		Bismuth Sub. Nit.	℥iii	☒	Marsh.	
		Syr. Ginger.	℥ii	☒		
		Sig Take a teaspoonful every 6 hours.				
	16101	℞				
		Carbolic Acid. 3 parts				
		Linseed Oil and		☒		
		Lime Water Equal parts				
		to make - one pint -	50 parts			
		Sig. Use Locally as directed				
	16102	℞ Waxed paper				
	16103	℞				
		Ferri Iodid.	gr ¾		K.	
		Bismuth Sub. Nit.	℥ii	☒		Mrs H. V. Starbird
		Chloroformi	mxvi			
		Elixir Valerianate Ammonia	℥ii	☒		
		Sig Take a teaspoonful in water every 4 hours				
	16104	℞ Hyd Chlo Mitis	grii		Field	
		℞ Sacch Albae	grii	18		Bowen
		Shake in 3 ing chalk & chalk to	ii			
		Sig use as directed				

over

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16105	℞			Reiki	
		Mur Morphia	gr 1/24			Brown
		Ext Belladonna	gr 1/16	XX		
		Oleum Theobroma	℥ ss	XV gr Cocoa Butter		
		Ft rectal suppository small for child				
		Ft rectal suppository No IV				
		Sig Use one every 4 hours till relieved.				
	16106	℞				
		Quinine Sulph.	gr XXX			
		Sodae Salicylate	℥ i	XX		Kite
		Oleum Theobromae	℥ ii			
		~~Ft~~ et ft in unguent.				
		Sig Use on hands at night.				
	16107	℞				
		Brom. Potass.	℥ ii			
		" Sodae		XX	Kite	
		" Ammonia.	aa ℥ i			Reilley
		Elixir Aurantii.	q.s ad ℥ ii			
		Sig Take a teaspoonful in water every 3 hours till relieved.				
	16108	℞				
		Saccharina.	℥ ii	OX	"	
		Sodae Carb.	gr. LXX		"	
		Sig Use a little to sweeten				
	16109	℞				
		Tr. Myrrh.	℥ iv	OX		
		Listerine	q.s ad ℥ viii			
		Sig Use a teaspoonful in 4 great spoonfuls of water as a wash for mouth.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16110	℞ Ext Opii	gr ¼			
		" Belladonnae	gr ⅛	1.x =	Kile	
		Olem Theobromae	gr xxiv			
		Ft ft in sing rectal suppository				
		ft rectal suppository No. xii				
		Sig. Use one every fifteen to six hours till relieved.				
	16111	℞ Spts. Frumenti Rye.	℥viii	1.x	Workman	
		Sig Tablespoonful with meals				
	16112	℞ Acid Muri Dil	℥iss	10		
		Sig Ten (10) drops after meals in a wine glass of water				
	16113	℞ Emplast Cantharidis 1X2 in		10		
	16114	℞ Sulfonal in chartas āā gr xv No. vi			Williams	
		Sig. One powder in a tumbler of hot milk one hour before bedtime		8x		
	16115	℞ Antipyrin in tablet. āā gr. v. No. iii		1x	Williams	
		Sig. One tablet every 3 hours.				
	16116	℞ Ung. Morph. gr. 3/16 1.x.				K.
		Ext. Belladonna gr. ⅛				
		Acidum Tannicum gr. v.				
		Olum Theobromae q.s.				
		Ft. in sing. rectal supp. No. xii				
		Sig. Use one every 3 to 4 hours till bowels act freely				

July 28th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT
	16117	℞ Quiniae Bisulph. Gr. xx. Tr. Capsici ℥i ℏℵ Tr. Cantharidis Mix Spts Vini q.s. ℥i ℏℵ Sig Use a lott on head after washing with Tar soap rub in well			Wife Martha Mercy	
	16118	℞ Ammon Bromidi ℥i ℞ Ammon Olivae (pure) ℥i Ft. ~~Lotio~~ Lilly of the Valley ℥ii ℏℵ Sig. Use to avoid hair after use of hair Tonic			"	"
	16119	℞ Packets Tar Soap Use thrice weekly	10		"	"
	16120	℞ Capsulae Copaibae No. xxx Sig. Take one capsule Every 3 hours			K. ℞ Mr. Snyder	
	16121	℞ Mel Rosae ℥x. Sig. Use as directed				
	16122	℞ Sodae Salicylatis ℥ii Ft. Mist Com. ℏ ℥iv Aqua Cinnamomi gtts xv ℥iv Sig A teaspoonful every 4 hours			℞.	

July 29 - 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16123	℞ Aqua.	℥ii		Kite	
		Sig. Take 5 drops 3 times daily after meals beginning July 31st				
	16124	℞			Wm. E. Worcester	
		Sig. Laudanum. Poison.	℥ss.		"	
	16125	℞ Bisubnit.	gr. xl.			
		Chloroformi	ℳ. xviii			
		Ess. Pancreatis q.s.	℥i			
		Sig. Take a teaspoonful when necessary to relieve gastric pain				
	16126	℞ Sulfonal in chartae āā gr. xx	No. vi		Kite	
		Sig Take one powder at night.			Andrew Lawson	
	16127	℞ Listerine	℥i		Williams	
		S. Listerine			M.D.	
	16128	℞ Liq. Sod. Chlorinat	℥i			
		Aquae Menth. Pip.	℥ii		"	
		Aquae	℥ii			
		S. Gargle				
	16129	℞ Antipyrine in tablets	āā gr. v.	No. xii	"	
		S. Antipyrine 5 grains				

July 29. 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16130	℞				
		Ess Valerian fl	℥ii		H. Allen	
(Coliraja)		Elix Cinchonia	℥iii ss			Wood
		Sig Take a teaspoonful every 3 hours.		☐☐		
	16131	℞				
		Sodii Bromid	℥ii		H. Allen	
		Ammon Bromid	℥i	##		Mrs Wood
		Syr Aurantii Cort	℥ii			
##		Aqua Camphorae ad	℥iii			
		Sig Take a teaspoonful every 2 hours. Sleeping draught.				
	16132	℞				
		Hexyd Bromidi Hyoscyami gr 1/10	℥ii			Kate
##		Elix Valerianat Ammonia q.s	℥ii			Worster
		Sig Take a teaspoonful every 3 hours if necessary.		☐X		
	16133	℞				
"	"	Mystic Tablets of Antipyrin				
		āā gr v to xii		##		
		Sig Two tablets followed by one in half an hour until 5 are taken (if necessary)				
	16134	℞				
		Ung. Diachyl.	qs 1/4			
		Bismuth Sub. Carb.	gr xv	##		Kate
		Chloroformis	m viii			
		Ess Pancreatis	℥i			Master Kerr
		Sig. Use as directed				

July 29 — 1889

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16135	℞ Fld. Ex. Convallaria ℥vii Essence Pancreas q.s. ℥viii Sig. Take a teaspoonful in water during & after meals Each meal			K. Mr. Macy	
	16136	℞ Quinine Sulph. Gr. ii Salol Gr. iii M. Spello sig. capsule No. xii Sig. Take one three times daily			K. Mrs. Macy	
	16137	℞ Tr. Nuc. Vom. ℥ss. 5 drops in water before each meal			Williams Bill Norcross	
	16138	℞ Tinct. Etc. Hydrochl. dil. ℥ss. Sig. Ten drops in water before each meal			" " "	
	16139	℞ Mur. Morph. Gr. i Chloroform M. xxxii Ethyl. Valerianate Gumm. ℥ii Sig. Take a teaspoonful ℥s. in water every hour till relieved			K. Mr. Hoosier	
	16140	℞ Pil Morph Sulph āā gr. 1/6 No iii Sig One every 3 hours.			MacDonald IX	

July 29th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
Dispensed Pills	16141	℞ Salol in Tablets āā gr. v. No. xii Sig. One Tablet three times a day		XO	Williams	
	16142	℞ Bismuth Subnitr in chart āā gr V No XII Sig One powder after each meal		XX	Wellman Merschau	
	16143	℞ Syrup Squills " Spruce " Tolu āā ℥i " Pinus Lobelia ℥ii Sig Take a teaspoonful every 2 hours.		OX	Marsh	
	16144	℞ Ext Cascara Sag fld ℥ss Tinct Elix Gentian & Iron q s ad ℥iv Sig Teaspoonful after each meal.		IIX	Wilkins Allen	
	16145	℞ Eisenzucker Tablets (10 grains) No 100 Sig One Tablet after meals.		IX	Workman	
	16146	℞ Tr Nux Vomica ℥i ss Sig Five (5) drops in water half an hour before meals.		IX		

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
16147	℞	Ferri et Potassæ Tart	℥i		Workman	
		Strychniæ Sulph	gr. i	SN		
	M.	Infusi Gentian Comp	℥ viii			Gardby
	Sig	Teaspoonful after meals. Shake.				
16148	℞	Acidi Carbolici	℥ ii		Meletath	
	M.	Olei Lini q.s.	℥ iv	25¢ quantity but large.		
	Sig	apply externally only.				
16149	℞	Elix Cinchy Iron & Strych	℥ i ℥ iv		Marsh	
	Sig	Take a teaspoonful every 6 hours in a teaspoonful of water after meals.		AT		
16150	℞	Bismuth Subnit	℥ ii		Williams	
		Fld. Ext. Cascara Sag.	℥ i.	AT	Mrs Stutesman	
		Tinct. Gent. Co.	℥ i ℥ i			
	S.	Shake the Bottle ℥ i after each meal		AT		
16151	℞	Codeia Pulv.	gr. vi	dil.		
	(dil.)	Acid. Hydrocyanic	♏ vi	1.AT		
		Fr. Hyoscyamus	℥ ii	1.X=		
		Fr. Cannabis Indica	℥ i		Mrs. Thomas	
		Syr. Co. Prunus Virg	℥ ii			
		Syr. Tolutani q.s. ad.	℥ vi	AT.		
	Sig.	For Cough two teaspoonfuls in water Every 2 or 3 hours				

Over

July 30th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16152	℞ Elix Cinch. Iron & Strych Sig Take a teaspoonful every 6 hours in a teaspoonful of water after meals.	℥iv	☐×	Mears	
	16153	℞ Elix Pepsin, Bismuth, & Strychnia. Wyeths Sig A teaspoonful 3 times daily.	℥iv	☐☐		
	16154	℞ Pil Pancrobilin No I. (Reed & Carnrick) Sig Take two pills two hours after each meal.		☐		
	16155	℞ Wyeths Elix of Gentian, & Fe Ferri Iodid Sig Teaspoonful t. i. d.	℥iv	☐× ½ ☐	William	
	16156	℞ Mur Morphia gr 3/4 Bismuth Sub carb ℥iss Chloroformi m xxxii Ess Pancreas gs ℥ii Sig Take a teaspoonful in water after eating		☐×	Keith Segwick	
	16157	℞ Aqua. Spr. Ammon. ℥ii S. Take one coffee spoonful in water every 2 to 3 hours		☐	Kite Mr. Wignall	

No. by mistake 15357

July 30 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
Ex same No. in Book Back	15158	℞ Aloin gr. ½ Res. Podophyllin gr. ¼ Ext. Belladonnae gr. ¼ Ext. Nucis Vom. gr. ¼ M. ft. in pulv. pill. No. viii S. Take one at night and repeat in the morning		××	Kite	Mrs. Weigand
	16159	℞ Fluid et Potass. ℥i Strychnia Sulph. gr. ½ Infus. Gent. Co. ad ℥viii S. ℥i after meals		08	Workman	Fox
	16160	℞ Dil. Hydrocyanic Acid ℥ss Codeine gr. ii Tr. Hyoscyamus Aquae Camphorae āā ℥i Syr. Scillae Syr. Tolu Mucil. Acaciae āā ℥iv M. Sig. Teaspoonful every 2 hours.		××	Lovett	Hartley
	16161	℞ Pulv. Acid Boric ℥i ss Aquae ℥viii M. Sig. apply to eye 10 minutes repeatedly.		##	Troyer	Hartley
	16162	℞ Stokes Liniment ℥v Sig. use as directed		07	Marsh	

July 30 – 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16163	℞				
		Ol. Juniperi. M. xl.				Hooker
		Glycerini	℥ii			
		Tinct. Strychnis	℥ss.			
		Tinct. Cardam Co.	℥ii			
		Syr. Tolu. q.s. ad.	℥iv.			
		S. Shake. ℥i after every second loose operation				
	16164	℞ Pil. Ferri, Sul. No. xii				
		aa gr. ii				Mac.
		S. Dose. 2 every 3 hours				
	16165	℞				
		Tr. Iodini	℥ss.			
		" Aconite Rad.	℥ss.			Mac.
		S. Use as directed				
		Poison —				
	16166	℞				
		Mur. Morph. gr. 1/8				
		Ext. Belladonna gr. 1/8				K.
		Olem Theobrom. q.s.				
		ft. in supp. rectal suppos.				
		ft. in rectal suppos. No. xii				
		S. Use one every three hours				
	16167	℞ Potass. Iodid.	℥v.			
		Syr. Sarsar Comp.	℥iv			Wm.
		S. ℥i t.i.d.				William
	16168	℞				

per

July 30th 1889.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16168	℞ Potassa Bromid	℥ss	⅄⅄	Peckham	
		Aquae	q.s			
		℞ Fiat Cinchonia Comp	q.s	℥iv		
		Sig Teaspoonful as directed				
	16169	℞ Acid Tannicum	gr X		Keli	
		Ext Belladonna	gr X	1⅄	Wilkes	
		℞ Zinc Oint	℥ii			
		Sig Rub an ointment on face at night.				
	16170	℞ Sulphur. Sublimate	℥i	⅄⅄	Williams	
		Vaseline	℥i	⅄⅄		
		Sig Apply at night				
	16171	℞ Marsh Pill No V		1⅄	Marsh	
		Sig use as directed				
	16172	℞ Carbolic Acid	M. xv.	10	Mr. Wm. Brook	
		Glycerine	℥ii			
		S.				
	16173	℞ Fr Nux Vomica	gtt Lx	⅄⅄	Vandeveer	
		Ext Lactopeptine				
		℞ Fr Gentian Co aa	℥ii		Remsen	
		Sig ℥ii four times a day				

⅄⅄

July 31 1889 –

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16174	℞ Potassa Chlor	℈ ii		Allen	
		Ammon Bromid	℈ i	☐ X		
		Ammon Chlorid	℈ ii			Dr Wilder
		Fl Ext Hydrastis	♏ X			
		Syr Limonis	℥ ii			
		Aquae q s	℥ iv			
		Sig Use as a gargle				
	16175	℞ Bicarb. Soda	gr v.			
		Ext. Cannabis Ind.	gr 1/4			
		Ext. Hyoscyamus	gr 1/4		Wm Mc.	
		Ol. Thymi	q s.	PA	Stubbs	
		ft. in chart. vicket dup. no.				
		ft. cap. No. XII				
		S. Take one every 3 hours				
	16176	℞ Quinia Sulph	gr ii		Kelso	
		Salol	gr v			
		Ext Hyoscyamus	gr 1/4	☐ X		
		Mist repella Sig Capsulae				
		repella capsule No XVI				
		Sig Take one every 3 hours.				
	16177	℞ Magn Morphia	gr iv	X X	Kelso	
		Chloroformi	m XVI			
		Aq Cocoa Cordial	aa ℥ ii		Miss Brock	
		Sig Take a teaspoonful	℈ ii			
		in water when necessary.				
	16178	℞				

July 31 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16178	℞ Sulfonal in chart ää gr XV to VI Sig One powder in a tumbler of hot water at night.		℔X	Willian	
	16179	℞ Ext Cascara Sag Fl ℥i Sig Ten drops in water after each meal.		℔X	Willian	
	16180	℞ Sulph Quinia gr XXXX Syrup Liquiriæ ℥iv Sig Take a teaspoonful every 4 hours.		℔X	Marsh	
	16181	℞ Ext. Cir. Lithia Bot. ℥i M. Sig. Take a teaspoonful in a glass of water several times daily		℔X	Wm. S. Reilly	
	16182	℞ Fr. Aconite M. XVI " Fr. Belladonna M. LXVIII Coca Cordial q.s. ℥ii M. Sig. Take a teaspoonful every 2 hours till relieved " "		℔X		
	16183	℞ Syr. Gingar ℥ii Infusit Quassiæ ℥iii Sig. Take a teaspoonful every six hours		℔X	Marsh	

July 31st 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16184	℞				
		Ichthyol one part				
		Lanolin two "				
		to make ℥ss				
		Sig use as directed				
	16185	℞				
		Sodii Salicylate	℥i			
		Tinct Apii Grod				
		Vin Colchici Rad ää	℥ii			
		Elix Simp	℥iv			
		Aquae Anisi	℥i			
		Sig Teaspoonful in water every hour if in pain				
	16186	℞				
		Mur. Morph. gr 1/8				
		Ext. Belladon. gr 1/8				
		Ext Cannabis Ind. gr 1/4				
		Ol. Theobroma q.s.				
		ft. in sup. rectal suppos.				
		ft. Suppositor. No. xii				
		S. Use one every 3 hours				
	16187	℞				
		Emplast. picis cum Cantharidas ℥ii				
		Ext. Belladonnae gr. x.				
		Ext. Cannabis Indica gr. xx.				
		ft. in Emplast.				
		Spread on very thin sheet skin 4×4				
	16188	℞ Quinia Sulph. ℥i				
		Acid. Sulp. Dil. q.s.				
		Aq. Menthae pip. ℥iv				
		S. Quinine 3 gr. to the [illegible]				

August 1-1889

Freeman & Son
PATIENT.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16189	℞ Lotio Nigra 3iv O. Poison. Ext. Use Apply for 20 minutes night and morning			J Williams	
	16190	℞ Bismuth Sub. Carb. gr. lx Ess. Pancreas q.s. 3i Sig. Take a teaspoonful in water. Every 3 hours till bowels Controlled			K.	
	16191	℞ Effer. Cit. Lithia Bott. i Sig Take a teaspoonful in a glass of water several times daily			Mrs Macky	
	16192	℞ Bromid Ammon gr v Antipyrin gr v Elect repelled ring capsules repella capsulae No X Sig Take one every 2 hours. until head ache is relieved or be taken			" " "	
	16193	℞ Pil. Morph. Sul. aa gr. 1/6 No iii S one every 3 hours.				
	16194	℞ Salol in cach sule. aa gr. v. No. xii S one capsule t.i.d.			Millin	

July August 1st 1899

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16195	℞ Fowlers Solution ℥i Sig Take 2 drops in water after three meals daily for 3 weeks then drop one week		10		K
	16196	℞ Bismuth Sub Nit ℥ii ss Aquae ℥iv Sig Teaspoonful after eating		☐☐	William	
	16197	℞ Antipyrin in tablets dā gr v to xii Sig one tablet repeated in an hour if necessary		☐x	William	
	16198	℞ Salol in capsules āā gr v to xii Sig One capsule 3 times a day		☐x	William	
	16199	℞ Pil Zeminia Sulph āā gr ii to xii Sig 2 every 3 hours.		1☐	MacDonald	
	16200	℞ Soda Salicylate ℥ii ss Aquae ℥ii Sig Teaspoonful every 3 hours.		x☐	William	Potts

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16201	℞ Fleur Morphia	gr 1/6		Kile	
		Ext Belladonna	gr 1/4			
		Ext Cannabis Ind	gr i	1X=		
		Acid Tannicum	gr viii			
		Alcum Theob q s				Miss C. Little
		M ft in sing rectal suppositories				
		ft rectal suppositories No XII				
		Sig use one every 3 to 4 hours.				
	16202	℞ Sol Cocaine 5%	℥i		Yarrow	
		Sig apply with a brush every 3 or 4 hours.		.0X		
	16203	℞ Morph. Morphi	gr 1/4		Kile	
		Bismuthi Sub Nit	℥iii	.0X		
		Ft Suppos Vom	M CLX		Gardner	
		M Ext Pancreas q s	℥iv			
		Sig Take a teaspoonful in water after or before each meal				
	16204	℞ Hydrarg	gr V		Yarrow	
capsule		Sodii Picarb	gr XV	IX		
		M ft in pilulae No i				
		Sig Take as directed				
	16205	℞ Antipyrin in tablets			William	
		āā gr V No VI				
		Sig Antipyrin 5 grs.				

July 1889—

E. L. Freeman & Co. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16206	℞ Strophanthus Tinct	℥i	xo	Gardner	
		Sig. Five to ten drops at a dose				
	16207	℞ Quiniae Sulph. Gr. xxiv			Bovill	
		Ext. Gentian Gr. x.		∆x		
		in capsule No xviii				
		S. one t.i.d. before meals				
	16208	℞ Elix Cinch. Iron & Strychnia	℥iv		Mears	
		Sig Take a teaspoonful every 6 hours in a teaspoonful of water after meal.		∆x		
	16209	℞ Mur Morphia	gr xv		Kirk	
		Bismuth Sub Nit	℥i	∆∆	Johnson	
		Chloroformis	m xvi			
		Ext Pancreat. q.s	℥ii			
		Sig Take a teaspoonful in water every 3 hours till relieved of nausea.				
	16210	℞ Spt. Vin. Gall.	℥xvi	ox		
		S. 2 Tablespoonfuls		xx		
		with meals				
	16211	℞				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16211	℞ Morph Sulph	gr 1/16		Keith	
		Zinnia Bi sulph	gr ii	1.X=		
		Ext Belladonna	gr 1/8			M. E. Harlock
		Ext Cannabis Ind	gr 3/4			
		Oleum Theobrom q.s.				
		M. ft. in sing rectal suppository				
		ft rectal suppositories	No	XII		
		Sig use one suppository every 3 hours.				
	16212	℞ Liq Ammonia Acetat	℥i		Wilbur	
		Sig Teaspoonful in each tumbler of water		1X		
	16213	℞ Fr Digitalis	℥ss		Keith	
		Fr Nucis Vomica	℥i ss	1X		
		Acid Nitro Mur Dil	℥iss			
		Fr Gentian Comp				
		℞ Ext Pancreas āā gr ss	℥i			
		Sig Take a Teaspoonful in water every 4 hours.				
	16214	℞ Bismuth Sub Nit	℥ii ss		William	
		Ext Cascara Sag Fl	℥i			
		Fluid Gentian Comp		SX		
		℞ Aquae āā	℥iss			
		Sig Teaspoonful after each meal.				
	16215	℞ Ext Cinch Calisaya Bark i		1X=		

August 2d 1889

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16216	℞ Sol Trinitrin 1% gtts XXX M. Aqnae ℥iv .ꝺx Sig Teaspoonful t.i.d.			Willian	
	16217	℞ Hyd. Chl. Mitē gr. ii ft iii sig. chalk ft. chalk No ii				K.
		℈. Take one every other night if necessary				
	16218	℞ Assafoetida in pill. āā gr. v. No. xii Sig. one pill every 3 hours		10¢		Markham
	16219	℞ Hyd Chlo Corros Tablets Bott i Sig Give one tablet in 2 quarts of hot water once or twice daily		⊓	Keile	Smith
	16220	℞ Ext Ergotae ℥i " Belladonna gr i Olei Theobrom q.s. ft pil suppos No vi				Birrell
	16221	℞ Stokes Liniment ℥v Sig use as directed		⊞⊠		Marsh
	16222	℞ Opii in capsula āā gtt. v. No. xii Sig. one capsule every four hours		⊠x		

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16223	℞ Hunyadi Janos Sig Prepare label Wineglassful	Bot i.		William	
	16224	℞ Mobo Liniment ℥ iv S. Use as directed			[illegible]	
	16225	℞ Morph Sulph gr 1/16 Bi Sulph Quinia gr iii Ext Digitalis gr 1/4 " Cannis Ind gr i Oleum Theobrom q s Make in sing rectal suppository & rectal suppositories No xii Sig use one regularly evy 3 hours.			Keith	H-B Brown
	16226	℞ Ammon Muriat Potass Chloras āā ℥ iv Melt Glycerin ℥ ss Sig Tablespoonful evy 3 hours.			Yarrow	
	16227	℞ Potass Iodide ℥ i ss Sodae Salicylate ℥ i Syr Sarsaparilla Co ad ℥ iv Sig Take a teaspoonful in water after each meal.			Keith Buckman	

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16228	℞ Godol Acid Tannicum āā ℥ℓ		At	Keith	Hearn
	16229	℞ Ess. Pepsini (Fairchild) Sig One dessertspoonful immediately after each meal		Bottle IX =		
	16230	℞ Sapo Hyd Chlor Comp cake ℔		IX	Keith	
	16231	℞ Tinct Nux Vomica ℥ℓ Sig 10 drops in water 3 ℔ times a day before meals.		IX		
	16232	℞ Hydrarg Chlo Mite gr ℔ Pulv Ipecac gr ℥ℓℓℓ Pulv Rhei Soda Bicarb āā ℥ℓ Aq ℞ ℔ in pill to XXX Sig One 3 times a day after meals.		IX		
	16233	℞ Ferri Pepsulph ℥ℓℓ Glycerine ℥ℓ Aquae ℥ℓ Sig Use as directed		IX	Keith	March.
	16234	℞ Fl. Unc. Tom. ℥ℓℓ Fl. Cinchona. ℥ℓ℔. Tinct. Gentian Co. ℥ℓ S. ℥ℓ in water ℔ℓ. ℥ℓ After each meal		At		

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16235	℞ Pil. Quiniae Sulph. No xii ää Gr. ii		✕✕	MacDonald	
		Sig. Two every three hours				
	16236	℞ Vini Ipecac	℥i		William	
		Syrup Scillae	℥i	✕✕		
		Syrup Prunī Virg	℥iii			
		Sig Teaspoonful every 3 hours.				
	16237	℞ Morph. Gr. 1/24			Nott	
		Ext Hyoscyamus Gr. 1/4				
		Ext. Cannabis Ind. Gr. 1				
		Gum Thebaica q.s.				
		Ext ✕ in sufficient rectal suppos. No. xii				
		Sig. Please make each suppository in waxed paper				
	16238	℞ Sulfonal in chalk		✕	William	
		ää grs xxx No ii				
		Sig One powder in a tumbler of hot water an hour before bed time				
	16239	℞ Extī Nigra	℥iv	✕	William	
		Sig Poison. apply for 20 minutes night & morning				

65

Dec. 2nd 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16240	℞				William
		Zinc Oxyd	℥ss	10		
		Pulv Amyl	℥ss			
		ft make into a very fine powder				
		Sig Zinc Powder				
	16241	℞				
		Morph Sulph	gr 1/4			
		Ext Belladonna	gr 1/8			William
		Olei Theobrom	q.s.	XX		
		ft in pins suppository				
		ft suppositories No VI				
		Sig One suppository repeated in 3 hours.				
	16242	℞				
		Mur. Morph.	gr. 3/4			
		Bismuth Sub Carb.	℥i ℈ss			Kate
This was Numbered by mistake 16242		Chloroformis	♏ xxxii			McBurn
		Elix Glycyrrhiz Aromat	℥ii			
		Sig. Take a teaspoonful in water after each meal				
	~~16242~~ 16243	℞ Pil. Asafoetidae				
		in pill d gr. iii	No. xii	10		William
		S. one pill ~~each~~ night & morning.				

July Dec 3rd 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16244	℞ Morph. Sulph. gr. 1/8 Ext. Belladonnae gr. 1/8 M. ft. in sup. suppositor. No. vi Sig. One Suppository inserted in Rectum if necessary			Wilcox	
	16245	℞ Lotio Nigra Sig. Use as wash for Childs face and body	℥iv		K. Miskeen	
	16246	℞ Ferri Mur. Tinct. Gentian ℥ Ferri Chl. Myth. q.s. Sig. Take a teaspoonful before or after each meal	℥v		Ho Nurse at mrs. Treeps	
	16247	℞ Lotio Nigra Sig. Use to wet cloth to be placed on face	℥viii		K. Kicard Volge.	
	16248	℞ Boracic Acid	℥ii			
	16249	℞ Glycerini Puras	℥ii			
	16250	℞ Listerine Sig. Mouth Wash. one teaspoonful in a tumbler full of water	℥i		Wilcox	

Aug 4th 1889

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16251	℞ Tinct Digitalis S. Two drops in water three times a day	℥i	10	Willian	
	16252	℞ Morph Sulph gr i Aq Aquae ℥ii Sig Teaspoonful t.i.d. p.c. if necessary		10	Willian	
	16253	℞ Sprndel Salts ℔ss Sig Take ½ to 2 teaspoonful in a glass of water night & morning		50	Keith Laurence	
	16254	℞ Wyeths Elix of Valerinate Ammonia ℥iv Sig Teaspoonful every two (2) hours.		⊞X	Willian	
	16255	℞ Ext Belladonna gr ⅙ Fl Aconite m i Zizinia Sulph gr ii Iodol gr iv Make in sing capsules repella capsule No xii Sig Take one capsule every 2 hours till relieved			Keith Small NS	

55

Aug.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16256	℞				
		Sodae Salicylate	℥v	⅄X	Williams	
		Aquae Dist.	℥iv	~~⅄⅄~~		
		Sig Teaspoonful every 2 hours				
	16257	℞ Tr. Nucis Vom. ℥ss			Allen	
		Sig. Take five drops in water after each meal			Mr. Wood.	
	16258	℞				
		Bismuth Sub Nit	℥iiss		William	
		Ext Cascar Sag Fl	℥i	SN		
		Tinct Gentian Co	℥iii			
		Sig Teaspoonful after each meal				
	16259	℞				
		Pul. Ammenagogue	No. xx	⅄x	Martin	
	16260	℞				
		Potass Bromid.	℥iv	⅄⅄		
		Chloral Hydrat.	℥ii			
		Syr. Morphiae.	℥i			
		Tr. Cardamon Comp.	℥ss			
		Aquae	℥i ss	~~⅄⅄~~		
		Sig Teaspoonful in water every 2 hours when needed.				
	16261	℞				
		Ferri Et Quininae Cit. ℥ii	℥ii	~~⅄⅄~~		
		Elix. Simplicis q.s. ad.	℥i			
J.		Ac teaspoonful in water before each meal		⅄⅄6		

Aug. 5 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16262	℞ Bismuth Subnit. 3ss. Pulv. opii gr. ¼ ss. M. ft. pil. No. IX Sig. one every 4 hours				
	16263	℞ Hydrobromate Hyoscyamine gr. 1/90 Morph. Sulph. gr. ¼ Cocoa Butter Es. ℥x ft. ad sing. Suppository ft. suppository No. XII Sig. one suppository every three hours				
	16264	℞ Spt. Frumenti ℥ii Pure old Rye				
	16265	Inj. Morph. gr. ¼ Pepsin Pd. ℥i Acid Nitro Muriatic Dil. ℥ii ss Elixir Ferri et Gentian Ess Pancreatis āā ℥ss ℥iv M. Sig Take two teaspoonfuls in water after each meal.				
	16266	℞ Smidel Salts ℥vi ℈ Sig Take one teaspoonful in a glass of water in the morning				
	16267	℞ Acid. Gallic. ℥i div. in chart No. X. Sig. Take a powder three times a day				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16268	℞ Cocaine Hydrochlo.	gr ¼		MacDonald	
		Syr. Simplicis	℥i	10		
		Spts. Vini Rect.	ad ℥iv			
		Sig. Use as directed				
	16269	℞ Bism. Subnit	gr L x	Bk	Kate	
		Aquae	℥i	Rect.		
		D. Take a teaspoonful in water every 2 hours		10		
	16270	℞ Potass. Bromid.	℥x			
		Aqua.	ad ℥iv	5x		
		Sig ½ teaspoonful in water				
	16271	℞ Ext. Morphia	gr ¼		Kali	
		Bismuth Sub-Nit	℥ii	40		
		Chloroform	m xxxii		M. Johnson	
		℞ Ext. Pancreas	gr xx	℥ii		
		Sig Take a teaspoonful in water every 2 to 4 hours as necessary				
	16272	℞ Sulfonal	℥ii	1.00		
		Fit in chartae No. xii				
		Sig. One at night.				
	16273	℞ Morph. Sul.	gr. 1/16			
		Quiniae Bi Sulph.	gr. iii	1x		
		Ext. Hyoscyamus	gr. 1/8			
		M. Theobroma	qs.			
		M. in Supp. emplex				
		Ft. emplex No. xii				

Use once daily. Every other day. Take till gone. Then take 6 doses. Wait 3 days. Then repeat.

Aug 6th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16274	℞ Extr Hydrastis Can Fl Sig. 10 drops before eating in water	℥i	10		
	16275	℞ Wheelers Elixir Sig Take a tablespoonful in a little water before each meal.	℥xiv	1.x=		
	16276	℞ Ext. Pancreatis Haindick Sodæ Bicarb. (Mckesson) Sig. in one Capsule No. Two. Two after meals	℥v. ℥x	75	Wyeth	
	16277	℞ Ammon Carbon gr Syr Ipecac Fl Aqua Camph Syr Prunii Virg Aquæ q s Sig Teaspoonful at a dose For Cough.	xx ℥iii ℥ii ℥ii ℥ii ℥ix		Martin Dr	
	16278	℞ Hyd. Chlo. Corr. Ung. Zinci Benz. ~~Mix~~ Mix it in unguent. Sig. Use one daily	gr ii ℥ss	x0	Kilo	
	16279	℞ Strychnia Nitrat. gr. i Elix. Calisaya at Fluid ℥iii. Sig. one Drachm in water three times daily with meals				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16280	℞ Morph. Sulph. gr. 1/8. Quiniae Bisulph. gr. iv. Ext. Cannabis Ind. gr. ss. ix = Ext. Hyoscyamus gr. 1/4 Ext. Ergotae gr. ii M. Ft. in disp. rectal suppository No. xii Wrap in waxed paper and sig. Use one every 3 to four hours				
	16281	℞ Inf. Digit. Elixir Amanti ℥ss. Sig. Take a teaspoonful in water every three to six hours	℥i ÷ ℥ss ÷	1.00	K.	Mrs. Metcalf
	16282	℞ Morph Sulph Ext Cannabis Ind Quinia Sulph Salol M. Ft. in sig capsule rubella capsule No viii Sig Take one capsule every 3 hours.	gr 1/16 gr 1/4 gr viii gr iv		Keith	Miss Allen 1.x
	16283	℞ Mixture Cinnamon Chloroform ℥ss ℥ss M. ft. applied by rubbing over the parts affected	℥ss ℥ss		M.	
	16284	℞				

Aug 6th 1889 –

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16284	℞				
		Ferri Iodid.	gr ℈			
		Bismuth Sub-Nit.	ʒ ℈	40	K	
		Chloroformi	m xxxx			
		Ess Pancreatis qs	ʒ ij	25c.	Miss Starbuck	
		Sig. Take a teaspoonful in water every three to four hours.				
	16285	℞				
		Fr Iodine			1X	Mc Donald
		" Aconite Rad ää	℥ ss			
		Sig use as directed				
	16286	℞				
		Quinia Sulph	gr 3/4	1.X=	Hale	
		Ferri Ammonia	gr ii ss		E. Jenkins	
		Ext Gentian q s				
		Mft in sig pillulae et capsulae rubbo capsulae No xxx				
		Sig Take one every 3 hours wrap each capsule in wax paper.				
	16287	℞				
		Sal Hyd. Chl. Cocaine 8%	ʒ ij	80	K	
		Lobelina	ʒ ij	75	Mrs Brook	
		S. Use a teaspoonful in four great spoonful of water several times daily				
	16288	℞				
		Potas. Bromid.	ʒ ℈		Bill Small	
		Aquae	ʒ ij			
		S. Teaspoonful repeated every 2 hours				

Aug 6th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16289	℞			Kalo	
		Mur Morphia	gr ii			G. Hosier
		Hyd Chloral	grs ○ℓx			
		Ac Elix Aurantii	℥ii	×○		
		Sig Take one to two doses at night in water				
	16290	℞			K	
		Tablets Hyd. Chlo. Corra.	bot i	○x		
		Sig Use one tablet in two quarts of hot water twice daily.				
	16291	℞				
		Hyd Chlo. Sapo.	Cake i	10	"	"
		~~Sig.~~				
	16292	℞				
		Elixir Gentian et Ferri	℥iv	○x	"	"
		Sig Take a teaspoonful in water after each meal.				
	16293	℞				
		Ammon. Mur.	gr ⅛			
		Bismuth Sub. Carb.	gr. xl	10	K.	
		Chloroformis	m. xvi			
		Ex Pancreatis	qs ℥i	~~○○~~		
		Sig. Take a teaspoonful in water every 2 hours.				
	16294	℞				
		Sub Nit Bismuth	℥i	10		
		ft in Powders No	vi			
	16295	℞				
		Ammon Mur. in capsule āā gr ℔ss				
		No. x ii		×○	Williams	
		Sig Ammon 2½ grs. One capsule t. i. d.				

July August 1st 1899

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16195	℞ Fowlers Solution	℥i	10		
		Sig Take 2 drops in water after each meal daily for 3 weeks then double my mark	℥i			
	16196	℞ Bismuth Sub Nit	℥ii ss		William	
		℞ Agnae	℥iv	☐☐		
		Sig Teaspoonful after eating				
	16197	℞ Antipyrin in tablets			William	
		da gr V to XII		☐x		
		Sig one tablet repeated in an hour if necessary				
	16198	℞ Salol in capsules		☐x	William	
		aa gr V to XII				
		Sig One capsule 3 times a day				
	16199	℞ Pil Zeunia Sulph	aa gr ii to XII		MacDonald	
		Sig 2 every 3 hours.		1☐		
	16200	℞ Soda Salicylate	℥ii ss		William	
		℞ Agnae	℥ii	☐☐		
		Sig Teaspoonful every 3 hours.			Potts	

X

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16201	℞				
		Heur Morphia	gr 1/6		Keile	
		Ext Belladonna	gr 1/4			
		Ext Cannabis Ind	gr i	1X=		
		Acid Tannicum	grs iiii			
		Oleum Theob q s				Miss C. Lattle
		M ft in sing rectal suppositories				
		ft rectal suppositories No XII				
		Sig use one every 3 to 4 hours.				
	16202	℞				
		Sol Cocaine 5%	℥i		Garrow	
		Sig apply with a brush every 3 or 4 hours.		.0X		
	16203	℞				
		Mur. Morph	gr 1/4		Keile	
		Bismuth Sub Nit	℥iiii	.0X		
		Ft Anxis Vom	M CLX		Gardner	
		M Ext Pancreas q s	℥iv			
		Sig Take a teaspoonful in water after or before each meal				
	16204	℞				
		Pil Hydrarg	gr V		Garrow	
capsule		Sodii Picarb	gr XV	1X		
		M ft in pillulae No i				
		Sig Take as directed				
	16205	℞				
		Antipyrin in tablets			William	
		āā gr V No VI				
		Sig Antipyrin 5 grs.				

Aug. 9th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16296	Rx Aphthysine	℥i		Willian	
		Aquae	℥i ss	00		
		Sig Teaspoonful every 3 hours until 4 doses are taken				
	16297	Rx Liquor Sulph. Gr. xvi				
		Mist. Ammonia	℥i			
		Saccharina	Gr. ii	00		
		Fld. Ext. Glycyrrhiza				Martha Mug
		Elix. Aurantii aaa	℥ii	10		Jenkins
		Sig. Take a teaspoonful Every 3 hours				
	16298	Rx Bromid Potassa	℥ss		Willian	
		Aquae	℥ii	10		
		Sig Bromid Potassa 15 Grs 60 Teaspoonful				
	16299	Rx Wyeths Elix of the trifle Phosphates 1/60 gr	℥iv	00	Willian	
		Sig Half a teaspoonful after each meal.				
	16300	Rx Eisenzucker Tablets aa gr V No 100		1.00	Workman	
		Sig One tablet after meals			Shaw	
	16301	Rx				

Over

Aug. 7 1889

Freeman & Son Stationers, 3 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
		16301	℞				
			Morph. Sulph.	gr. iv			
			Iodoform	gr. lxxx			
			Ext Belladonnae	gr v	1/x=		
			Glenn Theobromae	ʒi			
			ft in suppositories No. xvi				
			Sig Use one suppository at bedtime when needed.				
		16302	℞				
			Tr. Aconiti	m. viii			
			Chloroformi	m. xvi	#8		
			Syr. Scillae				
			Syr. Tolu āā qs. ʒii		#11		
			D. Take a teaspoonful in water every four hours				
		16303	℞				
			Antipyrine in tablets āā gr. v. No. vi		xx	Williams	
			Sig. Two tablets followed by one every hour until the pain is relieved or until four are taken			Bud Smith	
		16304					
			Quinine Sulph.	ʒi			
			Chloroformi	ʒi	08	K.	
			Syr. Scillae	ʒvii			
			Spts. Vini Gallici	qs ʒiv			
			Sig Take a teaspoonful in water every 3 hours 4 or 5 times daily				
		16305	℞				
			Antipyrin	grs X			

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16306	℞ Heur Morphiæ	gr 1/8		Kiles	
		Ext Hyoscyamus	gr ½	☒		
		Glenn Ekobrom	q 2			Pulman
		M. ft in sing rectal suppository				
		ft. suppositories No VI				
		Sig use one every 2 hours				
		till relieved				
		wrap in wax paper				
	16307	℞ Sig. Sodae Chlo.	ʒi.			
		Aquae Menth. Pip		☐☐	W.	
		Aquae āā	ʒii	☐☐		
		Sig Gargle 4 times a day.				
	16308	℞ Morph. Sulph. gr. 1/32		☒	Mrs. Goin	
		Antipyrin gr. v.				
		Quinidæ Sulph. gr. ii				
		ft. in gelatin capsules				
		No capsule No XVI				
		Sig. Take one every 3 hours				
	16309	℞ Effer lith Lithia Bott	i	☒	Kiles	
		Sig Take a teaspoonful in water several times daily			Medcalf	
	16310	℞ Bromid Potassa	ʒii		Kiles	
		" Sodæ	ʒii			
		" Ammon āā	ʒi	☒☐	Medcalf	
		Elix Aurantii qs	ʒii			
		Sig Take a teaspoonful in water every 2 hours till relieved.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16311	℞ Oxid. Zinc. Aurt.	℥ii	10		
	16312	℞ Sulphur.	~~℥ss~~			
		Potass. Bitart.	~~℥ii~~	xx		
		Magnesia Calc.	~~℥i~~			
		Sig. As directed. One teaspoonful at night in milk.				
	16313	℞ Camphorae	gr. i		Williams	
		Sodae Boratis	gr. i	10		
		Aq. Menth. Pip.	℥i.	℥i.		
		Aquae	℥ss.			
		Sig. Eye Water				
	16314	℞ Eff. Cit. Lithia	℥ii	ox	Williams	Tom Hoy.
		Sig. Teaspoonful t i d.				
	16315	℞ Antipyrin	℥i	iiix	Marsh	
		ft in chartae No V				
		Sig. Take one every 4 hours				
	16316	℞ Ammon. Sulph.	gr ii	iiix		
		Salol	gr iv			
		~~ft~~ et repell sig capsulae repello capsulae No. XVI				
		Sig. Take one capsule every three hours				
	16317	℞ Eff. Cascara Sag Fl	℥i	ox	William.	
		Mystic Eclix Triple Phosphates	℥iii			
		Sig. Teaspoonful after ..... each meal				

— August 8th 1889 —

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16318	Rx Fld. Ext. Cinchona	℥iv		K.	
		Fr. Nucis Vomicæ	℥vi		Mary L. Gray	
		Elix. Gent. Co. et Fr. Hum. q.s.	℥iv			
		Sig. Take a teaspoonful in water after each meal				
	16319	Rx Mur. Morph.	gr. i			
		Bromid. Sodæ	℥iv			
		Elix. Valerianate Ammoniæ q.s.	℥ii			
		Sig. Take a teaspoonful in water every 2 hours till pain is relieved				
	16320	Rx Hydr. Chlo. Mite	gr v	10	K.	
		Sacch. Alb.	gr iii			
		Ft. in sing. chartæ ℞ chartæ No. xii			Mrs. Bretelle	
		Sig. Take as directed at night.				
	16321	Rx Gr. Kino	℥vi	10	Kirk	
		Coca Cordial	gr x	℥ii		
		Sig. Take a teaspoonful in water every 3 hours.		℥ii	Mr. Johnson	
	16322	Rx Oleum Ricini	℥i	10	Kirk	
		Sig. Take at once			Mr. Ed. Starbuck	
	16323	Rx Emplast. Belladonnæ 6x8		10	" " "	

August 8th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16324	℞ Hyd. Cl. Mit. gr iii Sacch. Albar gr iii M. ft. in pulv. Chart. Sig. Take at once			V. Wm. Mulder	
	16325	℞ Bismuth Subnit. et chart āā gr V to VI Sig One powder after each meal.		1⁄2	William	
	16326	℞ Pulvis Sodae " Ammonia āā ʒi " Aquae ʒi Sig Take a teaspoonful as necessary			Keli Meis Allen	1⁄2
	16327	℞ Iodine " Aconite Rad āā ʒii Sig Poison use as directed		1⁄2	MacDonald Bodfish	
	16328	℞ Mur Morphia gr 1/4 Pulvis Sodae ʒiv Aquae q.s. ʒii Sig Take a teaspoonful in water when necessary		##	Kate Robinson	
	16329	℞ Ext Hydrastis Canad fluid Ext Viburn Opulus fluid Hayden Viburn Comp āā ʒi Sig One teaspoonful in water 4 times a day.		## X		

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16330	℞			Keile	
		Lysinia Sulph	gr vi	☒x		
		Salol	gr IV			
		Chloroformi	mx			
		M ft in sing pillulae ft capsule				
		et rejecto capsulae No XVI				
		Sig Take one capsule every 3 hours.				
See Bot. below.	16331	℞				
		Stokes Liniment	℥vi	☒x	Branch.	
		Sig Use as directed			J. Innes	
See Bot. Above	16331	℞				
		Syr. Prunii Virg.	℥i	bot but.	Smith	
		Codeiae	gr VIII	SX		
		Spts Frumenti Opt.	℥vi			
		Syr. Tolu.	℥i			
		Sig Two teaspoonfuls once in four to six hours.				
	16332	℞				
		Ammon. Brosph.	gr 88			
		Bromid. Sodae	℥i	☒		
		Elixir Aurantii	℥i	~~☒x~~		
		Sig Take a teaspoonful every hour till relieved				
	16333	℞				
		Pepsin P. D&C.				
		Sodae Bicarb.	gr ii 88			
		~~M~~ et ft in sing chartae ft chartae No VIII	gr iii	☒	K	
		Sig Take one powder in a glass of milk as directed			Miss M. Johnson	

Freeman & Son

Stationers, 3 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
		16334	℞				
			Ess. Pancreatis	℥ii	☐✕	K	
			Sig Use a teaspoonful in a glass of milk as directed			Mrs. M. Johnson	
		16335	℞				
			Bismuth Sub Nit	℥ii ss		Wilson	
			Aquae	℥iv	☐✕	Kimball	
			Sig Teaspoonful every 4 hours				
		16336	℞				
			Morph. Sulph.	gr ¼			
			Ext Cannabis Indica	gr ½	1.15	K	
			Oleum Theobromae	ʒss		Mrs. Whitcomb	
			℞ et ft in eng. vaginal suppository				
			ft vaginal suppository No. xii				
			Sig Use as directed				
		16337	℞				
			Bismuth Sub. Nit.	℥ii ss	☒☒	Williams	
			Tr. Gentian Comp.	℥iv		Mrs. F. E. Gilbert	
			Sig. Shake the bottle. Teaspoonful after each meal.				
		16338	℞				
			Syr. Senega	℥ii	✕☒	"	"
			Sig As directed				
		16339	℞				
			ol. Ricini	℥i	1.☐	Workman	
			Glycerinae	℥ss			
			ol. Gaultheriae Pip. M.	℥ii		Ft.	
			D. Shake				

℞

August X 9th 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16340	℞ Sodae Salicylate	℥i	$0.10		
		ft. capsula No. 7 v iii				
		Sig. one capsule Every 3 hours with water				
	16341	℞				
		Syr. Ipecac.	℥i			
		" Squills		0.08		
		" Tolu.	aa ℥i			
		Tinct. Lobelia	℥iii	0.20		
		Sig Take a teaspoonful every three or four hours.				
	16342	℞				
		Hagodia Viburnum Compound.	℥iv			
		Sig One teaspoonful after each meal in water.		0.50		
	16343	℞				
		Potass Bromid.	℥ss	0.10		
		Aquae	℥ii	0.08	Williams	
		Sig Teaspoonful in water repeated every hour until sleep is induced or until three doses are taken.				
	16344	℞				
		Sulph Morphia gr 1/8			William	
		Oleum Theobrom q.s.		0.10		
		ft Suppositoria No VI			Potts	
		Sig One every 3 hours				
	16345	℞.				

Freeman & Co.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16345	℞				
		Bromid Potassa	℥ii	10	Keith	
		" Sodae				
		" Ammonia	āā	℥i		
		℞ Agnae q.s.	℥ii			
		Sig Take a teaspoonful in water every 3 to 4 hours.				
	16346	℞				
		Ft. Extr. Convallaria	℥iv		Keith	
		Fr. Nucis Vomica	℥iv			
		℞ Elix. Ferri et Strychn. q.s.	℥iv			
		Sig Take a teaspoonful in water after each meal.				
	16347	℞				
		Cinnamon	Gr. CLX		Workman	
		Strych. Sulph.	gr. ½			
		Infus. Gent. Comb.	℥i			
		Sig. Teaspoonful after each meal				
	16348	℞				
		Lactopeptine	℥i			
		Bismuth Sub. Nit.	℥ii			
		Tr. Opii Camph.	℥iii			
		Tr. Cardamon Co.	℥iv			
		Sacch. albi	℥ii			
		Aq. Menth. Pip.	℥i			
		S. Shake well				
	16349	℞				
		Spts. Ethers Nit.	℥i	10 cts	K.	Smith
		Sig Take a teaspoonful every half hour. till relieved				

Aug. 10th 1889.

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16350	R Chloroformis	℥ij	10	K. Mrs Medcalf	
		Sij Use 3 drops on a handkerchief when necessary				
	16351	R Pil. Cathartic Comp.	gr xx	xx	Workman.	
		ft in pil. No. xx				
		Sig One at bedtime				
	16352	R Hyd. Chlo. Mite	gr i/88		K.	
		Sacch. Alb.	gr. iii	1x		
		~~Ds~~ ft in sig chartae ft chartae	No. ii		Wheldon.	
		Sig Take one at night.				
	16353	R Valerinate Ammonia	℥ii	xx	Keil	
		Elix Valer Ammon q.s	℥ii		Medcalf	
		Sig as above.				
	16354	R Meur Morphia	gr i		Keil	
		Bromid Sodae	℥iv	xx		
		Aquae	℥ii	but		
		Sig Take a teaspoonful	℥ii	bottle.		
		in water when in pain				
	16355	R Pil. Quinine Sulph				
		Sig Two every three hours	ää gr. ii	No. xii		
	16.356	R				

—

Freeman & Son

Stationers, 9 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
		16356	℞				
			Vini Ipecac	℥ii		H. Allen	
			Syr. Scillae	℥iv			
			Syr. Tolu	℥iv			
			Sp. to Aurk. Nit.	℥i	✕		
			Tr. Opii Camph.	℥ss			
			Pond. Ext Glycchiger.	℥ss			
			Aquae	℥i			
		Sig	A teaspoonful every 3 hours as directed. Cough.				
		16357	℞				
			Hyd Chloral	℥ii		Field	
			Bromid Potassa	℥iv		Medcalf	
			Sy Zingib	℥i	✕		
		℞	Aquae gs	℥ii			
		Sig	Take 2 teaspoonfuls in water as directed				
		16358	℞				
			Pil Assafoetida gr V	No XII	"	"	
		Sig	Take several during the day		✕		
		16359	℞				
			Sulph Morphia gr 3/4	dil.		Dr Soule	
			Oleum Theobrom gs		✕		
		℞	ft suppositories No VI				
		16360	℞				
			Bromid Potassa	℥iv		Field	
			" Sodae		✕		
			" Ammonii āā	℥i		Macy	
		℞	Aquae gs	℥ii			
		Sig	Take a teaspoonful in water every 2 hours till relieved				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
16361	℞	Zeninia Sulph in chart			Willian	
		āā gr ii	#o XII	XB		
		Sig One powder night & morning				
16362	℞	Calcl in chart āā gr V		☒x	Willian	
		#o XII				
		Sig One powder three times day				
16363	℞	Castor Oil				
		Ol. Lucca āā ℥i		ℳ 10	K.	
16364		Goodyear				
		Hard Rubber Syringe	2B ℥ix	= V.		
16365	℞	Fld. Ext. Convallaria	℥iv	ss ☒	K.	
		Fl. Nucis Vomicae	℥v.			
		Acid. Nitro Mur.	Mlv.	℥ii		
		Elix. Quantii		℥iv	Mrs. H. May	
	Dig.	Take a teaspoonful in water after meals				
16366	℞	Ammon. Murph.				
		Bismuth Sub. Nit.		gr ¾		
		Tr. Kino.		℥iss	☒x	K.
		Coca Cordial.		āā ℥ii		
	Sig	Take a teaspoonful in water every 2 hours.				

August 10th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16367	℞ Hyd. Chlor. Corros gr. ½.			Kite	
		Pot. Iodide ℥iii			Mrs.	
		Sodae Salicylate ℥ii				
	*	Syr. Sarsaparillæ Co. ℥iv				
		Sig. Take a teaspoonful in				
		water after each meal				
	*	use ℥j aquæ to dissolve Iodide &c.				
	16368	℞ Mur. Morph. gr. 1/16			Kite	
		Bromide Potas. gr. x v.				
		Bromid Soda gr. x.			Mastiadel Meal	
		Bromid. Ammon. gr. x.				
		Elix. Amari q.s. ℥i				
		Take at once				
	16369	℞ Hyd. Chlor. Mite gr. iv			Kite	
		Sacch. Lactis gr. iv			Mrs.	
		in sing. Chart.				
		Sig. Take at once				
	16370	℞ Tablets.				
		Hyd. Chlor. Corrosive gr. ½			Kite	
		Sig. Use ½ tablet in one quart				
		hot water				
	16371	℞ Syr. Rhei Simp. ℥iv			Crane	
		Fl. Ext. Nux Vomica ℥i				
		Fl. Catechu ℥ii				
		Mor. Rheum Elix ℥i				
		Aquæ Gaultheria q.s. ad ℥ii				
		Bismuth Sub Nit ℥iss				
		Sig. Teaspoonful every 4 hours.				

August 11 – 1889

E. L. Freeman & Co.

DATE.	NO OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16372	℞ Pot Ass. Bromid	℥ss		Marsh	
		Aq Camphorae	℥i	10		
		Sig. Take a teaspoonful Every four hours				
	16373	℞				
		Potass Iodid.	℥v	5X		
		Syr. Sarsaparilla Comp.	℥iv	Dzo	Dalhaim	
		Sig Teaspoonful after each meal				
	16374	℞				
		Jam. Rum.	℥ii			
		A. E. Rum.	℥ui	SD		
		Borax	℥ss			
		Water	qs	0	Dzo.	
		Quinine Sulph. ℈ss Added per order Mrs. Eliot				
	16375	℞ Syd. Sulfonal	℥i	40	K.	
		Bism. Pot.	℥iv			
		Aquae q.s.	℥ii	M.		
		Sig. Take as directed				
	16376	℞ Sulfonal	grXV	1X	Kalo	
		Sig Take as directed			Metcalf	
	16377	℞ Pil. Aesafoeta	grviii	10	K. Little	
		Sig Take 4 to 6 daily	Dr. xii			
	16378	℞ Bromid Sodae	℥iv			
		Aquae	℥ii			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16379	℞ Fleur. Morphia	gr. xx		Kibler	
		Bromid Potassa	ʒiv	✕✕		
		Aquae q.s.	℥ii			
		Sig Take a teaspoonful in water when in pain				
	16380	℞ Whiskey good	℥vi	✕✕		
		D. ℥i Every six hours				
	16381	℞ Tr. Nuc. Vom.	℥ii	✕✕		
		Liq. Potass. Arsenit.	℥ii			
		Ft. Hydrastis q.s. ad.	℥iv	✕✕		
		Sig ℥i in a little water with each meal				
	16382	℞ Pulv. Ipecac.	gr. xx.	ss		
N.B. Use Powd. Ipecac ℥ii		Ergotin	℥i			
		Ext. Cannabis Ind. Fld.	℥i	✕✕		
		Ft. div. in pil. No. xxiv				
		Sig. One pill ½ hour before each meal				
	16383	℞ Sol. Hyd chlo Cocaine 8%	ʒi		Kibler	
		Listerin	℥iv	ss		Turner
		Sig use a teaspoonful in about 4 great spoonfuls of water as a wash for mouth.				
	16384	℞ Spirit. Salts Bitt.	℥i		Kibler	"
		Sig Take ½ to 2 teaspoonfuls in a glass of water.		ss		

Aug 12 1859

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16385	℞			℞	
		Aloin	gr. ½	XX	Wm. Wagand	
		Res. Podophyllin	gr. ¼			
		Ext Belladonnae	gr. ¼			
		Ext. Nucis Vomicae	gr. ¼	XX		
		Sig. String. pill. ℞ pil. No viii				
		Sig. Take one at night and possibly in the morning				
	16386	℞				
		Morph. Sulph.	gr. iii		Gardner.	
		Oleum Theobromae		℥x	Mrs. Lord.	
		℞ ft in suppositor No. vi				
	16387	℞				
		Pot. Cit. et Pulv.	℥i	Ret'd.		
		Succi Limonis	℥i	℥x	Wm. Thomas	
		Syr. Ipecac	℥ii.			
		Syr. Simplicis q.s. ad.	℥iv			
Dig.		℥ Ft. Coug. A dessertspoonful in water Every 3 or 4 hours				
	16388	℞				
		Tinct. Cinchonae, Ferri et Strychnia	℥i	Ret'd. ℥x	Stout	
S.		℥ A dessertspoonful before meals				
	16389	℞				
		Tinct. Ferri Chl.	℥i.			
		Quiniae Sulph. gr	cxii (6x)			
		Tinct. Gent. Comp.	℥i		Watkins	
		Tinct. Cardam. Co.	℥i.			
S.		Aquae q.s. ad.	℥viii			
		℥ A teaspoonful after meals Shake				

Aug 12 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1639	R/			Mckenan	
N.B. — Add Morp. Sul. gr ¼ per order 2 D. M. Aug 15th		Ammon. Carb. Aquae Syr. Zingiberis q.s. ad. 3ii M. Et. Teaspoonful at 9 P.M.	gr. L. XXX 3ss. 3ii.			
	1639	R/			K.	
		Sodae Bicarb. Chloroformi Syr. Rubi Idaei	gr 3/4 ℥ii M. XXXii gs 3ii			
		Sig. Take a teaspoonful in water every 3 to 4 hours.				
	1639	R/			Keith	
		Heyd. Chlo. Mitis Spec. Sacch. Lactis Aq. Cinnamomi ℥ss Sig. Take as directed	gr iss gr iii/i 3vi		Worcester.	
	1639	R/			Keith	
		Heyd. Chloral Bromid. Sodae Tr. Zingib. Ess. Aurantii gtt 3ii Sig. Take one half at once & repeat as ordered.	gr xl ℥i ℥i ℥ss	℞	Spencer	
	1639	R/			Gay	
		Pepsini Sacch. Tr. Capsici Ext. Buchu Fld. Succi Limon. q.s. ad. Sig. Teaspoonful in little water before each meal	3iv 3i 3ii 3vi	Bx. Bit. ⊞x	J. A. Beebe	
		Shake				

Aug 12 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16395	℞ Bis. Sub. Carb.	℥i			
		M. Kino	℥ii			
		Elixir Augustii q.s.	℥iii			
		Sig. Take a teaspoonful Every 3 to 6 hours				
	16396	℞				
		Inf. Rosa.	q.s.			
		Bismuth Sub. Nit.	gr xxx			
		Chloroform	m xvi		K.	
		M. Kino.	q.s. ℥i		Dr. Putnam	
		Sig Take a teaspoonful in water every two hours.				
	16397	℞				
		Hyd. Chloral	℥i			
		Bromid. Potash. q.s. to saturate		xx	K.	
		Aquae.	℥i	do.	Dr. Spencer.	
		Sig. Take 2 teaspoonfuls every 3 hours till 3 doses are taken				
	16398	℞				
		Hyd. Chlo. Mite	gr v	10	"	
		Sacch. Lactis	q.s. ℥ii			"
		Ft. ft in chart. no.				
		Sig Give at once.				
	16399	℞				
		Pil. Cascareta gr iii	No xii	10	K.	
		Sig Take two several times a day			Druggist.	
	16400	℞				
		Sp. Ether. Aromatic	℥i	10	K.	
		Sig Teaspoonful				

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16401	℞ Wyeth's Elixir Triple Phosphates	℥iv	XO	K.	
		Sig. Teaspoonful after each meal.				
	16402	℞ Meur Morphia	gr 1/20			
		Salol	gr iv		K.	
		Mft ft pil sing capsules		XO		Smith-Johnson
		repella capsulae No X				
		Sig Take one every 3 hours.				
	16403	℞ Meur Morphia	gr 1/4		Kalt	
		Bismuth Sub carb	gr ℈x			Little
		Chloroform	m iv	XX		
		Ft Keino	℥i			
		℞ Ess Pancreas	q.s	℥i		
		Sig Take a teaspoonful every 1½ hours till relieved				
	16404	℞ Fluid et Polaris Jab	grain 640		Workman	
		Sig Polaris Arsenitis	℥i		IX=	
		Strinia Sulph	gr 64			
		℞ Infus Gentian Comp ad	℥viii			
		Sig Teaspoonful after meals.				
	16405	℞ Wyeths Elix of the			Wilkin	
		℞ Triple Phosphates (Woog)	℥ii	XO		
		Sig Teaspoonful after each meal				
	16406	℞ Pill Asafoetida ää	gr V	No XII		Wilkin
		Sig One pill every 4 hours.		1X		

August 13th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16407	℞ Wyeths Elix. Gent. & Fr. Ferri Chlorid.	℥ ℈ iv	☒	Williams	Mrs Howard Dunn Manchester
	Sig.	Teaspoonful after each meal				
	16408	℞ Fr. Sulphat	℥ iv		Williams	
	Sig.	Teaspoonful in water every 3 hours				Mrs M. Wood
	16409	℞ Wyeths Elix Gentian with Fr Ferri chlorid	℥ iv	☒	Williams	
	Sig	Teaspoonful t.i.d.				
	16410	℞ Zinc. Oxid.	℥ i			
		Lanolin	℥ i	☒		
		Adipis	℥ vi			
		ol. Cadinii	℥ ß			
		ft. ungt				
	16411	℞ Pepsin Granulated Ext. Malt	Brt. ana ℥ i	☒		
	16412	℞ Morph. Sulph. Gr.	℥ i			
		Chloroform	℥ ß			
		Syr. Rami Virg	ad ℥ iv	☒		
	D.	℥ i t.i.d.				
	16413	℞ Antipyrin Gr.	x.			
		ft. Chart No.	i			
		S. Take immediately				

August 13th 1889

Stationers, 9 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16414	℞ Antipyrine gr. x. Pt Cheat. No. ii ; /D Sig one every hour				
	16415	Liniment Chloroformi	℥iv	ꝺx	W.	
		Sig External Use.				
	16416	℞ Aloin	gr ss			
		Res. Podophyllin	gr ¼	xꝺ	Pitt	
		Ext Nucis Vomicae	gr ¼			
		" Belladonnae	gr ¼			
		Ats et ft in emg pillulae ft pillulae No. xii				
		Sig Take one pill every night				
	16417	℞ Extri Calisaya	℥i			
		Sig One tablespoonful before every meal.				
	16418	℞ Ferri Pyrophos	℥iii		Wire	
		Sherry Wine qs	℥i			
		Sig a tablespoonful 3 times a day.				
	16419	℞ Potass Bromid	℥ss			
		Aquae Camphor.	℥i	ix	Marsh.	
		Aquae	℥iii		Watts	
		Sig Take a teaspoonful for a dose				
	16420	℞ Listerine	℥i			
		Aqua Dist.	℥ii			
		Sig Use as directed				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16421	℞ Hyd Chlo Corros Tablets	Bott	i	Keith	
		Sig Dissolve one tablet in 2 quarts of hot water.			ox Thomas	
	16422	℞ Aloin	gr	3/4		
		Ext Podophyllin	gr	1/4	K.	
		" Belladonnae	gr	1/4		
		" Nucis Vomicae	gr	1/4	Wm. Spencer	
		~~℞~~ ~~Ft~~ Pilulas ft pillulae No.		iv.		
		Repetc. capsulae No. iv				
		Sig Take one capsule at night				
	16423	℞ Aqua. Calcis	℥viii	i	"	"
		Sig Use 1/4 Lime Water and 3/4 milk				
	16424	℞ Ammon. Brom.	gr	i		
		Bismuth Subnit.	℥	i	K.	
		Chloroformis	mxxxii	ii	Wm. Spencer	
		Ft. Vino				
		Elixir Aurantii	āā	℥ii		
		Sig Take a teaspoonful in water every two hours.				
	16425	℞ Acid Nitro Muriat Dil	℥iiss		Keith	
		Elix Ferri et Gentian				
		~~℞~~ Ext Pancreas	āā	℥i		
		Sig Take a teaspoonful		℥iv		
		in water every 4 hours.				

August 14 /89

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16426	℞				
		Rx Podophyllin	gr 1/8	1D		
		Hyd Chlo Mite	gr ii ss		Keile	
		Ext Belladonna	gr 1/4			
		" Nux Vomica	gr 1/4			
		Mist ft in spring pillulae				
		ft pillulae No VIIII				
		Sig Take one pill at night.				
	16427	℞				
		Morphia Sulphia	gr 1/4		Keile	
		Bismuth Sub Nit	℥ i ss	1D		
		Ft Pulv	gr 2	℥ i		
		Sig Take a teaspoonful every 2 to 4 hours.				
	16428	℞				
		Wyeths Elixir Triplo Phosphates	℥ ii		Williams	
		Sig Teaspoonful after each meal.		1D		
	16429	℞				
		Morphia Sulphia	gr iv		Keile	
		Ft Capsici	m iv		Spencer	
		Ft Zingib	℥ ii	1D		
		Ext Pancreas q s	℥ ii			
		Sig Take a teaspoonful in water every 4 hours.				
	16430	℞				
		Bismuth Sub. Nit.	℥ iii			
		Elixir Lactopeptine	℥ i	8D	Marsh.	
		Sig Take a teaspoonful every 6 hours				

Aug. 14th 1889.

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16431	℞				
		Liniment. Saponis				
		Liniment. Chloroformi	āā ℥ii	⊠x		
		Tinct. Aconite Rad.	℥iv		R. Allen.	
		Sig. Poison. External Use				
		Apply morning & night.				
	16432	℞				
		Heyd Chloral	℥ii	Double ⊠⊠	Keile	
		Bromid Potassa	℥iv	⊠⊠		
		Fr Zingib	℥i		Andrew Lawrence	
		Elix Guarani	q.s ℥ii			
		Sig Take from 2 to 4 teaspoonfuls at night.				
	16433	℞				
		Bismuth Sub Nit	℥ss		William	
		Agnge	℥ii ss	⊠x		
		Sig Teaspoonful every 3 hours.				
	16434	℞				
		Arrow Root	℥i	10	William	
		Sig Teaspoonful to pint of water				
	16435	℞				
Lemon Syrup used at Soda Fountain		Acid. Phosphoric Dil.	℥ss			
		Strychnia Sulph	gr 1/8	10	Emery	
		Syrupus Limonis	℥iv			
		Sig Tablespoonful every three hours in water				
	16436	℞				
		Pil Zinnia Sulph			Wilmarth	
		āā gr ii	No xii			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16437	℞ Phil Morph Sulph Do iii	gr 1/6	1¢		
		Sig One every 3 hours				
	16438	℞ Morphia Sulph	gr 1/6		Keir	
		Quinia Sulph	gr iiii			
		Salol	gr iv	4¢		
		℞ Aspergin zing pillulas				
		No pillulas No	v iiii			
		Sig Take one every 3 hours till relieved				
	16439	℞ Potassa Iodide	℥ ss	4¢		
		℞ Syrupi Sarsæ Comp	℥ iii			
		Sig Teaspoonful after breakfast & supper.	℥ iii			
	16440	℞ Salicine	10.	(3 cts.)		
		ft. Chart. No. xx.		5¢		
		One powder if time a day				
	16441	℞ Hydrarg Bichlor	gr ii		Mitchell	
		℞ Aquad ad	℥ vi	4¢		
		Sig Apply externally only night & morning				
	16442	℞ Cathartic Pills 4 gr. each				
		one four times a day		5¢		
	16443	℞ Antipyrine .	gr. x.			
		ft. Chart. No. x				
		S. Take immediately		1¢		

August 15th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16444	℞ Antipyrine gr. x St. Chart No. ii Sig One every hour		10		
	16445	℞ Spirits Salts ℥ss Sig Take ½ to 1 teaspoonful in a glass of water before breakfast.		50	K. Miss G. Reiley	
	16446	℞ Syr. Rhei Aromat. ℥i Sig. Teaspoonful every two hours.		10	Wilkinson	
	16447	℞ Pil. Assafoetida gr iii to xii Sig Take two pills several times daily		10	Keil Johnson	
	16448	℞ Bismuth Sub. Nit. ℥iii Elixir Lactopeptine ℥iv Sig Take a teaspoonful every 6 hours.		50	Brasch Do.	
	16449	℞ Mur. Morph. gr. ¼ Chloroformis ℥ss xxxii M. Syr. Prunus Virgs q.s. ℥ii M Sig Take a teaspoonful in water every 2 to 3 hours			Miss. M. Allen	
	16450	℞ Antipyrin gr. x. St. Chart No. ii Sig One every hour				

August. 10— 1889

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16451	℞ Antikynine gr. X pt Chart. No. i D. Take immediately				
	16452	℞ Fr Aconite M viii Fr Belladonna M xxiv Coca Cordial ʒ i Sig Take a Teaspoonful every hour.		xv	Keli Starbuck	
	16453	℞ Morphia Sulph gr 1/24 Quinia Sulph gr ii Salol gr v Mix & div in sing pillulae No xii Sig Take one pill every 3 to 4 hours.		xx	Keli	"
	16454	℞ Acid Boracic gr xx Aquae Camphorae. ʒ ii Aquae Destill. ʒ ii Sig Eye Drops. Three times a day as directed.		xv do.		
	16455	℞ Morph Sulph gr 1/16 Quinia " gr ii Salol gr v Mix & div in sing pillulae No xvi Sig Take one pill every 4 hours.		xx	Keli J. Laffin	

Aug. 16 — 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16456	℞			Kile	
		Acidum Boric				
		℞ Acidum Tannic āā gr ii		ʒss		
	16457	℞				
		Fowler's Solution	ʒiii		Marsh.	
		Sarsaparilla Symp.	ʒi	do		
		Sig Take a teaspoonful every 6 hours				
	16458	℞				
		Fowler Solution	ʒiii/ʒiii		Marsh	
		℞ Syrup Sarsaparilla	ʒv	☐☐		
		Sig Take a teaspoonful every 6 hours after each meal				
	16459	℞				
		Hyd. Chlo. Mite	gr iii		K.	
		Sodae Bi carb.	gr vi	10	bmiss. Dr Johnson	
		℞ et ft in sing chartae ft chartae No ii				
		Sig Take one at night.				
	16460	℞				
		Emulsio Assafoetida	ʒiv		K.	
		S. Use one teaspoonful in ½ glass warm water			Wife. May	
	16461	℞				
		Antifebrin.	ʒss		Dr. F. B.	
		ft in pulvis No vi				
		Sig One as directed				
	16462	℞				
		Limmo Sulph.	gr xxiv		Dr. F. B.	
		ft in capsulae No xii				
		Sig One every four hours				

Aug. 16 — 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16463	℞ Aconi. Spir. Ammon. Dij. Take a teaspoonful in water Every four hours	℥iv	1Dx	K. McRobertson	
	16464	Acidi Boracic Aquae Destill. Sig As directed	grs v ℥i	1Dx Dx	King	
	16465	℞ Quinia Sulph fiat capsules No Sig Two n x nc	grs xxx vi	1Dx	Bissell	
	16466	℞ Antifebrin fiat pulv No Sig One as directed	grs xv iii	1Dx	Bissell	
	16467	℞ Ext Malts (Wyeth) Sig Wineglassful before each meal	bot i	1Dx	Williams	
	16468	℞ Elix Lactopeptini Sub Nit Bismuth Sig Take a teaspoonful every 6 hours after meals	℥iv ℥iv	SDx	Marsh	
	16469	℞ Sulfonal in chartae āā grs xv Div. Sig One powder in a tumbler of hot water one hour before bedtime	vi			

August 17 — 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
				Wt Bot Discd		
	16470	R				
		Sulph. Quinnie	gr xl	℔x	Marsh	
		Sp. Liquoriæ	℥iv			
		Sig Take a teaspoonful every 4 hours				
	16471	R				
		Marsh. Pills	No. x	1℔	"	
		Sig Use as directed				
	16472	R				
		Fld. Ext Ergotæ	℥ ss	℔℔	Bissell	
		Glycerine	℥ ii			
		Aquæ Cinnamonæ q.s	℥ iii	℔℔		
		Sig Teaspoonful every 2 hours in water				
	16473	R				
		Fl. Iodine				
		" Aconite	aā ℥ ss	℔℔	McDonald	
		Sig Use as directed		1℔		
	16474	R				
		Morphia Sulph	gr ii		Mitchell	
		Sac Lactis	℈ i		1℔	
		Triturate & ft pulv No	xii			
		Sig Take one powder when in severe pain				
	16475	R				
		Pil Asafoetida	gr iii		Keith	
			No xii	1℔	Gen. Wales	
		Sig Take as necessary				
	16476	R				
		Syrupi Salb Bti			Keith	"
		Sig Take 1/2 to 1 teaspoonful in water before breakfast		5℔		

August 17 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
Void	16477	℞				
		~~Liminae~~ Sulph.	ʒi.			
		~~Inf capendae~~ Inf X ii		✗		
	Sig	Ts				
	16477	℞				
		Pepsin. P. & D.	ʒ ss			
		Fld. Ext Convalaria	ʒ ii			
		Tr. Incis Vomica.	ʒ iii	✗	Kite	
		Elixir Gentian et Ferri			E. W. Wales	
		Ess. Pancreatis āā qs	ʒ iv	✗		
	Sig	Take two teaspoonfuls in water after three meals daily				
	16478	℞				
		Liminae Sulph.	ʒi.			
		Inf. capendae. Inf X ii		✗		
	Sig	Two night & morning				
	16479	℞				
		Ammonia Carb.	ʒ ii			
		Syr. Tolu.		✗		
		Aquae. qs	ʒ iii	✗		
	Sig	Teaspoonful every two hours.				
	16480	℞				
		Tr. Digitalis	ʒ ii	✗		
		Aquae. qs	ʒ iii	✗		
	Sig	Teaspoonful every three hours.				
	16481	℞ Inf. opii Camph.	ʒ ii	10		
	S.	ʒi for an adult				

O Neill

August 17 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16482	℞ Antipyrine in tablets āā gr. v. No. xii.		8x		
		S. ~~[illegible]~~ tablet followed by one in an hour until four are taken				
	16483	℞ Pulv. Potas. Brom. ℥ij Syr. Rhei Aromat. ℥ij Aquam ad ℥iv		40 75		
		Sig. 20 drops in water for restlessness every four hours				
	16489	℞ Brom. Spr. Ammon ℥iv		8x		
		S. Take an after dinner coffee spoonful 4 to 8 times daily in a Champagne glass of water				
	16490	℞ Sugars Granulated ℥i Mucx		8x		
		S. Teaspoonful after each meal				
	16491	℞ Brom. Potas. ℥i Aquam ad ℥iv		75		
		S. Teaspoonful for children at night		8x		

Freeman & Son, Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16492	℞ Acidi Phosphor Dil ℥i Aquae ad ℥iv Sig Take a teaspoonful before meals & at night.			Mitchell	
	16493	℞ Antipyrine ci tablets āā gr. v No. vi One tablet repeated every hour until the pain is relieved or until four are taken				
	16494	℞ Ung. Aconiti ℥ii Ung. Belladonna ℥ii Ung. Opii ℥iii Linimenti Chloroformi q.s. ad ℥vi M. as a liniment Serve al times daily				
	16495	℞ Ext Cascara Sag ℥ss Sig Dose 16 to drops				
	16496	℞ Ext Digitalis ℥i Aromatic Ammonia ℥ii Elix Pepsin ad ℥ii Sig 1 teaspoonful between meals.			Wilmarth	
	16497	℞ Morph Sulph Ext Belladonna āā gr 1/8 Mist in sing suppositry No vi			Wilkins Sig One at night	

Aug. 17. 1889.

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16498	℞ Spir. Aeth. Comp. ℥i Spir. Amman. Arom. ℥i Sig. Tr. For Palpitation A teaspoonful in water three or four times a day		1.00 .50		Vance
	16499	℞ Hyd. Chlor. Mite gr. iii Sodae Bi Carb. gr. x. Aq. pur. dest. Not. i Sig. Take at bed time		.10 dk. 10		Vance
	16500	℞ Morph. Sul. gr. ii Aquae ℥iv Sig. ℥i Every three hours relieved				
	16501	℞ Potass. Bromid. ℥ss Aquae ℥ii Sig Teaspoonful in water every 3 hours.		.20 .00		H.
	16502	℞ Salol. in capsulae āā gr. v. No. xii Sig One capsule every 3 hours				Williams
	16503	℞ Pepsis P. D. & Co. Fld. Ext. Convallaria Ft. Nucis Vomicae Elixir Gentian et Ferri Ess. Pancreatis āā gs ad ℥iv Sig Take a teaspoonful in water during or after meals	℥ss ℥i ss ℥iii	.05		Kile Mrs. Little

Aug. 18— 1887

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16504	℞ Pil. Strych Sulph gr. 1/32 No. XXIV Sig Take one every 6 hours.			Mack	
	16505	℞ Bismuth Subnit. ℥ii ℔ss Aquae ℥ii ℔ss S. Shake — ℥ss after each meal			Mack	
	16506	℞ Acid. Tannici ℥ss. 10 ℔ss Glycerine ℥ss ℔ss " S. Use as directed				
	16507	℞ Pil. Morph. Sul. āā gr. 1/6 — No. iii		1 ☒		
		Sig. One every 3 hours				
	16508	℞ Sulfonal in Chart āā gr. xv. No. xii		1.0		
		Sig. One powder in a tumbler of hot water at night				
	16509	℞				
(Brodalt)		French Pharm ℥ss				
(Incipated)		Clarified Gael. gr. xv Pulv. Sacch. Alt. gr. xxx. ℔ss M. dir. in chart. No. xv. ☒				
		S. One powder in a tea-spoonful of Cider Vinegar after each meal				

Aug. 19th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16510	℞				
		Alum. Pulv.	gr. XV			
		Acidi Borici	gr. XX			
		Acidi Hydrocyanic Dil.	gtts XXX			
		Tr. Opii	℥ss			
		Aquae Rosae.	℥i			
	Sig	Apply as directed				
	16511	℞				
		Bromide Sodae	℈i ss			
		Tr. Nucis Vomicae	♏ XL.			
		Aquae q.s.	℥i			
	Sig.	Take a teaspoonful in water every 4 houre				
	16512	℞				
		Tablets Hyd. Chlo. comp bot. i				
	Sig.	Dissolve one tablet in 3 great spoonfuls of water. Use one spoonful in a quart of hot water.				
	16513	℞				
		Pot. Iodid	℥ss			Bissell
		Pot Acetat	℥ss			
		Aquae Cinnamoni	℥i			
	Sig	Teaspoonful in water every 2 hours.	℥vi			
	16514	℞				
		Quiniae Sulph.	gr. X.			
		Pulv. Doveri	gr. X.			
		Pulv. Camphor.	gr. X.			
		Pil No. XII				
		One every two hours				

Aug. 19th 1889


Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16515	℞ Tinct Symbul.	℥iv	ⅩⅩ	Dillman	
		Sig Teaspoonful three times a day			One Metcalf	
	16576	℞ Antipyrin	℥ss	xⅩ	Dr. T. B.	
		ft in chartae No. vi				
		Sig One at noon.				
	16577	℞ Quininae Sulph.	gr. xxiv			
		ft in capsulae No. xii		xx	"	
		Sig One every four hours.				
	16578	℞ Sodae Salicylato	℥iii			
		Aquae Dest	℥iii.	ⅆx		
		Sig a Teaspoonful in water every 3 hours.				
	16579	℞ Salicin	℥ii			
		Chart. No. xii				
		Sig. Dose. one powder 3 times daily before eating				
	16520	℞ Pulv. Ipecac. et Opii ℥ss. M.				
		Sacch. Albar ℥ss. M.				
		f. pt. Chart. No. iii.				
		S. Dose one powder at bed time				
	16521	℞				

Aug. 19th 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16521	℞ Emplast. Picis cum Cantharides q.s. Cum Ext. Hyoscyamus ℥ii Cum Ext. Cannabis. Ind. ℥iii ad ℔i. in Emplast. thus:—		no	Hale S. Brock.	



	16522	℞ Hydrarg Chlorid Mite gr viii in sing chart Sig Calomel. To be taken dry upon the tongue		10	Wilkin	
	16523	℞ Camphor Oil	℥i ℥iv			
	16524	℞ Liquid Lactopeptine ℥vi Dil. Hydrochloric Acid ℥ii Strychnia Sulph. Gr. 1/4 Sig. Dessertspoonful in Claret glassful of water after meals			Hayne	
	16525	℞ Antipyrin in tablets āā gr v to xii Sig One tablet after each meal			Wilkin	

Aug. 20 - 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16526	℞ Glyc.	℥i.			
		Phosph. Iron	℥i.		Marsh	
		F. – Put a teaspoonful				
		– in a goblet of water				
		– and gargle every 3 or 4 hours				
		–				
	16527	℞ Pil Assafoetida āā gr V			William	
		M. et XII		1⁸		
		Sig One pill every 4 hours.				
	16528	℞				
		Aquae Camphor.				
		Tr. Gingib.	āā ℥ii	✗x		
		Dilute Sulph.	gt ℥	✗✗	Marsh.	
		Sig Take a teaspoonful every hour.			for. West	
	16529	℞				
		Tr. Buchu	℥ii			
		Sig. Take a teaspoonful every 3 hours in a tablespoonful of water.		LAN	Marsh. For. Wm. West	
	16530	℞				
		Dilute Sulph.	gt 1/16			
		Quinine Sulph.	gr ii		Kile	Egbert
		Salol	gr v	✗		
		M. et rotello in sig. capsulae. rotello.			capsulae No. XII.	
		Sig. Take one every three hours.				
	16531	℞ Iodii Hypophosph.	℥ii	✗✗	16.a.	
		Lacrolin -	℥ii			
		Sig.				

Aug. 21st 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16532	℞ Wyeth's Elixir Pentain et Ferri ℥iv Sig Teaspoonful before each meal.		~~40~~ 80	Williams	
	16533	℞ Pil Cascaforta gr. v No. XII Sig One pill night & morning		10		
	16534	℞ Sodae Salicyl. ℥v. Aquae ℥iv D. Teaspoonful three times a day		45 75		
	16535	℞ Potassium Bromid ℥ii ft in chartae No. VI Sig One in ¼ glass of water every two or three hours as required		10	Dye. Greene	
	16536	℞ Hyd. Chloral gr. x. Sodae Bromid. gr. xxx Gtt. Menderrii gs. ℥ii Sig. Take a teaspoonful in water as directed		75		
	16537	℞ Sulfonal in Chart. āā gr. xv No. VI Mix powder in a tumbler of hot water				
	16538	℞ Fountain Syringe 1 qt. Capacity				

Aug. 21st, 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16539	℞ Wyeth Antiseptic Tablets Hyd. Chlor. Corr. Bot. I. O. as directed — Pain				
	16540	℞ Elix. Calisaya ℥iv Fr. Nux Vom. ℥ii Sig. Dessertspoonful t.i.d. in water		⊠X		
	16541	℞ Glycerine ℥ii Mdrrel Solution ℥iv				
	16542	℞ Sto Ingra. ℥iv Sig Use as directed				
	16543	℞ Listerine ℥iv Sig Use a teaspoonful in 4 teaspoonfuls of water		⊠X	Kile	Remsen
	16544	℞ Mash Bitters ℥v. S. Take a teaspoonful every six hours		⊠X	Mash	
	16545	℞ Potass Iodid ℥i Syr. Sarsaparilla ℥ii 88 Sig Teaspoonful after each meal		XO	Williams	

Search No. 16573

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16546	℞				
		Wyeth's Elixir Gentian et Ferri	℥iv	☒☒	Williams	
		Sig Teaspoonful before each meal.				
	16547	℞				
		Bromid. Potass.	℥iv			
		Aquae. qs	℥ii		Kile	
		Sig Take a teaspoonful in water when necessary.				
	16548	℞				
		Morph. Sulph.	gr 1/24			
		Lamine	gr tss	☒☒	Kile	
		Sabb.	gr. iv			Miss Starbuck
		~~Dis~~ et repellorin sing capsulae repello capsulae		No. xii		
		Sig Take one capsule every three hours.				
	16549	℞				
		Hydrat. Chloral	℥iii			
		Bromid. Potassium	℥i	☒☒	Kile	
		Aquae	℥ii			
		Sig. Dose: one teaspoonful repeat in an hour if necessary				
	16550	℞				
		Morphia Mur	gr 1/4		Kile	
		Bromid Sodae	℥iss			
		Aquae	℥ss			
		Sig Take one or two teaspoonfuls at night.	℥i	1☒		
	16551	℞				
		Tr Aconite	m xvi		Kile	
		Tr Belladonna	m xlviii			
		Coca Cordial q.s	℥ii	7☒		
		Sig Take a teaspoonful every hours.				S. Brock

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16552 ℞	Antipyrin.	gr xx	10	Marsh	
		Div. in chartae No. iv				
		Sig. Take one in a tablespoonful of water at bedtime				
	16553 ℞	Antiseptic Tablets		☐x		
		(Hyd. Bi Chlor. gr vii p. Wyeth) Dst. i				
		Sig. Dissolve in a quart of Lavacu water for disinfecting				Poison
	16554 ℞	Ammon. Bromid.	gr ss	10		
		Chloroformis	m xxxii		Kile	
		Syr. Prunus Virg	q.s ℥ii		J. Chinery	
		Sig Take a teaspoonful in water every three hours.				
	16555 ℞	Aloin	Gr. ss.			
		Res. Podophyllin	Gr. 1/8			
		Ext. Nucis Vomicae	Gr. 1/4		Shank	
		Ext. Belladonnae	Gr. 1/4		Brackett	
		ft. pt. in sing. pillular		10	Schr.	
		ft. pillulae No. iv			Eagre	
		Sig. Take one pill at once and repeat at night				
	16556 ℞	Bismuth Subnit	℥i	☐x		
		Morph. Sulph.	gr 3/4			
		Chloroformis	m xxxii		K	
		Elix. Amantii q.s.	℥ii			
		Sig. Take a teaspoonful in water every 3 to 4 hours				

Aug. 22 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16557	℞ Sodae Salicyl. gr. xxx In pulv. Chart. ℔. Chart. No iv Sig Take one powder at 10 a.m. 12 m. and 3 P.M.		XX		
	16558	℞ Sulph Zinnia gr iv Acid Sulph Dil ℥ss Tinct Gentian ℥i Spts Lavender ℥x Aquae ää ℥ii Sig Take a teaspoonful every 6 hours.			Marsh	
	16559	℞ Ferri Mentha gr 1/8 Fr Reino ℥i Fr Zingib m xx Veratrin gr ℥ii			Reid	
	16560	℞ Potass. Iodid. Aquae Sig Teaspoonful in water after each meal.	℥i ℥ii ss			
	16561	℞ Olei Ext. Nucis Vomicae fld. ℥i Ext. Belladonnae Fld. ℥ii Ext. Cascara Sagrada Fld. ℥v. Sig. Three drops three or less in wine glass water three times a day				
	16562	℞ Sodae Salicyl. ℥i Aquae ℥iv Sig. ℥i ℥i. d.			Double	

Aug. 22 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16563	℞				
		Ammon. Acetat.	q.s.s.	10	Kile	
		Chloroformis	m. xvi			Miss Little
		Elixir Aurantii q.s.	℥i.	⊠		
	Sig	Take a teaspoonful in water when necessary				
	16564	℞				
		Chlor. Hydrat.	℥ii.	⊠x		
		Potass. Bromid.	℥iv.			
{Ammon. Acet. q.s. + Syr. ℥i. ⊠.}		Morph. Syr. Quad.	℥i.			
		Tinct. Cardamomi Co.	℥ss.			
		Aquae	℥i. ss.	⊠.		
	16565	℞				
		Lactopeptine Bot.	i.	1.25		
	16566	℞				
		Murdock's Food Bot. i.		⊠x		
	16567	℞ (Hanchett)				
		Pepsin in Scales Gr. cxx.				Workman
		Sacch. Albar Gr. xxx.		1.⊠		
		Pulv. Cinnamon. Gr. xx				
		ft. pulv. No. xii		⊠.		
	Sig.	One powder after meals				
	16568	℞				
		Syr. Hypophosphates. (Fellows)	℥vi	0⊠	Rice	
	Sig	Teaspoonful in wineglass water before meals				
	16569	℞				
		Sulfonal	℥i. ss.		Wm. Jerome	
		Fiat. in chart No. x.				
	Sig.	One in hot water before retiring		two hours ⊠x		

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16570	℞				
		Acidi Tannici	℥ ss	19		
		Glycerin	℥ i	~~10~~		
		Sig External Use				
	16571	℞				
		Ext Cascara Sagrada	℥ i	☐x		
		Sig 15 drops in water after each meal				
	16572	℞				
		Morph. Sulph.				
		Ext Belladonnae āā	gr. 1/8	1.x=		
		ft in sing suppositg ft suppositg		No. XII		
		Sig One suppositg every six hours				
	16573	℞				
		Ext. Cascara Sagrada	℥ i	☐x		
		Sig. Three drops in water after each meal.				
	16574	℞				
		Wyeth Elixir Triple Phosphates	℥ iv	☐☐		
		Sig Teaspoonful after each meal				
	16575	℞				
		Fl. Buchu	℥ ii	bottle xx		Brasch.
		Sig Take a teaspoonful in a teaspoonful of water every three hours.				
	16576	℞				
		Vaseline	℥ i			
		Acid Tannic	grs XX			
		Pulv	grs XV	xx		
		Sig Ointment		wooden box		

See Rec. 16543

Aug 22 - 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16577	℞ Mm. Morph. Gr. ss.				
		Bis. Sub. Carb. ℥i ss				
		Chloroformis M.xvi				
		Elix. Aurantii q.s. ℥ii				
		Sig. Take a teaspoonful in water every 3 hours				
	16578	℞				
		Sodae Salicyl. ℥v.				
		Aquae ℥iv				
		Sig. ℥i every two hours				
	16579	℞				
		Tr. Aconite Rad.	℥ss.			
		Tr. Iodinii	℥ss.			
		Tr. Opii	℥ss.			
		Sig. Use as directed — Poison —				
	16580	℞				
		Tablets Ignatia aa gr. 1/10 (Hodges) No. C.				
		Sig. Two t. i. d.				
	16581	℞				
		Pil. Ergotae.	gr ii		Dr. T. B.	
		Sig. One every three hours	Nr. xviii			Powell.
	16582	℞				
		Hydrarg Chlorid Mite	gr VI.			
		Sacch Albae	gr XXIV			
		M ft chart No XXIV				
		Sig Take a powder before meals & at bed time				

Aug. 23d. 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16583	℞				
		Morph. Sulph.	gr i	×D		
		Bismuth Sub. Nit.	ʒ i ss			
		Pepsin Sacch:	ʒ i			
		Pulv. Aromat.	gr. xx			
		Ds. Div. in chartae No. xii				
		Sig One every 2 hours				
	16584	℞				
		Ext Opii	gr v	0D		
		Glonn Theobromae	ʒ ss			
		Ds ft suppositiry No. x.				
		Sig Use as directed				
	16585	℞				
		Stokes Liniment	℥ vi	8D		Marsh.
		Sig Use as directed				
	16586	℞				
		Ammon. Brom.	ʒ i ss			
		Tr. Opii Camph.	ʒ ss	15X		Mr Allen.
		Mist. Glycyrrhiza Comp.	ad ʒ iv	Do.		
		Sig Dose, One teaspoonful in water				
		four times daily				
	16587	℞				
		Alvin				
		Res. Podophyllin	gr ss			
		Extracts Nucis Vomicae	gr. 1/4	1X		
		" Hyoscyamus	gr 1/4	10 drops		
		Ds ft in sing pillulae No. lv	gr. 1/8			
		Sig Take one at night.				

Aug 23rd 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16588	℞				
		Valerinate Ammonia	ʒi.			
		Chloroform	mxvi			
		Elixir Valerinate Ammonia	qs	ʒii		
		Sig One teaspoonful repeat as necessary.				
	16589	℞				
		Iodid. Potass.	ʒiiiss	~~ʒiiiss~~		
		Soda Salicylate	ʒii	ss		
		Syr. Sarsaparilla	qs ad	ʒiv		
		Sig Take a teaspoonful in water after each meal				
	16590	℞				
		Chloroform	ʒi.		Meitchell	
		Sig use as directed externally only		1x dil with ℥ss		
	16591	℞				K.
		Hyd. Chlo. Mite	qs ad			
		Sodae Bicarb.	qs ad			
		~~℞~~ Mix sig. chartae ℔ chartae No. ii				
		Sig Calomel Powders.				
	16592	℞				
		Creosote	gtt x.	xx		
		Vaselina	ʒi.			
		Sig. Ointment				
	16593	℞				
		Tinct. Buchu	ʒii	℥ss	Mash	
		Sig. Take a teaspoonful every six hours in a teaspoonful of water				
		16594 ℞ Mash pills No. xx.				
		Sig. Take two at night				

Aug 23rd 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16595	℞ Mor. Sulph. gr. 1/16 ⊗x Iodide Potassii gr. viii Sod. Salicylate gr. xv 1/4 Pulvis Aromaticus q.s. Mix. Sig. Chart ft. Chart No. xii Sig. Take one powder every three hours			K. Mr. Coffin	
(gr. xx in whole quantity)						
	16596	℞ Liq. Ferri Persulph. ℥i Glycerine ℥i Sig. Put a teaspoonful in half glass of water and use as directed				
	16597	℞ Bismuth Subnit. (Squibb) ℥iii ft. Chart. No. xviii Sig. Bismuth gr. x. One powder three times a day after food		⊠x		
	16598	℞ Elixir Iron & Strych ℥iv		⊠x	Pitman	
	16599	℞ Liq. Iron & Strych. ℥ iiii/iiii Sig Take a teaspoonful every 6 hours in a teaspoonful of water.		⊠x		
	16600	℞ Mouth Pills No. xx Sig use as directed.				

Aug. 24th 1889

Freeman & Son

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16601	℞ Fr Nux Vomica ℥ss Acid Nitro-Muriat Dil ℥iv Elix Gentian et Ferri q.s. ad ℥iv Sig Take a teaspoonful in water after each meal			Keith	Lowden
	16602	℞ Gloin gr xx Rez Podophyllin gr ¼ Ext Belladonna " Nux Vomicae āā gr ¼ M ft in sing pillulae ft pillulae No X Sig Take one at night.			"	"
	16603	℞ Sol. Cocaine Hyd. Chl. ℈ss Listerine q.s. ad ℥iv Sig. Use a teaspoonful diluted as necessary several times daily			K. Wm. Remsen	
	16604	℞ Spt. Frumenti Op. ℥. Whiskey				
	16605	℞ Fl Mysh ℥vi Listerine q.s. ad ℥iv S. Use a teaspoonful in 4 greatspoonfuls ℥ water as a wash for mouth				
	16606	℞ Quinine Sulph. gr. xxviii Ft. capsulae No. xvi Sig One t.i.d.			M. T. B.	

Aug. 24th 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16607	℞				
		Pepsin P. D&Co.	℥i			
		Ft. Nucis Vomicae	℥iii		Kite	
		Acid Hyd. Chlo. Dil.	℥iv	1.X=	Mrs. Howard.	
		Ese Pancreatis qs	℥iv			
		Sig Take a teaspoonful in water after each meal.				
	16608	℞			Howard.	
		Tablets Hyd. Chlo. Corre	bot i		K. Kite	
		Sig Use one tablet in two quarts hot water once daily				
	16609	℞ Tablets Hyd. chl. Corr. Bt. i			Kite	
		Sig. Use one tablet in two quarts of hot water once daily			Mrs. D. E. Coffin	
	16610	℞				
		Quiniae Sulph.	gr. xii		Bissell	
		Pulv. Doveri	gr. x.			
		Pulv. Camphorae	gr. x.			
		Sig. ft. in Capsules No xii				
		Sig. One every 2 to 3 hours				
	16611	℞				
		Phenacetin	℥ss			
		Aquae Ammoniae	℥iii		DD Bt. T. B.	
		Sig. Teaspoonful every four hours				
	16612	℞				
		Bismuth Sub. Nit.	℥iv		Marsh	
		Elixir Lactopeptine	℥v			Mrs Cox
		Sig. Take a teaspoonful every six hours after each meal.				

Aug 24th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16613 ℞	Sulfonal in sharp tää gr XX No XII		1.00	Willian	
		Sig One powder in a tumblerful of water at night.				
	16614 ℞	Salol in capsules tää gr V No XII			Willian	
		Sig One capsule after each meal				
	16615 ℞	Hydr Oleate of Mercury 20%	grs XXV			
		Oleic Acid	℥VII			
		Ether's Sulph	℥i	XX		
		℞ Morph Sulph	gr VIII			
		Sig For external use.				
	16616 ℞	Potass Bimid.	℥i 3ss			
		Ext Cascara Sagrada Fld.	℥ii			
		" Ergotae	℥i			
		" Hamamelis Fld	℥iii	50		
		" Viburni Prunifol.	℥iii			
		" Glycyrrhiza Fld.	℥ii			
		Aquae Cinnamomi. qs	℥ii			
		Sig Teaspoonful 3 times a day				
	16617 ℞	Cocaine Hyd.	gr iii			
		Strych. Sulph.	gr 1/3	40		
		Elixir Calisaya	℥iii			
		Sig Dessertspoonful before meals				

Aug. 24th 1859

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16618	℞ Fellow's Comp. Syp. Hypophosphites	℥iij			
		Sig Teaspoonful in water before meals three times a day				
	16619	℞ Acid. Salicylic				
		Liquor Sulph.	āā gt. xxx		Sharp.	
		℞ ft capsulae No. x				
		Sig Take when required.				
	16620	℞ Antipyrin	℥ij			
		ft in sing chartae ft chartae No. VI				
		Sig Take one powder every 3 hours till relieved				
	1662	℞ Morphiæ Sulph	gr. i		Wilkins	
		Chloroform	℥ss			
		Aq. Menth Pip	℥iv			
		Sig Teaspoonful				
	16622	℞ Morphiæ Sulph	gr. ij		Wilkins	
		Vaselin	℥ss			
		Sig Ext use				
	16623	℞ Morph Sulph in fil compressi				
		āā gr 1/8	No. VI			
		Sig One pill repeated in 2 hours if necessary				

over

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16624	℞ XXX Hennessy	℥iv	⊞X	Kah	
	16625	℞ Syrup Rhei Aromat Sig Teaspoonful repeated in 2 hours if necessary.	℥i	XX		
	16626	℞ Glyrone Vaseline Sig Glyrone 1/2 of 1%	gtt v ℥ii	XX	William	
	16627	℞ Syr Phos Iron Quinia & Strych Sig Teaspoonful in water 3 times a day before meals.	℥iv	⊞N	Martin	
	16628	℞ Acid. Nitro Muriatic Dil Ft. Belladonnae Ext Pareira Brava Fld. Infusion Pareira Brava. qs Sig. Wineglassful. twice a day	℥iii ℥ii ℥ii ℥xvi	108	11	
	16629	℞ Morph. Sulph. Ext Belladonnae Gum Tragacanth Sig One at bedtime	gr iv gr x qs ft. suppositorium No xii		11	
	16630	℞ Fleish Ferri Comp Fr Aloes et Myrrh " Guaiac Sig use as directed	℥i ℥ss ℥ss		MacDonald	10

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16631	℞ Bismuth Sub nit	℥ iiss		Wilkin	
		Aquae	℥ iv	℔x		
		Sig Teaspoonful every 4 hours.				
	16632	℞ Morph Sulph			Wilkin	
		Ext Belladonna āā gr 1/8		℔x		
		in sing suppositury				
		fiat suppositurs	No VI			
		Sig One suppository every 4 hours.				
	16633	℞ Cinchonidia Sulph.	℈ i			
		Pulv. Opii	gr. iv		North	
		Act ft in chartas No. XX.		℔x		Rex
		Sig One three times a day				
	16634	℞ Ferri Chlo	℥ iii			
		Fl. Ext Convallaria	℥ vi		Kile	
		Tr Nux Vomica		ℍ℔	Barrett	
		Acid Nitro Mur Dil āā	℥ ss			
		Syr Simplex q s	℥ iv			
		Sig Take a Teaspoonful in water after each meal.				
	16635	℞ Pill Cathartic No	XII		"	"
		Sig Take one or two pills as advised		1℔		
	16636	℞ Listerine	℥ ii			
		Sig as directed.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16637	℞ Spt. Frumenti	℥ xviii	xx	Marsh.	
		Sig Use as directed				
	16638	℞ Pil. Ext Belladonnae	gr 1/8.			
			Div. xxx			
	16639	℞ Hyd Chloral gr	CLX			
		Bromid Soda	℥ vi		Reid	
		Tr Hyoscyamus	℥ iv	III	Lawrence	
		Tr Zingiber	℥ ii			
		Elix Aurantii gr	℥ iv			
		Sig Dose 2 teaspoonfuls in water repeat if necessary.				
	16640	℞ Bromid Potass.	℥ i	dbl.		
		" Sodae		ss x	Reid	Jenkins
		" Ammoniae āā	℥ ss	xx		
		Elixir Aurantii	℥ ii			
		Sig Take a teaspoonful in water every three hours				
	16641	℞ Syrup Zingiber	℥ ii		Marsh	
		Bismuth Sub nit	℥ iii	xx		
		Sig Take a teaspoonful every 4 hours				
	16642	℞ Sulphur Sublimate	℥ ii			
		Ung. Petroli	℥ i	xxx		
		Vaselinae	℥ i			
		Sig Apply at night				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16643	℞ Mur Morphia	gr 3/4		Keith	
		Bismuth Sub Nit	ʒ i ss			
		Sr Kino	ʒ vi	1 DS		
		M Ess Pancreas q s	ʒ ii			
		Sig Take a Teaspoonful in water every 3 hours.				
	16644	℞ Sulph Morphia	gr 1/24		Keith	
		" Quinia	gr 1/30			Leitle
		Salol	gr v	1 DS		
		M et repella ping capsule repella caspsules to				
		Sig Take one capsule every 3 hours.				
	16645	℞ Tromyd Sodae	ʒ iv		Keith	
		Sr Nux Vomica	ʒ ii			
		M Agnae	q s ad ʒ ii	1 DS		
		Sig Take a Teaspoonful in water 3 times daily				
	16646	℞ Cupri Sulphate	gr ss		Meyers	
		Magnesiæ Sulphas	ʒ i			
		Acid Sulph Dil	ʒ i	1 DS		
		M Agnae	ad ʒ iv			
		Sig a Teaspoonful every hour or two at first				
	16647	℞ Tinct Opii	ʒ i		Moore	
		Sig Five drops at a dose.		1 D		

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16648	℞ Antipyrin in capsules. ää gr ℔ss No XII Sig Two capsules 3 times a day		ℋX		
	16649	℞ Sodae Salicylate ℥V ℞ Aquae ℥IV Sig Teaspoonful evry 2 hours.		ℋX	William	
	16650	℞ Acid Muriat Dil ℥ℳ ℞ Fld Extr Taraxaci ℥ℓ ℞ Fr Gentian Comp ℥℔ℓ ℞ Aquae ℥ℓℳ Sig Two teaspoonful in water before meals through a tube		ℋℵ	Garrow	
	16651	℞ Tct Assafoetida ää gr V No XII Sig One pill 3 times a day		ℵℵ	William	
	16652	℞ Syrup Ginger ℥℔ℓ ℞ Sub Nit Bismuth ℥ℓV Sig Take a teaspoonful evry 6 hours after meals.		ℵX	Marsh Mendenhall	
	16653	℞ Sulph Zinnia gr XXXX " Acid Dil gtt XXXX ℞ Aquae ℥IV Sig Take a teaspoonful evry 4 hours.		ℵX	Marsh	"

Aug. 26th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16654	℞ Quinin Sulph. Pulv. ℥ss. Cort. Anchon. Rubrae Pulv. ℥iii Tinct Sanguinaria ℥iii (℥iii) Tinct Nux Vom. ℥ss (℥ss) Ess. Gaultk. ℥ss Elix Taraxaci Comp. q.s. ℥viii Sig A dessertspoonful intervals two each meal		1.00		
	16655	℞ Pil Assafoetida ää gr V M. ft XII Sig One pill every 4 hours.		1.00	William	
	16656	℞ Quinina Sulph. gr. xii Pulv. Camph. gr. x. Pulv. Doveri gr. x. M. ft. Capsula No. xii Sig. one every 2 to 3 hours		.50		
	16657	℞ Quiniae Sulph. gr. xii In Capsula No. vi		.10		
	16658	℞ Tr. Ferri Mur. ℥ss Glycerinae ℥ss Aquae q.s. ad. ℥iii Sig. ℥i in water after meals		.50		
	16659	℞ Hydrarg. Chlor. Mite gr. i Sodae Bicarb. gr. v Lactopeptini gr. v M. in Chart. No. xi		.50	Cal. Stone	

Aug. 26th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16660					
		℞ Bismuth Sub. Nit.	℥ ss			
		Sodae Bromid.	℥ ss	OK		
		Spts Ammon. Aromat.	℥ i			
		Glycerin.				
		Aquae Amicae				
		" Cinnamoni ää	℥ v			
		Sig Teaspoonful once in two or three hours				
	16661	℞				
		Ft. Opii	℥ i			
		" Iodini	℥ ss	OK	Gardner.	
		Potass Iodid.	℥ i			
		Sig Use as directed				
	16662	℞				
		Chloroformis	m xxxvii			
		Fr Zingib	℥ i		Kalb	
		Fr Capsicum	m vi		Laurens	
		Fr Gentian	℥ iv	ND		
		Coca Cordial	ää ℥ ii			
		Sig Take a teaspoonful in water when necessary				
	16663	℞				
		Sodium Bromid	℥ v			
		Spts Ammon Arom.	℥ ss			
		Aquae Dist.	℥ i ss	ND		
		Sig Teaspoonful three or four times daily in water				
	16664	℞				
		Acid Salicylic Sol. Sol				
		Cannabis Indica	℥ i	ND		
		Collodion flex	℥ i			
		Sig apply with brush to nails				

Aug 27 — 89

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16665	℞				
		Creasote	3ss.	10		
		Vini Ipecac.	3ii ss.			
		Alcohol	3iii			
		Sig. For Nausea - A drop in water Every 15 minutes				
	16666	℞				
		Morph. Sulph.	gr 1/16		K.	
		Ammon. Sulph.	gr. iii			
		Salol.	gr v			
		~~Do~~ et tepello in sing capsulae repello capsulae. No. X				
		Sig Take one capsule every three hours				
	16667	℞				
		Carron Oil	3ii		Whitehall	
		Sig Apply Externally				
	16668	℞				
		Tablets Iodide Salicylate āā gr. x				
		Sig. For Dr. Bissell	No. xx			
	16669	℞				
		Elix Lactopeptini	3i.		Marsh	
		Sub Nit. Bismuth	3iv			
		Sig Take a teaspoonful every 4 hours.	3iii		Bright.	
	16670	℞				
		Ft. Aconite	3i.			
		" Hyoscyamus	3iii		K.	
		" Opii	3ii			
		Liniment Saponis q.s.	3ii		Do.	
		Sig Use as a liniment several times daily.				

Aug. 27 '89

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	~~16670~~	℞				
	16671	℞ Bromid. Potas.	℥ii		K.	
		Bromide Soda	℥i			
		Bromide Ammon.	℥i			
		Aquae q.s.	℥ii			
	Dij.	Take a teaspoonful in water when necessary				
	16672	℞				
		Fl Ext Convallaria	℥iii			
		Fr Ext Vomica	℥vi		Reid	
		Tr Ferri Chlo	℥iii		E. Folger	
		Syrupus q.s.	℥iv			
	Dij	Take a teaspoonful in water after each meal				
	16673	℞				
		Ammon. Bromph.	gr.viii.			
		Ext Hyoscyamus	gr.ss			
		Acidum Tannici	gr.iii		Kite	
		Olei Theobromae	gs		Dr Worcester	
		~~Ut~~ ft in sing rectal suppository ~~ft~~ rectal				
		suppository No. vi				
	Sig	One every 3 to 6 hours.				
	16674	℞				
		Morph. Sulph.	gr.i		Williams	
		Chloroform	℥ss		Mrs. Thomas	
		Syr. Prunii Virg.	℥iv			
	Sig	℥i in water				
	16675	℞				
		Tinct. Ferri Chlorid.	℥ii		Williams	
		Brom. Potass.	℥ii ss		Mrs Studevant	
		Aquae	℥iv			
	Sig.	℥i in water after each meal				

Aug 27th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16676	℞ Sol. Fowleri	℥ss.	10	Williams	
	Sig.	Poison - Two drops in water before each meal				Mr. Sturdevant
	16677	℞ Inch. Sulphate div. in Cahsules No. VI	℥ss.	1x		
	Sig.	One every four hours				
	16678	℞				
		Bismuth Sub-nit.	℥i.			
		Pepsin (Fairchild's)	℥ss		Roberts	
		Glycerine	℥iii			
		Aqua Menth Pip.	ad ℥ii	do.		
	Sig	Teaspoonful before eating				
	16679	℞				
		Syrup Ginger	℥iv		Marsh	
		Sub Nit Bismuth	℥iii	do		
	Sig	Take a teaspoonful every 6 hours.				
	16680	℞				
		Pinus Canadensis	℥ii		Gardner	
		Fld. Ext Hydrastis	℥iv	do		
	Sig	Teaspoonful to half pint water				
	16681	℞				
		Solution Cocaine 4%	℥ss		Birrell	
	Sig	For ear and use as directed.		do		
	16682	℞				

— August 28th 1889 —

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16682 ℞					
		Amm. Brmph.	gr 1/16			
		Limine Sulph.	gr ii	⅄x	Kilo	
		Salol.	gr v			
		~~Do~~ et ft in sing pillulae ft pillulae No.		xvi		
		Sig Take one pill every 4 hours				
	16683 ℞					
		Ammon. Brmiat.	℥iv			
		Spec. Fld. Ext.	mxvi		Mitchell	
		Ft. Ophii Camph.	~~℥ss~~	⅄		
		Syr. Simplex qs	℥iv	Do		
		Sig Teasponful 4 to 6 times a day				
	16684 ℞					
		Syr. Ferri Iodid	℥ii		Moores	
		Syr Scillae	℥ii	⅄x		
		Sig Teasponful in water three a like every 3 or 4 hours.				
	16685 ℞					
		Vini Ipecac	℥i			
		Tinct Scillae	℥ii		E. W. Moores	
		Syr Tolu	℥v	⅄x		
		Agnae	℥i			
		Sig Teasponful every 3 hours.				
	16686 ℞					
		Mengt Iodinii Co	℥i		Moores	
		Sig a tbsly at night.		⅄x		
	16687 ℞					
		Hairh Pil No x				
		use as directed				

+

August 28th 1889.

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16688	℞				
		Ammonia Mur	℥ii			
		Tr Opii Camph	℥i ℈ss		Clarren	
		Syr Ipecac	℥ii			
		Tr Opii	gtts X			
		℞ Syr Tolu gr ss	℥iii			
		Sig Teaspoonful for dose.	℥iii			
	16689	℞				
		Potass Bicarb.	ʒii			
		Fld. Ext Triticum Repens.	ʒiii	☒X	Yarrow.	
		Tr. Hyoscyamus.	ʒi ℈ss			
		Infusum Buchu.	ʒvi		Bro Beckwith	
		Sig Tablespoonful in sweetened water every four hours.				
	16690	℞				
		XXX Lemons q.	℥viii	1.X.		
		Sig Brandy.				
	16691	℞				
		Sol. Hyd. Chl. Corros 4%	ʒi			
		Listerine qs	℥ii	☒		
		Sig Use a teaspoonful in a glass of water as a wash for mouth				
	16692	℞				
		Mur Ammonia	℥i ℈ss			
		Spir Frumenti	ʒi			
		Syrup Ipecac	ʒi ℈ss	☒	for ½ glass	
		Tinct Belladonna gtts	ʒiii	XV	both	
		Ext Liquorice	ʒiii		brought.	
		℞ Agnae	℥ii			
		Sig Tablespoonful every 2 hours.	℥viii			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16693	℞ Elix. Cinch. Iron & Strych.	℥iv			
	S.	Take a teaspoonful every 6 hours in a teaspoonful of water after meals		☒		
	16694	℞ Elix. Cinch. Iron & Strych.	℥iv			
	Sig.	Take a teaspoonful every six hours		☒		
	16695	℞				
		~~Cinch. Iron. & Strych.~~	℥iv	☒	Marsh.	
	Sig.	Take a teaspoonful every six hours in a teaspoonful of water after meals			Mrs. Meade	Leave
	16696	℞ Glycerol. of Tannin	℥ii 00			Store
	S.	℥i in a glass of water as a gargle				
	16697	℞ Stokes Liniment	℥v.	00		Mark
	S.	Use as directed				
	16698	℞				
		Syrup. Zingib.	qs ss			
		Tr. Zingiberis	℥i			
		" Kino.	℥ii			
		Coca Cordial qs	℥i	☒		
	Sig.	Take a teaspoonful every three hours.				
	16699	℞ Stokes Liniment		☒		
	Sig.	Use as directed				

– Aug. 21st 1889 –

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16700	℞ Branch's Pills Sig Use as directed	box xx	xx	Marsh	
	16701	℞ ℥ss Pot. Bromid. ℥ss Aquae ℥ss Teaspoonful in water repeated every hour if necessary	℥i.	AA	Williams Dr. Kimball	
	16702	℞ Zinc. Sulphat. 1 lb. div. in four (4) packages One package with four tablespoonfuls of salt to be dissolved in a gallon of water and used for douching &c.		ox		
	16703	℞ Stokes Liniment Sig Use as directed	℥vi	ox	Marsh	
	16704	℞ Bismuth Sub. Nit ℥i Pepsin (Fairchilds) ℑi Glycerine ℥iii Aquae Menth Pip qs ad ℥vi Sig Teaspoonful 3 times a day before meals.		ox	Roberts	
	16705	℞ Pulv Ferrimenti Scoleth ℥ss			Williams G. P. Allen	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16706	℞				
		Liq. Plumbi Subacetatis	ʒii		Gardner.	
		Sig Teasponful to two oz of water to be used locally.				
	16707	℞				
		Morr Morphia	gr xx		Kirk	
		Bromid Sodae	ʒiv			
		Ft Digitalis	℥ss	**	Eagre.	
		Ft Nux Vomica	ʒii			
		Aquae	℥ii			
		Sig Take a teaspoonful in water every 8 hours				
	16708	℞				
		Stokes Liniment	ʒiv	**	Marsh	
		Sig use as directed				
	16709	℞				
		Potas Citrat.	ʒi		Bartlett.	
		Aquae.	ʒiv	do		
		Sig ʒi as directed				
	16710	℞				
		Coelgrina	ʒiii		Aye	
		Ft Nux Vomicae	℥ss	**		
		Sig Teaspoonful in water 3 times a day				
	16711	℞ Morph. Sulph.	gr. 1/8			
		Ext. Belladonna.	gr. 1/8	**		
		M suppositories Cacao Butter q.s.				
		Ft. suppositories No VI				
		Sig One suppository every 3 hours				
	16712	℞ Aquae Calcis	ʒiv	**		
		Sig Use as directed				

Blotted

Aug 30th 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16713	℞				
		Cantharidal Collodion	℥ss		Keib	
		Tr Hyoscyamus	℥i			
		Tr Opii	℥i	1 ☒		
		℞ Collodion Flexible q.s	℥i			
		Sig use with camel hair brush on fingers once or twice daily				
	16714	℞				
		Acetate Ammph.	q.s ss			
		Potass Bromid	℥ii			
		Tr Digitalis	℥i		Allen	
		Syr. Amanita Cort.	℥ii			
		Aquae Camphorae				Owen
		Aquae. āā	℥ii ss			
		Sig Take a teaspoonful in water every three hours				
	16715	℞				
		Emplast. Belladonnae 4 x 4			"	"
		Sig Apply as directed				
	16716	℞				
		Sulph Quinia gr. x			Meach	
		℞ Syrup Liquorice	℥iv			
		Sig Take a teaspoonful every 6 hours.				
	16717	℞ Lactopeptine	℥i			
		Aquae Menth Pip.	℥iv			
		Sig. Two teaspoonfuls after each meal			Shaler	
	16718	℞ Ext. Colocynth C.	gr. xx.			
		Ext. Hyoscyamus	gr. xv			
		Ext. Aloes	gr. x			
		Ext. Nucis Vomicae	gr. v.			
		Aquae Pulv.	q.s			
		Resinae Podophyllin	q.s			
		Capsules No. xii				

Aug 30 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16719	℞ Tr. Opii	3ī		Mitchell	
		℞. Usa Ds directed				
	16720					
		Imm. Bromh.	gr ss			
		Bismuth Subnit.	ʒī	15	Kile	
		Chloroformi	mTXXXvī		Mrs David Folger.	
		Ess. Pancreatis				
		Sig Take a teaspoonful in water every three hours.				
	16721	℞				
		Pil. Dezaleta gr v	No. XII	10	"	
		Sig Take one pill every half hour till relieved.				"
	16722	℞				
		Bromh. Pill	No. X	1X	Bromh.	
		Sig Take two at bedtime				
	16723	℞				
		Sulph. Liminiæ	gr I			
		Syr. Lignonicæ	ʒiv		Bromh.	
		Sig. Take a teaspoonful every six hours				
	16724	℞				
		Allopth. Sulph.	gr. 1/16			
		Quiniæ Sulph.	gr. ii			
		Salol	gr. v			
		M/pello Sig. Capsula				
		M/pello Capsula No XVI				
		Sig. Take one capsula every 3 to 4 hours				

Aug 30th 1889 —

F. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16725	℞ Bromid. Potass.	℥ii			C.
		Bromid. Sodae	℥i			
		Bromid Ammon	℥i			
		Aquae q.s.	℥ii			
		Sig. Take a teaspoonful Every 3 hours till relieved				
	16726	℞ Chloroform	℥i		Bartlett	
	16727	℞ Codeia Sulph.	gr. 1/8			
		Zinciae Sulph.	gr. ii			
		Ext. Hyoscyamus	gr. 1/4			
		Pulvis Capsici	gr. 1/4			
		ut pulvis sing. Capsula				
		Capsula No. vii				
		Sig. Take one capsule every four hours				
	16728	℞ Fl. Ipecac.	M. 80			
		Tinct. Rhei dulc.	℥i			
		Tinct. Cardam. Co.	℥i			
		Syr. Zingiberis	℥i			
		Aquae q.s. ad.	℥ii			
		Sig. Teaspoonful Every four hours				
	16729	℞ Antipyrina	gr. xx.			
		Ft. Chart. No. iv				
		Sig. Powder every 3 hours				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
16730	℞	Sulph Quinia gr xl			Marsh	
		Syrup Ferri Iod	℥iv	℔ss		
	Sig	Take a teaspoonful every 6 hours.				
16731	℞	Marsh's Pills No X		1⁄	"	
	Sig	Take 2 at night.				
16732	℞	Acid. Boracic	℥ss.	1⁄	Bissell	
		Fiat. pulv. No. i				
	Sig:	Extemporaneous				
		℥i to pint — warm water				Taylor
16733	℞	Vini Ipecac	℥ii			
		Ammon. Mur.	℥ii	~~1⁄~~ ⅌	Bissell	
		Syr. Senegae	℥i			
		Syr. Rubi Fragi q.s. ad.	℥iii	~~1⁄~~ ⅌	Bissell	
	Sig.	Dose: ℥i every 3 hours				
		For Dr. Bissell				
16734	℞	Cacoa Butter Suppositories			Martin	
		Add Morph. Sulph. Gr. 1/3				
		Ext. Belladonnae Gr. i				
		No. XX —				
16735	℞	Quiniae Sulph.	℥ss.	1⁄	Bissell	
		In capsule No. XV				
	Sig.	For Dr. Bissell				

— Aug 31st, 1889 —

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16736	℞ Ur. Ferri Chlorid.	℥ss.			
		Acid. Sulphur. Aromat.	℥ii	DX		Powell
		Glycerine	℥ss.			
		Aquae Cinnamomi ad	℥iii	℔ss.		
		Sig. ℥i in water three times a day.				
	16737	℞ Elix. Lactopeptini	℥iv			
		Sub. Nit. Bismuthi	℥iii	℔ss.		
		Sig. Take a teaspoonful every six hours		0t		Marsh
	16738	℞ Bromid. Potass.	℥ss			March.
		Aqua. Camphorae	℥i	OX		
		Aquae	℥iii	℔ss		
		Sig Take a teaspoonful every six hours.				
	16739	℞ Sulph. Zinc.	℥ss	15		"
		Sig Use as directed				
	16740	℞ Sleeping Draught				
		Tinct. Chloral.	℥ii			
		Bromid. Potass. gs to saturate		OX		Kile
		Aquae	℥ii	℔ss.		Dr Sutherland
		Sig. Take two teaspoonfuls in water at a dose not more than two doses to be taken.				
	16741	℞ Paraldehyde				Mr. Andrew Law
		Mucilag. Acaciae et Pulv. Tragacanth	℥ii	15t		
		Elix. Amari	℥ii	℔ss.		
		Sig. Take a great shoonful in water		as		directed

Sept. 1st 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16742	℞ Wyeths Elix Gentian, Hf Fl Ferri Iodid	℥iv	1.00	William G. B. Allen	
		Sig Teaspoonful after each meal.				
	16743	℞ Sulfonal	gr. xv.		Kite	
		℞. Sig. Chart.		1.00		
		℞. Chart.	No. vi		Mosfantains	
		Sig. Take one powder at night repeat if necessary				
	16744	℞ Epsom. (P. O. Co)	℥i		K	
		Acid. Chl. Hyd. dil.	℥iii			
		℞. Nucis Vomicae	℥ii	1.15	Mosfantain	
(Wyeths)		Elix. Bui et Gent. Ess. Pancreas āā	℥ss.			
		Sig. Take two teaspoonfuls in water after each meal				
	16745	℞ Morph. Acetat.	gr. ii		Allen	
		Ammon. Muriat.	℥ii	1.00		
		Syr. Tolu.	℥i.		Ward	
		Aquae	℥ii	1.00		
		Sig. Take a teaspoonful every three hours				
	16746	℞ Morph. Sulph	gr. 1/16.	1.00		
		Salol	gr. vi			
		Ext. Hyoscyamus	gr. ss.			
		M. ft. in disp. capsule				
		Torpedo capsule	No. xii			
		Sig. Take one capsule every 3 hours				

Sept. 1st 1889.

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16747	℞ Fiat Bacchi	℥ii		Pelman	
		Spts Ethris Nit	℥iii	84		
		Aquae	℥ii			
		Sig a teaspoonful 3 times a day				
	16748	℞ Sul. Quin.	gr. xxxx		Mash	
		Sul. Acid.	gtt xxxx	1A		
		Aquae	℥iv			
		Sig Take a teaspoonful every six hours				
	16749	℞ Wyeths Elix of the Triple Phosphates 1/60 gr	℥iv		William J. R. Bacon	
		Sig Half a teaspoonful before each meal		HO		
	16750	℞ Fiat Sumbul	℥ii ss		William	
		Sig Half a teaspoonful in water after each meal		HO	Bacon	
	16757	℞ Tinc. Gentian.	gt 3/8.			
		Chloroformis	m xvi	10	Kile	
		Ft. Zingiberis	℥ss			
		Ess. Pancreatis	gs ℥i		Brien.	
		Sig Take a teaspoonful in water every two hours till relieved.				
	16752	℞				

over

Dept. 2d. 1889 –

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16752	℞ Sr. Fenn Mur. Glycerine Aquae q.s. ad. Sig. Teaspoonful in water Every three hours for a few doses a dinday Dose: 1/3 teaspoonful	℥ij. ℥ss. ℥iij	1/2	St. Bet.	
	16753	℞ Sol. Hyd. Chl. Cocaine Listerine Sig. Use a teaspoonful in two great-spoonfuls of water as a gargle	gtt. xx. ℥ij		St. Bet	
	16754	℞ Elix Lactopeptine Sub Nit Bismuth Sig Take a teaspoonful every 4 hours.	℥vi ℥iii		Meach	
	16755	℞ Tinct Nigra Sig. Potion. apply for 20 minutes night & morning.	℥ij		William	
	16756	℞ Spir. Frumenti Sig. Whiskey. Take a great spoonful in a glass of milk every 3 hours	℥viii			
	16757	℞ Calom Res. Podophyllin Ext. Nux Vomicae Ext. Belladonnae Sig. M. ft. pil. No. XXIV	gr. 1/4 gr. 1/8 gr. 1/4 gr. 1/8		K. Macy	

Sept. 1st 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16758	℞				
		Bromid. Potassæ	℥ii		Hite	
		Bromid. Sodæ	℥i			
		Bromid. Ammonia	℥i	✕	Mrs Dafney	
		Tr. Hyoscyamus	℥ii			
		Elix. Amanti q.s.	℥ii			
	Sig.	Take a teaspoonful in water every 2 to four hours				
	16759	℞				
		Antipyrine in tablets āā gr. v. No. vi				
	Sig.	One tablet repeated in an hour until the pain is relieved or until three are taken				
	16760	℞				
		Hyd. Chloral.	℥ii			
		Bromid Potassii gs to Saturate	℥ii	✕	Kite	
		Aquæ ft. Ingibris	℥ii		Deaf & Dumb Asylum	
	Sig	Dose two teaspoonfuls in water repeat once or twice but not oftener				
	16761	℞				
		Hyd. Protoiodid.	gr. XV	½ quant.		
		Ung. Simici	℥ii ss	✕		
		Cosmoline gs	℥ ss			
	Sig	Locally				
	16762	℞				
		Tablets Hyd chlo corro			Kite	
	Sig	Dissolve one tablet in 3 pints of hot water 3 times daily				

Sept. 2d 1869

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16763	℞ Sapo Hyd Chlo Corro Cochi	℥i	1⁰⁰	Kalb	
	16764	℞ Calcium Powder		1⁰⁰	Kalb	
	16765	℞ Hyd. Chloral ℥ii Bromid. Soda. q.s. to saturate Tinct. Zingiberis ℥i ## Elix. Amantii q.s. ℥ii AA. Sig. Dose Two Teaspoonfuls in water repeat once ℥ necessary				
	16766	℞ Mur. Morph. gr. ¾. Bismuth Sub. Carb. ℥i. Chloroformis M.xxxii Tr. Kino Elixir Amantiaa q.s. ℥ii AA. Sig. Take a teaspoonful in water every 3 hours till relieved				
	16767	℞ Stokes Liniment ℥v. ## Use as directed				
	16768	℞ Mur Morphia gr iv Kalb Bromid Ammonia ℥iss Remsen Chloroform M xxxii ## Elix Amanti q.s ℥ii Sig Take a teaspoonful in water every 2 hours.				

Dept. 3d 1889

E. L. Freeman & Son, Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16769	℞ Aconite	m XII		Keith	
		" Belladonna	m XXXII		Lemser	
		Coca Cordial q.s.	℥ii			
		Sig Take a teaspoonful every 2 hours.				
	16770	℞ Santonine	gr. ii			
		Hydrarg. Chlor. Mite	gr. i	1X	Griffith	
		Lactis. Sacch.	gr. XII			
		div. in Chart. No. iv				
		Sig. One at night				
	16771	℞ Elix. Lactopeptine	℥iv	5X	Blank	
		Subnit. Bismuth	℥iv			
		S. Take ℥i Every six hours				Mush
	16772	℞ Liniment Chloroformi	℥iv			
		Sig. External use -				
		Apply night and morning				
	16773	℞ Pepsin Pur. (P. & D.)	℥i			
		Acid Hydrochlor. Dil.	℥v		Dr Shaw	
		Syr. Mench. Nit.	℥vi			
		Tinct. Cinch. Co.				
		Elix. Cinch. Flav. āā q.s.	℥iv			
	16774	℞ Elix. Lactopeptine	℥iv			
		Subnit. Bismuth	℥iii			
		Sig. Use as directed				Mush

Sept. 3rd 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16775	℞ Chloral Glycerine Aquae Rosae Sig. Apply surface twice daily	3ss. M. xx ℥iv		K	Master N. Reilly
	16776	℞ Calx Sulphurata gr. 1/8 ft. in chg. nil. ft. pil No. xxiv S. Take one pill after each meal			Dr.	Master Reilly
	16776	℞ Pil. Valerianat Special Formula No. C. S. Take one pill after each meal			Dr.	Miss Reilly
	16777	℞ Fl. Ext. Convallaria Tr. Nucis Vomicae Elix. Gent. C. Fr. Chloid (Wyeth & Bro) q.s. Sig. Take a teaspoonful in water after each meal	℥iv ℥iii ℥i ℥iv		Dr.	Mrs. Reilly
	16778	℞ Bromid. Potassae Bromid. Sodae Bromid Ammon. Tr. Hyoscyamus Elix. Cinchonae q.s. S. Take a teaspoonful in water when necessary to allay irritation	℥iv ℥ii ℥ii ℥iv ℥iv		Dr.	

Sept. 3rd 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16779	℞ Chloral	3ss	⅄⅄	Master	
		Glycerine	m.xx			Raley
		Aquae Rosae	℥iv	⅄⅄.		
	Sig.	Apply on face twice daily				
	16780	℞ For cough				
		Tinct. Opii	gtt ss	⅄⅄		
		Chloroformi	m xxx ii		Kite	
		Aqua Cordial	℥ss	℥ii	⅄⅄.	
	Sig.	Take a teaspoonful in water every four hours				
	16781	℞				
		Morph. Sulph.	gr. i			
		Chloroformi	℥ss	⅄⅄		Pat.
		Syr. Rumi Cirg	℥iv	⅄⅄.		
	Sig	Teaspoonful three times a day.				
	16782	℞				
		Ammon. Morph.	gr. 1/4			
		Tinct. Kino	℥i			
		Hennessy Brandy q.s.	℥ii	⅄⅄		
	16783	℞				
		Olemn. Gaultheriae	m. xxx			
		Fl. Opii	℥i			
		" Aconite	℥i			
		Chloroformi	℥i		Kite	
		Linimentum Saponis	qs ℥ii	⅄⅄.		
	Sig	Use as a liniment 4 to 6 times daily				
	16784	℞				
		Fl. Cardamon Comp.				
		" Jungleris	aa ℥ii			
		Fl. Kino	℥i			
		XXX Hennessy	qs ℥iv		Sig Kino Brandy 4 to	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16785	℞				
		Morph. Sulph.	gr 1/16			
		Lamina Sulph.	gr ii		Kile	Kile
		Salol.	gr v			
		~~Da~~ et repello in sing capsulae repello capsulae	No. viii			
		Sig Take one capsule every 2 to 3 hours.				
	16786	℞				
		Argenti Nitras	gr iv		Keil	
		Aquae Dist	℥ ii		Annie Lawrence	
		Sig Keep in dark place apply on throat.				
	16787	℞				
Pot. Nit. omitted		Ammon Mur	℥ iss			
		Potassa Nit	℥ ss		Roberts	
		Ext. Ipecac Fl	℥ ss		Owen	
		Syr Scillae	℥ i,	℥ i		
		" Tolu	℥ i			
		Aq Cinnamoni gr	℥ iii			
		Sig Teaspoonful in water every 3 hours.				
Schiffli	16788	℞				
		Pill Hydrarg Blue	No. xii		Roberts	
		aa gr ii			Owen	
		Sig One 3 times a day.				
	16789	℞				
		Tr. Gingiberis	℥ i			
		" Nucis Vomicae	℥ i			
		~~xxx~~ Hennessey	gs ℥ iv	~~Dr.~~		
		Sig Brandy &c				

— Sept. 5th 1889 —

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16790	℞				
		Ammon. Brosph.	gr 1/8.		Kite	
		Ext Belladonnae	gr 1/8.			
		Acidum Tannici	gr iii			
		Oleum. Theobromae	gs			
		M. ft in sing. dental suppository	ft suppository			No. vi
	16791	℞				
		Morph. Sulph.	gr 1/32			
		Quininae Sulph.	gr i	☒	Kite	
		Salol	gr iv		Master Mary	
		M. et repello in sing. capsulae.	repello capsulae			No. xii
		Sig. Take one capsule every hour.				
	16792	℞				
		Antipyrin in tabloids				
		ää gr v	No xii	☒	Willcox	
		Sig One tablet after each meal.				
	16793	℞				
		Wyeth Elix Gentian & Fr Ferri lactici	ʒi	☒	"	
		Sig Teaspoonful before	No iv			
		each meal.				
	16794	℞				
		Quinia Sulph	gr 1/12		Kite	
		Salol	gr v	☐	J. Defriz	
		M. et repello in sing capsulae	repello capsulae			No. xii
		Sig Take one capsule				
		every 3 hours.				

℞

Sept. 5th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16795	℞			Kiely	
		Mur. Morph. Gr. 1/16			J. Defriez	
		Ext. Belladonnas Gr. 1/8		1X=		
		Ext. Cannabis Ind. Gr. 1/4		XX.		
		Oleum Theobroma q.s.				
		ft in sing. rectal suppository				
		ft. suppository No. XII				
	Sig.	Use one suppository				
		Every 3 hours				
	16796	℞				
		Mur. Morph. Gr. 3/4		□X		
		Bis. Sub. Cab.	3i			
		Chlr Formis	M. XXXII			
		Fr. Kino	3v			
		XXX Hemmay q.s.	3ii	XX.		
	Sig.	Take a teaspoonful				
		in water every hour				
		till relieved				
	16797	℞				
		Bismuth Sub Nit		XX	William	
		in chart ää gr V	to XII		J. R. Bacon.	
	Sig	One powder after				
		each meal.				
	16798	℞				
		Bicarb. Potass.	3i 88			
		" Sodae				
		" Ammoniae	ää 3i		Kite	
		Fl. Hyoscyamus	3ii			
		Aquae	3ii			
	Sig	Take a teaspoonful in water every				
		two hours till relieved				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16799	℞				
		~~℥~~ Tr. Aconite	mXVI	×□	Kile	
		" Belladonnae	~~mXXXii~~			b.b.b.
		Coca Cordial	gs ~~℥ii~~	~~□□.~~		
		Sig Take a teaspoonful every hour till relieved				
	16800	℞				
		Listerine	~~℥i~~	×□	"	bmsbbb.
		Sig Use a teaspoonful in 4 greatspoonfuls of water as a gargle.				
	16801	℞				
		Eff. Citrate Lithia	~~bxi~~	1.×2	"	b.b.b.
		Sig Take a teaspoonful in a glass of water several times daily				
	16802	℞				
		Tr. Digitalis Gentian et Ferri	~~mXLVIII~~			
		Elixir ~~Valeriate Ammonia~~	gs ~~℥ii~~	~~□□.~~	Kile	
		Sig Take a teaspoonful in water every 4 hours.			a Lawrence	
	16803	℞				
		Tr. Strychnia	~~℥i~~			
		" Nux Vomicae	~~℥i~~			Kile
		XXX Hennessey	gs ~~℥iv~~	~~□□~~		
		Sig				
	16804	℞ Listerine				
		Sig Use a teaspoonful in ~~℥iv~~ 4 great stroonfuls of water				Wm. Remsen
	16805	Liniment Saponis ~~℥ii~~			William	
		Sig Poison External use	~~℥iv~~	□□		

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16806	℞ Bromid. Ammon. ℥iv Pt. mix. in Chart. No. xii D. Bromid. Ammon. Each 20 grs.				
	16807	℞ Bismuth Sub Nit ℥iss Lactopeptine ℥ii IN Tr Nux Vomicae ℥iss Ess Zingib Fl m x Glycerinae ℥ss Aq. Gaultheriae q.s. ad ℥ii Sig Take a teaspoonful before eating			Roberts	
	16808	℞ Fld. Ext. Pichii ℥viii Elix Amantii ℥iv SD Sig. Take a teaspoonful in water 4 times daily				
	16809	℞ Bromid Potass ℥ii " Sodae " Ammoniae āā ℥i Aquae q.s. ad ℥iv Sig. 15 grs. Bromide. to ℥i			Kile	
	16810	℞ Hyd. Chloral. ℥iv Aquae q.s. ad ℥ii Sig 15 grs. Chloral. to ℥i			"	

Sept 7 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16812	℞ Poison				
		Sem. Smyth.	9j iv	ⅅx	Kile	
		Hyd. Chlo. Corr.	9j viii			Snyder
		Cognac	9s ℥iv	ⅅx		
		Sig Use a teaspoonful in about 2 oz. water				
	16812	℞				
		Listerine	℥iv	ⅅx		
		Sig Use a teaspoonful in four teaspoonfuls of water three times daily				
	16813	℞				
		Talcum Powder.	6ʒ i	Ⅰⅅ		
		Sig Use twice daily				
	16814	℞				
		Bromid Potassa	℥ii		Kile	
		" Sodae		##		
		" Ammonia aa	℥i			
		Fiat Effervescamus	℥iii			
		℞ Cognac 9ss	℥ii			
		Sig Take a teaspoonful in water when necessary				
	16815	℞				
		Hyd Chlo Corros	gr i ss		Kile	
		Potassa Sodici	℥vi	Ⅰx⁼		
		Sodium Salicylate	℥iii			
		℞ Syr Sarsaparilla 9ss	℥viii			
		Sig Take a teaspoonful in water 3 times daily after meals				
	16816	℞				
		Strop Sulph	gr iv			
		℞ Cognac Dist	℥i	Ⅰⅅ		
		Sig Poison. for application to the eye.				

Sept. 7th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16817	℞				
		Ferri et. Pot. Tart. gr. 640				
		Strych. Sulph. gr. ¼ .50				
		Liq. Pot. Arsenitis ℥i				
		Inf. Gent. Comp. ad. ℥viii				
		Sig. ℥i after meals				
	16818	℞				
		Cerat. Simplicis ℥i .10				
	16819	℞				
		Hyd. Chlo. Mite	gr. iii		Kirk	
		Sacch. Alb.	gr. iii	10		Roosevelt
		~~Div~~ et ft in chartae ft chartae No. ii				
		Sig. Take one at night				
	16820	℞				
		Morph. Sulph.	gr. 1/16			
		Ammon "	gr. ¼	☒x	"	"
		Salol.	gr. v			
		~~Div~~ et in pell. caps. pell. caps. No. xvi				
		Sig Take one capsule every three hours.				
	16821	℞				
		Spts. Frumenti	℥viii	☒x	"	"
		Sig Whiskey		☒x hot hot.		
	16822	℞				
		Acid. Carbolic	gr. x			
		Morph. Sulph.	gr. iv		Watts	
		Ung. Cerate.	℥i	~~Div~~.		
		Sig As directed				
	16823	℞				

Over

Sept. 7th 1889-

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16823	℞				
		Bismuth Sub-Nit.	℥ii	xx		
		Tr. Opii Deod.	gtts xvi			
		Mist Creta. qs	℥ii			
		Sig ℥i every 1 to 5 hours				
	16824	℞				
		Vallettes Mass.	℥ii		Granger	
		Acid Arseniosi gr.	iii	50		
		Ext. Nucis Vomicæ gr.	xv			
		Ext. Conii gr.	xv			
		div. in pil No. LX.				
		Sig. One pill before meals				
	16825	℞				
		Hydrochlor. Cocaiæ Sol.				
		℞ 4%	℥i			
		Sig. As directed				
		Hydrochlorate Cocaiæ				
	16826.	℞				
		Morph. Sulph. gr.	i			
		Chloroformi	℥i			
		Syr. Tolutani q.s.	ad ℥iv			
		S. Teaspoonful three times a day				
	16827	℞				
		Hyd. Chlor. Mite gr.	ii			
		S. Calomel 7 grains				
		Take at night				
	16828	℞				
		Tinct Iodine	℥ii		Roberts	
		Sig Externally			Owen	
					M.D.	

Sept. 8th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16829	℞ Bismuth. Sub. nit. gr. xxiv Tr. Opii Camph. mxl Elix. Aromatic 3i. Dij. Teaspoonful every two hours				
	16830	℞ Bismuth. Sub. nit. gr. xxiv Tr. Opii Camph. mxl Elix. Aromatic 3i. S. A teaspoonful every 2 hours				K.
	16830	℞ Quinia Sulph. 3ii dissolve in Aq. Sulph. Aromat 3i. mx Aquae ad 3iv S. A teaspoonful in 2 tablespoonfuls of water before each meal				
	16831	℞ Morph. Sulph. gr. 1/24 Quiniae Sulph. gr. 3/4 Mm. Ammoniag. iv Ft. capello sing. capsule capello capsules No. xvi S. Take one capsule every 3 hours			Dr. W. Reddy	K.
	16832	℞ Chick. Iron & Strych. 3iv Sig. Take a teaspoonful every six hours in a teaspoonful of water.			Dr. Marsh.	

Sept. 1887

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16833	℞ Elix Lactopeptini Sub Nit Bismuth Sig Take a teaspoonful every six hours	℥iv ℥iii		Mauk ON	
	16834	℞ Ext Convallaria Tr Nux Vomica ℞ Elix Ferri et Gentian q s Sig Take a teaspoonful in water before or after each meal.	℥iv ℥v ℥iv		Keib Hammond	
	16835	℞ Liquor Digitalis ℥i Sig. Ten drops in water before each meal		10 cts		
	16836	℞ Pasc. Iodid ℥ii Syr. Sarsae Co. ℥iii Ext. Carica Say ℥i ℥i after each meal				
	16837	℞ Codeia Sulph. gr iv Fld. Ext. Convallaria ℥vi Tr. Nucis Vomicae ℥ss Elix Ferri et Gentian q s ad ℥iv Take a teaspoonful in water immediately after 3 meals daily			(Wyeths)	

Sept. 9th 1889

Stationers, 9 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16838	℞ Bis Sub. nit. gr. xx			K.	
		Tr. Opii Camph. ℥i ss				
		~~℞~~ Ipecac ℥i				
		Elix Aurantii q.s. ℥i				
	S.	℥i every hour				
	16839	℞				
		Pil Lapactic	No VI	10	Kite	
		Sig Take two at night				
	16840	℞				
		Hyd. Chlo. Mite	gr i		Griffith	
		Sodae Bicarb.	gr VI			
		Lactopeptine	℥i			
		~~Fiat~~ Div. in chartae No XII				
		Sig One after breakfast & Supper.				
	16841	℞				
		Cocaine Hydrochlorate	gr XXV			
		Aquae	℥ ss	1.x=		
		~~Fiat~~ et ft in sol. et. adde.				
		Fluid. Cosmolene (Gerot)	qs ℥ ii	~~10~~		Mrs Shaw.
		Sig Use in atomizer as spray through nostrils every three or four hours. Shake well before using				
	16842	℞				
		Ammon. Bromid.	gr 3/8.			
		Chloroformis	mXVI	~~10~~	Kite	
		Syr. Prunii Virg	qs ℥ ii	~~10~~		
		Sig Dose One teaspoonful every 3 to 4 hours				

Over

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16843	℞				
		Hyd. Chlo. Mite	gr. ii			
		Saech. Alb.	gr. iii	xx	Kile	
		Ft. ft in sing chartae ft chartae No. iv				
		Sig Take one powder at night.				
	16844	℞				
		Sem. Morphia	gr. 3/4		Kile	
		Bismuth Sub. Nit	ʒi ss ii	##		
		Aqua Cinnamomi	m xxxii			Dale
		℞ Coca Cordial	ʒ ii			
		Sig Take a teaspoonful in water every 2 hours till relieved				
	16845	℞				
		Sem. Nuxvh.	gr. 1/16			
		Ext. Cinchonae Comp.	gr. 1/4		Kile	
		" Hyoscyamus	gr. 1/4	▫▫	Roosevelt	
		Quiniae Sulph.	gr. i			
		Salol.	gr. iv			
		Ft. Capsulae No. xii				
		Sig Take one capsule every three hours				
	16846	℞				
		Sem. Nuxvh.	gr. 1/8.			
		Ext. Belladonnae	gr. 1/4	▫x	Kile	
		Oleum Theobromae	qs			
		Ft. ft in sing rectal suppositorg ft suppositorg No. vi				
		Sig Use one every three hours				
	16847	℞				
		Pulv. Dover	gr. ix			
		Hyd. Chlo. Mite	gr. xii	##		
		Sodae Bicarb.	gr. xxiv			
		Ft. ft in chartae No. xii				
		Sig One powder every two hours				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16848	℞			Martyn	
		Camphorated Oil.	℥iv			
		Sig Camphorated Oil.				
	16849	℞				
		Sp Scillae	℥i			
		" Thu.	℥ii			
		Mucil Acaciae	℥i			
		Sig Teaspoonful every 3 hours				
	16850	℞				
		Flaxseed Meal.	℥iv			
		Sig Flaxseed				
	16851	℞			Keily	
		Acidum Boracicum	℥ss			
		Zinci Oxidum	℥vi			
		Lanolini q.s	℥ii			
		Aquae Rosae q.s	℥ii			
		Make into ointment				
		Sig use on hand twice daily				
	16852	℞			Kelly	
		Olei Ricini				
		" Olivae āā	℥i		Rosenwald	
		Sig use warmed as an enema				
	16853	℞				
		Bismuth Subnit.	℥ss			
		Aquae	℥iv			
		Sig Shake the bottles. Teaspoonful after each meal				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16854	℞				
		Stokes Liniment.	℥vi	⊠x	Marsh	
		Sig Use as directed				Mrs. Roberts
	16855	℞				
		Sulph. Quinia	gr. xl	⊠⊠		
		Syr. Liquoricæ	℥iv	⊠x.	"	"
		Sig Take a teaspoonful every 4 hours				
	16856	℞				
		Potass Iodid.	℥ii ℈ii			
		Fld. Ext Stillingia	℥i	⊠⊠	Granger	
		Vini Colchici	℥ss			Roberts
		Fld. Ext Cimicifuga Rac.	℥ii			
		Syr. Sarsaparilla Comp.	aa ℥iv	⊠⊠		
		Sig Teaspoonful every four hours				
	16857	℞ Pot Acetas	℥iv	⊠x		Keith
		℞ Spir Etheris Nitrosi	aa gs ad	℥ii		A. Lawrence
		Take a teaspoonful in water every 3 hours.				⊠x might call
	16858	℞				
		Morphia Sulph	gr ¾			Keith
		Pepsin Fairchilds	gr xxxii			
		Acid Hydrochlor Dil	℥i			Gardner
		Tr Nux Vomica	℥i			
		℞ Ext Pancreas	gr ℥ii	⊠x		
		Sig Take a teaspoonful in water every 4 hours.				

Sept 11/89

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16859	℞				
		Strain	gr 1/4		Keili	
		Ree Podophyllin	gr 1/4			
		Ext Nux Vomica	gr 1/8			Gardner
		" Belladonna	gr 1/8			
		Mehft ut sing pillulae				
		ft pillulas No		VI		
		Sig Take one pill at night.				
	16860	℞				
		Pil. Potass Permang.	gr ½	40	Granger	
		Sig One pill ter ordered	No.	XXX		Holland
	16861	℞				
		Valletts Brass	3ij			
		Acid Arsenious	gr. iii	80	"	
		Ergotine	3ij			"
		Ext Conii	gr. XV			
		Sig One pill after meals				
	16862	℞				
		Ammon Bromid				
		Sodii Bromid	ää	3ij		
		Aquae	3viii			
		Sig One teaspoonful				
		3 times a day.				
	16863	℞				
		Apiol	3ss		Keili	
		Sig Take 5 drops in			Main Mercy.	
		water 3 times daily				

Over

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16864	℞				
		Arsenious Acid	gr VI			
		Salicylic Acid	ʒ ss		Kile	
		Ext Opii	gr XX	1st	Geo Hosier	
		Cannabis Indica	gr. XX			
		Lanolin	ʒ i			
		Cerate Simplex	q.s ad ʒ ss			
		ft in unguent.				
		Sig For Phys Use.				
	16865	℞				
		Mur Morphia	gr ¼		Kile	
		Liquid Potassa	ʒ ii			
		Chloroform	m XXXII			
		℞ Syr Prunis Virg	qs ad ʒ ii			
		Sig Take a teaspoonful in water every 4 hours.				
	16866	℞				
		℞ Ext Lavendula co				
		Tinct Cardamon ää ʒ ss		1X		
		Sig Teaspoonful in water when required				
	16867	℞				
		Iodid Potass	ʒ ii			
		Simp. Syrup.	ʒ iv	2X	Branch	
		Sig Take a teaspoonful every six hours after meals				
	16868.	℞				
		Sodae Bicarb.	gr iv			
		Liquid Chlo. Acid	gr ¼			
		Saccharin Alb.	gr XII			Griffith
		℞ Div in chartae No. XII				
		Sig One every three hours				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16869	℞				
		Morph. Sulph.	gr. 1/16			Kite
		Gumm "	gr. ii			
		Salol.	gr. v			
		Ad ft. pepello. No. xij capsulae. pepello. capsule No. viij				
	16870	℞				
		Wyeths Elixir Gentian et Fe. Ferri Chlorid.	ʒ iv			
		Sig Teaspoonful after each meal.				
	16871	℞				
		Pil. Aesafeta āā gr. iii	No. xii			
		Sig One pill every three hours.				
	16872	℞				
		Listerine	bot. i		Kite	
		Sig			Mrs. Hayden	
	16873	℞				
		Gum. Morph.	gr. ss			
		Pepsin Pura. (Fairchild)	gr. xvi		"	
		Chloroformi	m viii		"	
		Ess. Pancreatis	gs ʒ i			
		Sig Take a teaspoonful in water every two hours.				
	16874	℞				
		Aloin	gr. 1/4			
		Res Podophyllin	gr. 1/8.			
		Ext Nucis Vomica	gr. 1/8.		Kite	
		" Belladonnae.	gr. 1/8.		Roosevelt.	
		Ad ft in emp pillulae. ft pillulae No. xii				
		Sig Take one or two pills at night.				
	16875	℞				
		Morph Sulph	gr. ii		Alford	
		Div in chart No. ii				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16876	℞ Lactopeptine	℥i		Griffith	
		Div in chart No XII		40		
		Sig One after meal.				
	16877	℞ Magnesia (Heurland)	℥iss		"	
		Div in chart No XII		40		
		Sig Take one in little water before breakfast.				
	16878	℞ Codeia	gr i		Peterson	
		ft in chartacko ii				
	16879	℞ Bismuth Subnit.	℥iii	05		
		Elixir Lactopeptine	℥iv	~~00~~.		
		Sig Take a teasponful every six hours				
	16880	℞ Bismuth Subnit.	℥iii	05		
		Elixir Lactopeptine	℥iv	~~00~~		
		Sig Take a teasponful every six hours.				
	16881	℞ Ft. Digitalis	℥iv			
		" Ferri Chlorid.	gss ℥ii	40		Dr. Boelsch
		Sig Take 8 drops in water three times daily after meals				
	16882	℞ Spindel Salts	℔ss i	50		"
		Sig Take a teasponful in water each morning				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16883	℞				
		Inus. Grosph.	qs ss			
		Bumid Soda	ʒi	10	Kile	
		Aquae qs	ʒi			Mrs Bowers
		Sig Take a teaspoonful every hour till relieved				
	16884	℞				
		Bismuth Sub Nit	℥i		Kile	
		Chloroformis	m viii			Hayden
		Ext Pancreas	gr ii			
		Sig Take 2 teaspoonful in water evy 2 hours.	ʒii			
	16885	℞				
		Sulfonal in chalk		ox	William	
		āā gr xv	to vi			
		Sig Take powder in a tumbler of hot water 2 hours before bedtime				
	16886	℞				
		Paraldehyde	ʒi	ss	Kile	
		Sig Take a teaspoonful when necessary				Mrs Lawrence
	16887	℞				
		Sulph Quinia	gr xxxx		Marsh	
		Syrup Liquorice	℥iv			
		Sig Take a teaspoonful evy six hours.				
	16888	℞				
		Stokes Liniment	℥v		Marsh	
		Sig use as directed		ox		
				bott brought.		

Sept 13

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16889	℞				
		Hyd. Chlo. Mite	gr vi		Keik	
		Sodae Bicarb.	gr vi	10	Gardner	
		Mist. in sing. charta				
		ft chart. No iv				
		Sig Take as directed				
	16890	℞				
		Morphia Sulph	gr i/4			
		Sodae Sulph	ʒ i	10		
		Aquae	ʒ i			
		Sig Teaspoonful every	2 to 4			
		hours for pain & diarrhea				
	16891	℞				
		Syrup Ginger	ʒ ii		Mearle	
		Sol. Fit Bismuth	ʒ iii	40		
		Sig Take a Teaspoonful				
		every 6 hours.				
	16892	℞				
		Acid Arsenicum	gr iv			
		" Salicylic	ʒ i	50	Kite	
		Iodol	q.s ~~ʒ ii~~ ʒ iv			Geo. Hosier
		Sig. For Prof. Use.				
	16893	℞				
		~~Use~~ Ammon. Bromph.	gr 1/24		Kite	
		Ext. Belladonnae.	gr 1/6		Baby Kite	
		Ammon Chlorinae	gr xv			
		℞ ~~ft~~ et ft. ^{omg} rectal suppository ft suppositories No xii				
		Sig Use one suppository every two to five hours				
	16894	℞				

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16894	℞				
		Hyd Chlo Mite	gr iv		Keit	Roger.
		Sodae Bicarb	gr v			
		Ft chart in sing charta		1X		
		ft Charta No ii				
		Sig Take one powder at night.				
	16895	℞				
		Hour Morphia	gr 1/16		"	"
		Lenimia Sulph	gr ii			
		Salol	gr v	.IX		
		Ft capsulae sing capsulae				
		repello capsulae No xii				
		Sig Take one capsule evy				
		3 hours.				
	16896	℞				
		Ext Cannabis Ind	gr ss		Keit	
		" Hyoscyamus	gr 1/8		Capt Cary	
		" Ergotae	gr ii	IX=		
		Acidum Tannicum	gr iii			
		Alum Theobrom	ʒ ss			
		℞ ft in sing rectal suppository				
		ft rectal suppositories No xii				
		Sig use one or two daily				
		as necessary				
	16897	℞				
		Morph Sulph	gr 1/16		Keit	
		Ext Hyoscyamus	gr 1/8		Hayden	
		" Cannabis Ind	gr ss	.IX		
		Acidi Gallic	gr iv			
		Alum Theobrom	ʒ ss			
		℞ ft in sing rectal suppository				
		ft Suppositori No vi				
		Sig use one suppository evy				
		3 hours if necessary.				

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16898	℞				
		Fld Ext Ergot.	ʒ ii		Marsh.	
	16899	℞				
		Tinct Digitalis	ʒ ss	1X	Wilkin	
		Sig 3 drops in water t i d				
	16900	℞				
		Ammonii Sulph.	gr ii			
		Salol.	gr v	XX	Kile	
		Ext Hyoscyamus	gr ¼		Mrs. Dysinger	
		" Cannabis Indica	gr ¼			
		~~Ft~~ et ft in cing pillulae ℔ pillulas		Dr. xii		
		Sig Take one pill every three to four hours.				
	16901	℞				
		Bromidi Potassa	ʒ ss		Marsh	
		Ag Camphor	ʒ i	XX		
		Aquae	ʒ iii			
		Sig Take a teaspoonful	ʒ iii			
		every 4 hours.				
	16902	℞				
		Marsh Pills No	xx	XX	Marsh	
		Sig Take 2 at night.				
	16903	℞				
		Tinct Opii	ʒ i			
		Sig Laudanum use as directed	ʒ i	1X		
	16904	℞				
		Sol Fowleri	ʒ ss		Wilkin	
		Wyeths Elix Gentian				
		℞ Ferri Chlo	ʒ iv			
		Sig. Iron & Arsenic				
		Teaspoonful t. i. d.				

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16905	℞ Mengt Zinc Oxid Sig Zinc Oint	℥ss		Wilson	
	16906	℞ Liq Ferri Perchlor Glycerine āā ℥ss Sig Put a teaspoonful in a goblet of water use as a gargle every 3 hours.		1.50 bottle	Marsh	
	16907	℞ Stokes Liniment ℥v Sig use as directed		1.00	Marsh	
	16908	℞ Stokes Liniment ℥v Sig use as directed		1.00	Marsh Meirs Corp	
	16908	℞ Aq Menth Pip ℥ii Holland Gin ℥viii Sig Teaspoonful in water t.i.d.		1.00	For Dr Marsh	
	16909	℞ Vin Mariani Coca Bott i Sig Dessert spoonful twice a day		1.00	Martin	
	16910	℞ Vin Frumenti O ii		1.50	Martin	
	16911	℞ Pepsin Fairchild gr xxx Tr Capsici m v Tr Nux Vomica ℥iss Acid Hyd Chlo Dil ℥ss Ess Pancreas gr ℥ii Sig Take a teaspoonful in water every hours.		1.00	Keith Capt Lacy	

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
16912	℞					
		Ext Opii	gr 1/4			Kirk
		" Belladonnae	gr 1/8.			
		" Cannabis Indica	gr ℥			A. Lawson
		Acidum Gallicum	gr ℵ			
		℞ Oleum Theobrom	℥ ℈			
		ft ft in sing rectal suppository				
		ft rectal suppository	№ XII			
		Sig use one every 3 hours.				
16913	℞					
		Zeminia Sulph	gr ii			
		Salol	gr V			Kirk
		℞ ft capsulo sing capsulae		☐☒		
		capsulo capsulae	№ XII			M. H. & Lawson
		Sig Zeminia & Salol, one capsule every 3 hours				
16914	℞					
		Flour Morphia	gr ℈			
		Bismuth Sub Nit	gr XL			Kirk
		Chloroformis	M VIII		☐	Lacy
		℞ Coca Cordial	℥ i			
		Sig Take 2 teaspoonful every hour till relieved				
16915	℞					
		Morphia Sulph	gr 1/24			Kirk
		Zeminia Sulph	gr ii		☒☐	
		Salol	gr V			Hammond
		℞ capsulo sing capsulae				
		capsulo capsulae	№ XII			
		Sig Take one capsulae every 2 hours. till relieved				

Sept 15

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16916	℞ Marsh Pills No X Sig Take 2 for a dose			Dr Marsh	
	16917	℞ Sulph Quinia grs XXX " Acid Dil gtts XXX Syrup Spicis ℥j Sig Take a teaspnful every 6 hours	℥iv		Marsh Dr Marsh Dr Marsh	
	16918	℞ Ext Taraxacum ℥iv Sig Teaspnful 3 times a day			Martin	
	16919	℞ Syr. Tolu. ℥i " Squills ℥i " Ipecac ℥i Fl. Lobelia ℥ss Sig. Take a teaspoonful four or five times a day.				
	16920	℞ ~~Bromid~~ Quinia Pills Sig. No. XX Sig. Take one every four hours				
	16921	℞ Fowler's Solution gtts XLVIII Vini. Xerici ℥iv Sig. Teaspoonful after each meal				
	16922	℞ Sulph Quinia grs L " Acid Dil gtts L Aquae ℥iv Sig Take a teaspoonful every 4 hours.			Marsh	

Sept 16

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16923	℞				
		Bromid Potassa	℥iv		Reik	
		" Sodae		ox		
		" Ammonia āā	℥ii		H. Johnson	
		Fr. Nucis Vomicæ	℥ii,			
		℞ Elixir Aurantii q.s	℥iv			
		Sig Take a teaspoonful in water when necessary				
	16924	℞				
		Bismuth Sub. Nit.	℥iv	oo	March.	
		Elixir Lactopeptine	℥iv	do		
		Sig Take a teaspoonful every six hours after meals				
	16925	℞				
		Ferri et Potassa Tart gr	640			
		Strychnia Sulph	gr i.		Workman	
		Sig Potassa Arsenitis	℥i,	oo		
		℞ Ipecac Fluid Comp q.s	℥viii			
		Sig Teaspoonful after meals Shake				
	16926	℞				
		Bromid Potass	℥ii			
		" Sodium				
		" Ammonia	āā ℥i	ox	Kirk	
		Fl. Hyoscyamus	℥ii		Mrs A. Hart	
		Aquae	q.s ℥ii	do		
		Sig Take a teaspoonful in water every two to three hours till relieved.				
	16927	℞				
		Sulph Quinine	gr. L	oo	Marsh	
		Syr. Ligniorice	℥iv	do		
		Sig Take a teaspoonful every four hours				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16928	℞ Fld. Ext Ergotae Sig Take 15 drops in water every three hours	℥i.	0x	Kirk	
	16929	℞ Poison Tr. Iodine " Acenite Rad. " Opii ää ℥ss Sig Use as directed			Dr. McDonald.	
	16930	℞ Listerine Sig Use a teaspoonful in four breakfast cups of water	℥ii	x0	Kirk	Dr. Shook.
	16931	℞ Hyd. Chlo. Arcaine 4%. Listerine qs ad ℥ii Sig Use a teaspoonful in about a wineglassful of water	℥iiss	0x	Kirk	
	16932	℞ Bromid. Sodae Chloroformi Tr. Hyoscyamus Coca Cordial qs ad ℥ii Sig. Take a teaspoonful in water every three hours	℥i,ss mxxxii ℥ss	x0	"	
	16933	℞ Pil. Quininae Sulph. gri Sig Two every three hours.	No. xii	10	McDonald.	
	16934	℞ Tinct. Digitalis " Nucis Vomica ℞ Elix. Gentian et Ferri Sig Take a teaspoonful in water after 3 meals daily	m cxxvi ℥iv qs ad ℥iv	0x	F. Macy	

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
16935	℞	Hoyd Chlo Cerros	Soap cake i		10 Hale	
16936	℞	Bromid Potassa	℥ ss		Marsh	
		Aquae Camphor	℥ i	☐X		
		Aquae	℥ iii			
	Sig	Take a teaspoonful every 3 or 4 hours.				
16937	℞	Sodii Bromid	℥ i		Peterson	
		Aquae	℥ iv	☐X		
	Sig	One teaspoonful at bed-time in water.				
16938	℞	Fl. Extr. Cimicifuga	℥ ss	☐X		
		" Cinch. Comp.	℥ iii			
	Sig	One teaspoonful three times daily before eating in water				
16939	℞	Ammon. Brom.	9i ii		Hale	
		Chloroformi	mxxx			
		Coca Cordial	9ss ℥ ii	☐X	Capt. Gardner	
	Sig.	Take a teaspoonful when in pain				
16940	℞	Stoker Liniment	℥ v		Marsh	
	Sig	use as directed			☐X P. & Colisty	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16941	℞				
		Ext. Ipecac.	gr SS	XD		
		Ft. Digitalis	mXLVIII		Kile	Mrs Knill
		XXX Hennessey				
		Ess Pancreatis āā	gs ℥ii	Do.		
		Sig Take a teaspoonful every half hour.				
	16942	℞				
		XXX Hennessey	℥iv	DX	"	Mrs Knill
		Sig For Phy Use.				
	16943	℞				
		Lycinia Sulph	gr ii		Kile	
		Salol	gr V		G. W. Gardner	
		℞ et repetto sing capsule		DX		
		repetto capsulum No XII				
		Sig Take one every 3 hours.				
	16944	℞ Kargmeria	℥ii ℈		H & L Dr	
		" Rhei	℈ V			
		" Lavandulae Co	℥ VII			
		Sig as directed				
	16945	℞				
		Bismuth Sub. Nit.	~~℞~~ ℥iv			
		Elixir Lactopeptine	℥iv	.00	Marsh.	
		Sig Take a teaspoonful every six hours				
	16946	℞ Sulph Morphia	gr ii			March
		Aquae Camphor	℥i		H D	
		℞ Aquae	℥ii			
		Sig Take a teaspoonful and repeat if you think best				

Sept 18

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16947	R Antipyrin repello sing Capsule repello capsulae No XII Sig Take one every 3 hours.	grV.		Kite	Kenitts
Put in two 8 oz. bottles	16948	R Aqua Camph. Spts. Lavendulae Comp'd Fl. Opii Camph. Oleum Gaultheriae. Saech. Alb. Sig A tablespoonful every hour.	℥x ℥iii ℥ii gtts xx ℥ii ss	0D 0N	Shark.	
	16949	R Stokes Liniment ℥v Sig use 3 or 4 times a day		DD	Mearle	
	16950	R ~~xxx~~ Hennessy Elixir Aurantii Sig Take a teaspoonful in water every two to three hours.	℥i gs ℥ii	Do	Kite	Albemarle
	16951	R Aqua Camph. Chloroformi Elixir Aurantii Sig Take a teaspoonful every 3 to 4 hours	gvi/4 mxvi gs ℥ii	1S Do	Kite	Mr Boyce.
	16952	R Fl. Opii Comph. " Zingiberis Aqua Cardial Sig A teaspoonful in water every two hours till relieved.	℥i ℥ ss gs ℥i	1D Do	Wise	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16953	℞				
		Hyd. Chlo. Mite	gr iii	10		
		Sacch. Alb.	gr iii			
		Ft in sing chartae ft chartae	Dr. ii			
		Sig Take one powder as directed				
	16954	℞				
		Syrup Ipecac				
		" Squills				Mack
		" Tolu	āā ʒi			
		Fiat Lobelia	ʒss	00		
		Sig Take a teaspoonful every 3 hours.				
	16955	℞				
		Hyd. Chlo. Mite	gr iii			
		Pulv. Bacarb.	gr iii	1x	Kile	Mrs Mowry
		fiat in pulv chartae ft. chartae Dr ii				
	16956	℞				
		XXX Hennessy	Bott i	1.x=	Kile	
					Geo C. Gardner	2.i
	16957	℞				
		Tinct. Digitalis.	gt i			
		Bromid Potass.	ʒiv	12	Kile	
		Aquae	ʒii	0.0.		
		Sig Take a teaspoonful in water three in pain				
	16958	℞				
		Elixir Lactopeptine	ʒiv	00	Marsh.	
		Bismuth Sub-Nit.	ʒiv	0.0.		
		Sig Take a teaspoonful every six hours.				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16959	℞				
		Litis Ingra	℥ iv	40	Kib.	
		Sig Use as a wash.				
	16960	℞				
		Hyd Chlo: Mite	gr ii			
		Saach. Alb.	gr iii	15	"	
		℞ ft in sig. chartae ft. chartae No. ii				
		Sig Take one powder at night.				
	16961	℞				
		Syr. Ginger	℥ ii	1st but		
		Bismuth Sub. Nit.	℥ iii	40	Marsh.	
		Sig Take a teaspoonful three times a day after each meal in a teaglassful of water				
	16962	℞				
		Sodii Brom	℥ iiii		Smith	
		Aq Menthæ P/p	℥ iii	40		
		Sig Teaspoonful in tablespoonful water every 2 or 3 hours for sea sickness	℥ iii			
	16963	℞				
		Aloin	gr 1/4		Keith	
		Hyd Chlo Mite	gr ii	10		
		Ext Nucis Vomica	gr 1/4		Knibbs	
		" Belladonna	gr 1/4			
		℞ ft in sig pilulae ft. pilulae No. iv				
		Sig Take one at night.				

over

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
16964	℞					
		Fr Digitalis	M XVI		Keith	
		Spts Ethereus Nitrosus	℥ XVI			Sylvia
		Aquae	q.s. ad ℥ii	℔ss		
		Sig Take a teaspoonful in sweetened water every 3 hours.				
16965	℞					
		Fleur Morphia	gr 1/24		Keith	
		Bismuth Sub Carb	gr iii			A. Mowry
		Salol	gr iv			℔ss
		Mistr in zinc chart				
		ft chart No XVI				
		Sig Take one powder every 3 hours.				
16966	℞					
		Magnesia Sulph	℥ii			
		Spts Ethers Nit	℥iii	ʒss		
		Fr Gaultheria	℥ii			
		Syr Simplus	℥iss	℥i		
		Aquae ad q.s.		℥iv		
		Sig A dessertspoonful or two 3 times a day				
16967	℞					
		Plumbi Acet.	℥i	ʒx		
		Aquae Rosae				
		Aquae.	aā	℥ii	ʒvi	
		Sig Lotion pr. external use only				
16968	℞					
		Fl. Extr Convallaria	℥iv		Keith	
		Fr Aurt Vespuca	℥iv	ʒx		Maggie
		Elix Ferri et Sepsian q.s.		℥iv		
		Sig Take a teaspoonful in water after each meal.				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16969	℞ Spirit	℥i	8X	Kirk	
		Sig Take 5 drops in water after each meal.	℥i			Maggie
	16970	℞				
		Chloroformis	mxiv			
		Tr. Digitalis	ʒi	XD	Kirk	
		" Menth Pip.	gtt	ʒii		Andrew Lawrence
	16971	℞ Aeur Acorthia	gr i			
		Bismuth Sub carb	℥iss		Kirk	
		Fr Digitalis	m xxxii	8X	Gardner	
		Chloroformis	m xxxii			
		Elix Valerinate Ammon	℥ii			
		Sig Take a Teaspoonful in water every 4 hours.	℥ii			
	16972	℞ Hexd Chloral	℥iss		Kirk	
		Brymid Sodae	℥ii	XD	Laurence	
		Aquae qs	℥ii			
		Sig Take as directed	℥ii			
	16973	℞				
		Pulv. Cubebs	ʒss	8D		
		Ferri Carb.	ʒii			Mrs. Crosby
		Tr. Capsici	gtts xvi			
		Vin. Xerici	ʒviii			
		Sig Dessertspoonful				
	16974	℞ Fld Ext Pichi	ʒi	XD	Kirk	
		Sig Take 15 drops in water three times daily				Mrs Little

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16975	℞ For Nervousness				
		Bromid Potass	ʒi ss			
		" Sodae		☐X	Kite	
		" Ammoniae āā	ʒi			
		Elixir Valeriate Ammonia qs	ʒii			
		Sig Take a teaspoonful in water every three hours till relieved				
	16976	℞				
		Hyd. Chlo. Corros	gr i ss			
		Sodii qs	ʒiii	XD	Kite	
		~~Apply~~ as urgent.			Lawrence	
		Sig Apply once or twice daily				
	16977	℞				
		Syrup Zingeri	℥iii	☐X	Marsh	
		Sub Nit Bismuthi	℥iii			
		Sig Take a teaspoonful every 4 hours.				
	16978	℞				
		Whiskey	℥iii		Marsh	
		Glycerine		☐X		
		Syrup Tolu āā	℥ii			
		Sig Take a teaspoonful every 3 hours.				
	16979	℞				
		Pil. Assafoeta āā gr. iii	No. xii	XD	Williams	
		Sig One pill after each meal.				
	16980	℞				
		Ferri Iodidi	gr ii			
		Bismuthi Subcarb.	ʒi ss	XD	Kite	
		~~Syr~~ Cerasi Cardiac qs	ʒii		Gardner	
		Sig Take a teaspoonful in water every four hours				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16981	℞				
		Antipyrine in Tablets			Millhan	
		āā gr V No XII		1.00		
		Sig Two Tablets repeated by two more in an hour if not relieved				
	16982	℞				
		Morphia Sulph	gr 3/32		Kite	
		Zapinia Sulph	gr II			
		Salol	gr IV	1.00		Defriz
		Ext Ergotae	gr II			
		Ft pills sing pillulae				
		ft pillulae No XVI				
		Sig Take one pill every 3 hours during the day				
	16983	℞				
		Aloin	gr SS			
		Hyd. Chlo. Mite	gr IV	1.00	Kite	
		Sacch. Alb.	gr IV		Capt. Gardner	
		~~Da~~ ft ft in sing ~~pillulae~~ chartae ft chartae No II				
		Sig Take one powder as directed				
	16984	℞				
		Amm. Ammonia	℥ II	1.00	Kite	
		Tr. Myrrh.	℥ VIII	1.00	Johnsbury	
		Aquae ad	℥ IV			
		Sig Use a teaspoonful in water as a wash for mixed mouth				
	16985	℞				
		Vaselin	℥ II	1.00	Kite	
		Sig Use as an ointment on finger			Mrs Dunham	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16986	℞				
		Aphth.	℥ii	×D	Kile	
		Sig Take 5 drops in water 4 times daily				
	16987	℞				
		Bromid Potass	℥ii			
		" Sodae.		×D		
		" Ammonia āā	℥i		Kile	
		Aquae. qs	℥ii	~~D~~	6.6	Crosby
		Sig Take a teaspoonful in water every three hours.				
	16988	℞				
		Antikymi cum tabbels āā-gr.v.	Dr.	v.	×D	Brandt.
		Sig. Take one every 4 hours.				
	16989	℞				
		Bromo Pyrin Bott	i		Kile	
		Sig Take a teaspoonful in half a glass of water every 2 hours till relieved of headache		SN	Mrs Giles	
	16990	℞				
		Ext Cannabis Ind	gr 1/4		Kile	
		Ext Nucis Vomica	gr 1/8	DN		
		Lupinia Muriat	gr i		Mrs Gibs	
		Ammon Muriat	gr iv			
		et pepello sig capsulae pepello capsulae No	xii			
		Sig Take one capsule every 3 hours.				
	16991	℞				
		Ferri Chlo	℥iii		Kile	
		Fl. Ext Convallaria	℥vii	SN	Miss Barrett	
		Ethx Ferri et Gentian qs	ad ℥iv		after meals.	
		Sig Take a teaspoonful in water				

Sept 26

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16992	℞				
		Bromid. Potass.	ʒii			
		" Sodae		✠ ☐	Kile	
		" Ammoniae	āā ʒi			Swain
		Aquae.	ʒii	☐☐		
		Sig Take a teaspoonful ~~every~~ in water every 2 hours till relieved				
	16993	℞				
		Tinct. Iodi.	gtt.			
		Listerine	ad ʒiv	☐X	Kile	
		Sig Use a teaspoonful in water as a wash for next 2 months				Dalgren.
	16994	℞				
		Bromid Potassa	ʒiv		Keil	
		" Sodae		☐X		
		" Ammonia	āā ʒii			Meirs Folger
		℞ Avenæ Salivae	ʒiv			
		Aquae Aurantii q.s	ʒiv			
		Sig Take a teaspoonful in water twice daily				
	16995	℞				
		Stokes Liniment	ʒvi	☐X	Marsh	
		Sig Use as directed				
	16996	℞				
		Antikyrin Tablets	gr v	☐☐	V	"
		Sig Take one every 6 hours.		15		
	16997	℞				
		Morph Mur	gr ii		Keil Gardner	
		Bismuth Sub Nit	ʒii	☐X		
		Fl Ext Ergot	ʒiii		Sig Take a teaspoonful in lime water every 4 hours.	
		Coca Cordial				
		Aquae āā q.s	ʒii			

Sept 28

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	16998	℞ Morphia Sulphas	gr ¾		Keith	
		Chloroformis	m XXXII	.75		Gile
		Coc q Cordial q s	℥ ii			
		Sig Take a teaspoonful in water to relieve cough.				
	16999	℞ Bromid Potassa	℥ iv		Keith	
		" Sodae				James Wyer
		" Ammon āā	℥ ii	.75		
		Fr Avena Sativa	℥ iii			
		℞ Agnae q s	℥ iv			
		Sig Take a teaspoonful in water after each meal.				
	17000	℞ Morphia Sulphas	gr ½		Keith	
		Bromid Potassa	℥ i			Dorothea
		" Sodae		.75		
		" Ammon āā	℥ ½			
		℞ Agnae q s	℥ ii			
		Sig Take a teaspoonful in water.				
	17001	℞ Quinia Sulph	gr i		Keith	
		Salol	gr iv	.75		
		Ut repello sing capsule				Mrs Dr Sharp
		repello capsula No	XXIV			
		Sig Take a capsule after each meal.				

60

Sept 28

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE
	17002	℞		10			
		Mcgrth Pills St-	X	xxx	Mauk		
		Sig Take one at night.					
	17003	℞					
		Mcorph Acetas	gr i		Keile		
		Bromid Potassa	ʒ ii			Caldwell	
		" Sodae					
		" Ammon	aa ʒ i	xx			
		Aquae	q s ad ʒ iii				
		Sig Take a teaspoonful in water as necessary					
	17004	℞					
		Fl Extr Ergotae Squibbs	ʒ i		Keile		
		Sig Take 30 drops in water.		ox		Cross	
	17005	℞					
		Extr. Juniper.	ʒ xvi	.50	Marsh.		
		Sig Use as directed.					
	17006	℞					
		Paraldehyde	ʒ ii		Keile		
		Tr Zingib	ʒ ss			Cross	
		Chloroformis	m xv	ox			
		Aquae Menth Pip q s ad	ʒ ii				
		Sig Dose one teaspoonful					
	17007	℞					
		Antipyrin in tablets aa gr v	No V	xx	Mauk		
		Sig Take one every 4 hours.					
	17008	℞					

Over

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17008	℞				
		Hyd. Chloral.	gr xxx		Kite	
		Bromid. Sodae.	ʒ ii	xx		Robert King
		Aquae. qs	ʒ ii	~~xx~~		
		Sig Take one half at one dose.				
	17009	℞				
		Paraldyhyd.	ʒ iv			
		Chloroform	m iv		Kite	"
		Ft. Gingiberis	ʒ i			
		Aquae Menth. Pip. qs	ʒ ii	~~xx~~		
		Sig Dose. One teaspoonful in water				
	17010	℞ Loini Farinai	lb i	xx	Kite	Gile
	17011	℞ Boston Old Rum	ʒ iv	xx	Kite	Gile
	17012	℞ Hyd Chloral gr xiv			Kite	
		et repello sing capsulae		xx		R. King
		repetld capsulae No iv				
		Sig Give if necessary one capsule every 2 hours.				
	17013	℞ Sulfonal gr xx			Kite	" "
		ft in sing chart		xx		
		ft chart No iv				
		Sig Give one powder dry on tongue as directed				
	17014	℞ Liniment 136 ft.	ʒ ii			
		Sig as directed				

Sept 30

E. L. Freeman & Son, Station

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17015	℞				
		Sp. Ipecac	℥i	6¼ 6¼		
		" Squills		✕✕		
		" Tolu			Marsh	
		Fl. Lobelia āā	℥ss			
		Sig Take a teaspoonful every two hours.				
	17016	℞				
		Stokes Liniment.	℥vi	☒☒	Marsh.	
		Sig Use as directed				
	17017	℞				
		Hyd. Chlo. Mite	gr vi			
		Sodae Bicarb.	gr x.	✕✕	Kile	
		℞ ft in chg. chartae ft chartas No. xx			Dr. A. Lawrence	
		Sig Take one powder as directed				
	17018	℞ For Headache.				
		Brom. Pyrine (Hampsh) bott ÷		ss	Kile	
		Sig Take a teaspoonful in water every hour till relieved.				
	17019	℞				
		Pil. Morph. Sulph. gr ⅛. No. xxx		½ quantity ✕✕	Peterson	
		Sig One three times daily.				
	17020	℞				
		Mur Morphia	gr ½		Kile	
		Bicarb Sodae	℥iv	✕✕		
		Aquae	℥ii	bott bought		
		Sig Take a teaspoonful in water to relieve pain.				
	17021	℞				

Over

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17021	℞				
		Morph. Sulph.	gr ¼			
		Lumine "	gr ii	40	Kilo	
		Salol.	gr v			
		ft. et repello sing. capsulae repello. capsule No. x ii				
		Sig Take one capsule every 3 hours till pain is relieved.				
	17022	℞				
		Fld. Ext Cimbalaria	ʒ vi			
		M. Lucis Vomica	ʒ ii	00	"	
		Elixir Ferri et Gentian qs	ʒ iv			
		Sig Take one teaspoonful in water after three meals daily				
	17023	℞				
		Morph Sulph	gr 1/16	dbl. Kilo		
		Lumina Sulph	gr ii	D x Ko. Hammill		
		Salol	gr v	HH		
		ft. et repello sing capsule repello capsules No viii				
		Sig Take one capsule every 2 to 3 hours till relieved.				
	17024	℞				
		Sodii Nigra	ʒ viii	HD	Kilo	
		Sig use to bath inflamed places.			Main Stone	
	17025	℞				
		Aqua Spts Ammonia	ʒ iv		Kilo " "	
		Sig Take an after dinner coffee HH spoonful in water every 3 hours				

Rec'd

Oct 2/89

E. L. Freeman & Son, Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17026	℞ Morphia	gr i		Kelly	
		Syr Ipecac	℥ ii	##x	Meany	
		Syr Scillae	℥ i			
		℞ Elix Simplex	℥ ii			
	17027	℞ Morph Sulph	gr 1/24		Kelly	
		Zinci Sulph	gr ii			Turner
		Sabol	gr iii	##x		
		Mix repello sing capsule				
		repello capsulas No	XVI			
		Sig Take one capsule evy 4 hours.				
	17028	℞ Oleum Ricini			Kelly	
		℞ " Olivae āā	℥ iss	##x		Lewis
		Sig Heat & use as a rectal enema				
	17029	℞ Hyd Chlo Corros Tablets	B# i		Kelly	"
		Sig Use one tablet in 2 quarts hot water.		.05x		
	17030	℞ Corros Sublimate Cotton	B# i		Kelly	"
				.10		
	17031	℞ Mattison Combination Syringe.		.10	"	"
	17032	℞ Spirit Fr Digitalis		M LXXV		
		Sig Take 9 drops in water 3 times daily		M XLVIII	Kelly	##x Dafney

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17033	℞ Bromid Potassa	ʒii		Keith	
		" Sodae			Mrs Dalgren	
		" Ammonia āā	ʒi	xx		
		Aquae q.s	ʒii			
		Sig Take a teaspoonful in water as necessary.				
	17034	℞ Morphia Sulph	gr 1/4		Keith	
		Chloroformi	mXVI	xx		Carzle
		Syr Prunī Virg q.s	ʒi			
		Sig Take a teaspoonful in water every 3 hours.				
	17035	℞ Argenti Nitras	gr viii		Keith	
		Aquae Dist q.s	ʒii	xx	Mrs Dalgren	
		Sig use to paint throat & tonsils				
	17036	℞ Morphia Sulph	gr 1/16		Keith	
		Zinci "	gr iii		C. Henry	
		Ext Ipecac	gr ii	xx		
		Aqua Ammonia	gr iv			
		Mft in sig pillulae				
		ft pillulae No	XVI			
		Sig Take one pill every 3 hours.				
	17037	℞ Quiniae Sulph.	gr ii	xx		
		Ammon. Bromidi	gr v		Kite	
		et mitte sig capsulae				
		Mitte capsulae No	XII			
		Sig. Take one capsule every 3 hours				Downey

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17038	℞ Terraline	Bott i		Kirk	
		Sig Take a teaspoonful every 3 hours.		1.X=		Guild
	17039	℞				
		Fld. Ext Penthorum Sedoides	℥ ii			
		" " Pinus Canaden. (Kennedy's White)	℥ i			
		Oleum Gaultheri	gtts XV			Granger.
		Sodii Chlorid.	℥ ii	1.X=		Keane
		Ext. Aqueous Hammamelis	℥ ii			
		Aquae q.s	ad ℥ viii			
		Sig Snuff up nose and gargle every morning				
	17040	℞ Aloin	gr xv		Kirk	
		Hyd chlo Mite	gr vi			
		Sodae Bi carb	gr vi	1.X		
		Mix & divide in 12 chart powders				
		Sig Take one powder as directed				
	17041	℞				
		Carbolic Acid	℥ i			Marsh
		Aquae Camphor	℥ ii			
		Aquae Rosae	ad ℥ iii			
		Aquae	℥ i			
		Sig use as directed				
	17042	℞				
		Pil. Ipecac. Comp.	aa gr. ii	No. XXIV		
		Sig One A.M. one P.M. Two on first night before bedtime				.15X
	17043	℞				

Oct 4/89

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17043	℞ Liquor Morphia	gr ¼		Kirk	
		Liquid Chloral	℥ ii			Geo Horine
		Bromid Potassa	℥ ii			
		Aquae	q s ad ℥ ii			
		Sig One teaspoonful. do not repeat inside 2 hours. Give in water				
	17044	℞ Veratrine	Bott ¼	1.X=	Kirk	
		Sig Take a teaspoonful every 8 hours from 8 a m to 8 P M.			Miss F. Macy	
	17045	℞ Bromid Potassa	gr xl		Kirk	
		Elix Simplex	q s ad ℥ i			Baby
		Sig Dose a teaspoonful				
	17046	℞ Liquor Morphia	gr xx		Kirk	
		Chloroformis	m xvi			Mommy
		Syr Prunj Virg	q s ad ℥ i			
		Sig Take a teaspoonful in water to relieve cough.				
	17047	℞ Cascara Sagrada Cordigl	Bott ½	1.X=	Kirk	Lewis
		Sig Take from ½ to a teaspoonful twice daily.				
	17048	℞ Liquor Morphia	gr xx		Kirk	
		Bromid Potassa	℥ ii			Jennie
		" Ammon				
		" Sodae	ää ℥ i			
		Aquae	q s ad ℥ ii			
		Sig Take a teaspoonful in water every 2 hours				

Oct 5/89

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17049	℞				
		Aquae Rosae	℥ ii			
		" Camphorae	℥ i	⅄	Marsh	
		Pulv. Borax	9 ii			
		Tr. Opii	℥ ii			
		Sig Use as a wash three or four times a day.				
	17050	℞				
		Sulph. Zinci	9 xl	⅄		
		Syr. Liquoricæ	℥ iv	⅄	Marsh	
		Sig Take a teaspoonful every six hours				
	17051	℞				
		Fowlers Solution	℥ iss		Marsh	
		Sulph Syrup	℥ ii	⅄		
		Aquae	℥ iii			
		Sig Take a Teaspoonful every 6 hours.				
	17052	℞				
		Mur Ammoniæ	℥ i		Kells	
		Syr Meyrh	℥ ii	⅄		
		Listerine gs	℥ ii		W. B. Allen	
		Sig use a Teaspoonful in 4 quarts Spoonful of water as a gargle every 2 to 3 hours.				
	17053	℞				
		Hyd Chlo Corros	gr iss		Kells	
		Potass Iodide	gr CLX			
		Sodae Salicylatis	℥ ii ss	⅄		
		Syr Sarsæ Comp gs	℥ iv			
		Sig Take a Teaspoonful in water after each meal.				

Oct. 7th 1889

Oct 7/89

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17054	℞				
		Acidum Arsenios	gr. iii		Kirk	
		" Salicylic	ʒ ii	xii	Gen. Hosier	
		Bismuth Sub-Nit.	ʒ ii	~~xx~~		
	17055	℞				
		Sul. Luminar	gr. xxxx			
		Ac. Sul. dil.	℥ xxxx			
		Tinct. Gentian	ʒ i			
		Aquae	ʒ iii			
		Sig. Take a teaspoonful every six hours				
	17056	℞ Syr. Acid. Hydriod.	ʒ vi			
		Sig. From ½ of a teaspoonful to a teaspoonful and a half well diluted morning noon. And night	ʒ i			
	17057	℞				
		Elix Cinchona Iron & Strychnia	ʒ iv		Mark	
		Sig Take a teaspoonful after each meal with water.		xx		Gray
	17058	℞ Mur. Morph.	gr. ss.			
		Chloroformis	m. xvi			
		Syr. Scillae	ää			
		Syr. Prunus Cerasus	ää ʒ ii			
		Sig. Take a teaspoonful in water every 2 to 4 hours				
	17059					

Oct. 8th 1889

Oct 8/89

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17059	℞ Digitalis	m XXXii		Kidd	
		Syr Opii		1x	Guild	
		" Scillae				
		" Prunii Virg āā gtt ℥ss				
		Sig Take a teaspoonful in water if necessary every 3 hours.				
	17060	℞ Fr Aconiti	m XVI		Kidd	
		Fr Belladonna	m XVIII			
		Cocoa Cordial gtt ℥ss				
		Sig For cold in head				
	17061	℞ Aquae Camphor	℥ss	1x	Mack	
		Syrup Singer	℥i			
		Sulph. Morphia gr. I p.				
		Sig. Take a teaspoonful for a dose				
	17062	℞ Elix. Iron. Quinin.		1x	Pitman	
		Strychnia (B.C. & Co.)	℥iv			
		Sig. A teaspoonful before eating				
	17063	℞ Chloral Hydrat.	℥i 88	1x		
		Syr. Glycyrrhiza.	℥i			
		Sig ℥i when needed for sleep. in water.				
	17064	℞ Fr Aconiti	m XVI		Kidd	
		" Belladonna	℥i			
		Cocoa Cordial gtt ℥ss				
		Sig Head Cold				

Oct. 9th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17065	℞				
		Ammon: Mur.	gr. 1/24			
		Bismuth Sub Nit. Carb.	gr. V	XD	Kile	
		Acidum Gallicum	gr. I			Mrs. Guild.
		Ft chartae ft chartae Dv				
		Sig Take one powder every hour till relieved				
	17066	℞				
		Sodae Biborat.	3ii			Mrs. G. A. Cuddy
		Sodae Bi Carb.	3ii			At
		Ac. Carbol. Cryst. M.	Tv XXX			
		Glycerinae	3i			
		Aquae q.s. ad.	Oii			
		Sig. Dobells Solution				
	17067	℞				
		Bismuth Sub. Nit.	3iv	OX		
		Elixir Lactopeptine	3iv			Marsh.
		Sig. Take a teaspoonful three times a day after each meal.				
	17068	℞				
		Liq. Ferri Persulph.				
		Glycerinae aa	3ss	XX		Marsh
		Sig Put a teaspoonful in a goblet of water & use as directed				
	17069	℞				
		Ammon. Mur.	gr. 3/4	bt bot.		
		Ft. Digitalis	3i	OX		
		" Nucis Vomicae	3i ss			Kile
		Ess. Pancreatic	gs 3ii			Mrs Knibb
		Sig Take a teaspoonful in water every four hours.				

Thursday Oct. 10th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17070	R			Kile	
		Aro. Spts. Ammonia	℥ iv	☐x	Chas Olsen	
		Sig Take a teaspoonful in water at.		8 Bells.		
	17071	R				
		Hyd. Chlo. Mite	gr vi			
		Sodae Bicarb.	gr. iv	☐x	Kile	
		~~Do~~ ft in sing chartae ft chartae Do	Do. vi		G. A. Ethom	
		Sig Take one powder at night.				
	17072	R				
		Quinie Hyd. Bimate.	gr iii	☐x		
		~~Do~~ ft in sing chartae ft chartae Do	x ii			
		Sig Take one powder every hour till headache is relieved				
	17073	R				
		Inm. Ipecac.	gr ss			
		Fl. Aconite	mxvi	☒	Kile	
		" Belladonnae.	℥ i		Inm Cyprin	
		Coca Cordial	qs ad ℥ ii	Do		
		Sig Take a teaspoonful in water every hour.				
	17074	R				
		Listerine	℥ iv	☐x	Inm. D. Cyprin	
		Sig Listerine				
	17075	R				
		Glycerite Tannin	℥ ii	☐x	Plummer	
		Sig One half teaspoonful to one half gillet of warm water for gargle				
	17076	R Malting		1 Bott.		
		Sig. Take a great deal full well diluted in milk or water every four hours				

Oct. 11th 1869

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17077	℞.				
		Fl. Digitalis	mxxiv			
		" Avena Sativa	m. lxxx	1D	Kite	Dr. Depuy
		Aquae.	qs ℥i	Do	Dose	
		Sig Take a teaspoonful in water every three hours				
	17078	℞				
		Imm. Morph.	gr 1/4			
		Ext Hyoscyamus	gr ii	1D		
		" Ergotae	gr iv		"	"
		Alcum Tectromae	qs			
		~~Do~~ ft in sing vaginal suppositop				
		ft vaginal suppository No VI				
		Sig Use one every three hours.				
	17079	℞ Hyd. Cl. Corrosiv.				
		" Tablets Bot. i				
		Sig. Use one tablet in two quarts water		OK	Mistake	
	17080	℞				
		Fld. Ext. Pichi	℥ii			
		Fl. Hyoscyamus	℥i	xx	Kite	
		Spts. Ether. Nit.	qs ℥i		Dr. Fraser	
		Sig. Take a teaspoonful in water every hour.				
	17081	℞ Cinch. Iron Qui Strych.		OK		
		" Elixir	℥iv			
		Sig. Take a teaspoonful every 6 hours in water after meals				

Oct. 12 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17082	℞ Acid. Carbolic. gr. x.				
		Tr. Iodine ℥ii		XX.		
		Sig. Carbolic Acid. & Iodine				
	17083	℞				
		Morph. Sulph	gr 1/24			
		Ext Digitalis	gr 1/6	XO	Kile	
		Bromid Potass.	gr. x		Mrs Depuy	
		Et. repello in sing capsulae repello.				
		capsulas No. xii				
		Sig Take one as directed				
	17084	℞				
		Cascara Sagrada Cordial	℥i	XO	Kile	
		Sig Take from drops three daily				
	17085	℞				
		Syr. Scillae	℥ ss			
		" Senegae	℥ii	OX	Sharp.	
		Tinct. Opii Camph.	℥ ss		Mrs Bovill	
		Mist. Asafoetae	aa ℥iii			
		Sig Half teaspoonful in water every hour or two.				
	17086	℞				
		Pil Asafoetae	gr v	No xii	XO	Kile "
		Sig Take one pill as desired.				
	17087	℞				
		Potass. Iodid.	gr CLX			
		Sodae Salicylate	℥i		Vite	
		Ft. Digitalis	℥i			
		Syr. Sarsaparilla	aa ℥ii			Hozier
		Sig Take a teaspoonful in water every 4 hours				

Monday Oct. 14th 1889.

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17088 ℞					
		Morph. Sulph.	gr ⅛ ~~gr iv~~	℈x		
		Ipecac. "	gr ii		Kite	Macy.
		Antipyrin	gr v.			
		~~℞~~ et. repello in sig capsulae repetello			capsulae	No VIII
	Sig	Take one capsule every hour till relieved				
	17089 ℞					
		Hyd. Chlo. Mite	gr iv			
		Sodae Bicarb.	gr v.	℈x	Kite	Harris
		~~℞~~ et ft in sig ~~capsulae~~ chartae			et chartae	No IV
	Sig	Take one powder at night.				
	17090 ℞					
		Elixir Gentian et Ch. Hemi Chlo.	℥iv	℈x	Kite	
	Sig	Take a teaspoonful in water after each meal.			one Drop eg.	
	17091 ℞	Sir. Lactopeptine	℥v.		Mark	
		Sub-nit. Bismuth	℥iv			
	Sig.	Take a teaspoonful after meals		00		
	17092 ℞	Sul. Zinc	℥ii	1x		
	Sig.	Use as directed		"		
	17093 ℞					
		Fld. Ext. Ergotae				
		" Hydrastis	āā	mcLx	℈x	Kite
		Lithiated Hydrangea	qs ℥iv ~~℞~~		Mrs Depuy	
	Sig	Take a teaspoonful in water three times daily after meals.				

Oct. 16 1885

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17094	℞				
		Strychnia Sulph.	gr 1/64	10		
		Calomel	gr 1/32		Kile	
		Ferri Redact.	gr iv		Depuy	
		Ft in sig pilulae ft pilulae No.			No. LXIV	
		Sig Take one pill with ℞ 17093 after each meal.				
	17095	℞				
		Tinct. Buchu.	℥ ii		Marsh	
		Sig Take a teaspoonful every four hours in a tablespoonful of water			10 bottle bought	
	17096	℞				
		Bromid Potass.	gr. xxx	xx	Kile	
		in sig chartae ft chartae no. ii			Gen'l Depot	
	17097	℞				
		XXX Hennessy	℥ iv	$x	"	
		Sig Brandy.				"
	17098	℞				
		Hyd. Chlo. Mite	gr. iii			
		Sodae Bicarb	gr v		Kile	
		ft in sig. chartae ft chartae No vi				R. & C.
		Sig Take one powder at night.				
	17099	℞				
		Ammon. Bromid.	gr 3/4			
		Chloroformi	m xvi			
		Bismuth Subnit. Dil.	℥ i 85		"	"
		Ess. Pancreatis	aa ℥ ii			
		Sig Take a teaspoonful in water every 3 to 4 hours.				

Oct. 18th 1892

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.

17100 ℞
Lmin. Sulph. gr. ii
Mm. Ammon. gr. ii
Salol gr. iii ~~iiii~~
Et. menth. pip. caps
menth. caps No. xvi
S. Take one every 3 hours

17101 ℞ Chi. Lactopeptine 3iv
Subnit. Bismuth 3iv
S. Take a teaspoonful
after meals

17102 ℞
Elixir Birch Bruc & Strych 3iv ℥x Branch.
Sig Take a teaspoonful every hour after meals
with a teaspoonful of water.

17103 ℞
Syr. Ipecac.
" Squills ℥x Branch.
" Tolu.
Fl. Lobelia aa 3i ~~ℨii~~
Sig Take a teaspoonful for a dose.

17104 ℞
Inf. Digit. gtt 88
Tr Digitalis ~~m. xxiv~~ 1℥ Kirk Hosier
Coca Cordial gs 3i ~~ℨii~~
Sig Take a teaspoonful in water as directed

17105 ℞ ~~ℨiv~~ what ℨx
Fl. Ext Stigmat. Maidis 3iv
Sig ½ teaspoonful in water three times a day

Oct. 17th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17105	℞				
		Sulph Quinine	gr XXX	℔x	Dmarsh	
		Syr. Liquoriæ	℥iv			
		Sig Take a teaspoonful every four hours.				
	17107	℞				
		Ammi Bromph.	gr 1/2			
		Antipyrin	gr v	℔℔		
		Ext Digatalis	gr 1/6			
		Ft in sing Chartæ # x chartæ Dⁿᵒ				VI
		Sig Take one powder as directed				
	17108	℞				
		Acid Dilo Muriatic Dil.	℥iii			
		Tr. Gentian Comp.	℥ ss	℔x		
		Syr. Zingib	℥i			
		Aquæ	℥iv	℔℔		
		Sig One teaspoonful before meals in 1/3 Tumbler of water				
	17109	℞				
		Ammi. Antipyrine gr. v.				Kitt
		et aspell. sing. capsule		1℔		
		aspell capsule No. iv				Mr. J. Wyse
		Sig. Take one capsule every hour till relieved				
	17110	℞ Sol. Hyd. Chl. Cocaine	4gr	ℍt		
		Coca Cordial ℥s.	℥i	ℍt		Mrs. Wyse
		Sig Take a teaspoonful every hour till relieved				
	17111					
		Antipyrin Powders 1x gr. each				K
		No. VI		℔x		Horan
		Take one every two hours				

Oct 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17112	℞ Stokes Liniment Sig. Use as directed	℥i			
	17113	℞ Ammon. Muriat. Ft. Digitalis Coca Cordial Sig. Take a teaspoonful in water four times daily	9ii ÷ ℥i ÷ 98 ℥ii ÷		Kite	Girl
	17114	℞ Stokes Liniment Sig. Use as directed	℥vi		Marsh.	
	17115	℞ Lixio Nigra Shake Label — Black Wash	℥i ÷			
	17116	℞ Bal. Copaibia Spts Lavender comp. Tinct. Catechu. Alcohol. Olem Juniper " Cubeb. Aquae Sig. Dose. One dessertspoonful 3 times a day.	℥i 188 ℥v ℥vi ℥ii aā 9ts ℥v		Pitman	
	17117	℞ Tr. Cinch. Comp. ℥iv ℏ. Sig. Take a teaspoonful in water after each meal				
	17118					

OVER

Oct. 18-1 1859

E. L. Freeman & Son. Station

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17118	℞ Hyd. Chl. Mite gr. vi M Sodae Bi Carb. gr. vi M Ft. in sing. Chart S. Ft. Take at night				
	17119	℞ Syr. Prunae " Squills " Tolu Tr. Lobelia āā ℥i Sig Take a teaspoonful every third hour for five hours.		75x	Branch.	
	17120	℞ Sul. Zinc. Sig. Use as directed ℥i		15		
	17121	℞ Morphine gr. 1/8 Hyd. Chl. mite gr. ii Ext. Belladonnae gr. 1/4 Ext. Nucis Vomicae gr. 1/4 Ft. in sing. pillulae ft. Sig. Pill. No. viii Take one at night				
	17122	℞ Listerine ℥iv Sig. Use a teaspoonful in four great spoonfuls of water as a gargle				
	17123	℞ Morph. Sulph. gr. 1/32 Quinine Sulph gr. ii Mur. Ammon gr. iv Ft. capsulae sing. cap. sub. Sig. Take one capsule every 3 hours				

Oct. 19th 1884

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17124	R Spts Frumenti Aqnae Sig Take a teaspoonful every 6 hours.	℥j XXX ℥j.		Mack	
	17125	R Sodii Bi Carb. ℥ii Syr. Rhei Aromat. ℥s. ℥iii Ol. Menth. Pip. gtt. v. Sig. ℥i after meals				
	17126	R Mur Morph. gr. 1/4 Bromid. Soda ℥ii Aquae ℥i Sig. Take a teaspoonful in water Every one to three hours				
	17127	R Elix. Lactopeptine ℥iv Subnit Bismuth ℥iv Sig. Take a teaspoonful Every Six hours after meals				
	17128	R Mur. Morph. gr. i Brom. Pot. ℥iv Brom. Sodae ℥ii Brom. Ammon. ℥ii Aquae ℥iv Sig. Take ℥i in water Every four hours				
	17129	R				

Oct. 21 - 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17130	℞ Fl. Ext. Convallaria ℥i Tr. Ferri Chloridi ℥i Syrupus Simplicis q.s. ℥viii S. Take a teaspoonful in water after each meal		1.50 .75		
	17131	℞ Zeynia Sulph gr vii Salol gr v Act repello sing capsule. repello capsule No xvi Sig Take one capsule every 3 hours.		.10	Keith A. Harris	
	17132	℞ Elix. Lactopeptina ℥iv Subnit. Bismuth ℥iii Sig. Take a teaspoonful every six hours		.50		
	17133	℞ Pil. Lepactic No. v. S. Take one at night		.10	Hart.	
	17134	℞ Pil. Lepactic. No. v. Sig. Take one every evening.		.10		
	17135	℞ Spir. Aeth. Nitr. ℥i Sodae Bi Carb. gr lxxx Aquae q.s. ℥viii Sig. A wineglassful every four hours		.10		

Oct. -22-1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17136	℞ Stokes Liniment 3v Sig. Use as directed				
	17137	℞ Aquae Camph. 3i Spt. Lavendulae C. 3i ℈ Tr. Opii Camph. 3i Ol. Gaultheria gtt. x. ℏ. Sacch. Albae 3ii S. A Tablespoonful Every hour until relieved			Dr. Leach Mrs. Mooney	
	17138	℞ Elix. Cinch. Iron. et Strychnia 3iv S. Take a teaspoonful Every Six hours		℔x	Marsh. Gibbs	
	17139	℞ Hyd. chl. Mite gr. xxv. Sacchari gr. xx ℏ. ft. pulv. No. v. Sig. Take as directed		℔		
	17140	℞ Marks Pills No. x. Use as directed.		10		
	17141	℞ Ext. Gelsemici Fl. 3i Syr. Scillae Co. 3v ℏ Syr. Pruni Virg. ℈s. 3ii ℏ. Sig. a teaspoonful Every three hours		ℏ	Mrs. B. Shark	

Oct. 24th 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17142	Rx Sul. Quinine grs. XL Aquae ℥iv Sul. acid dil. gtts XL. Sig. Take a teaspoonful every four hours.		50		
	17143	Rx Quiniae Sulph. gr. XXiv Ammon Mriat. gr. Lx. Capsule No. XII Sig. One after each meal		1.00		Maggie
	17144	Rx Elix Lactopeptin ℥iv Sub Nit Bismuth ℥iv Sig Take a Teaspoonful every 6 hours		50		Mank
	17145	Rx Elix. Cinchon. Iron & Strychnia ℥iv Sig. Take a teaspoonful every six hours in water after each meal		1.00		
	17146	Rx Lyr. Gingr ℥ii Sub-Nit. Bismuth ℥iii Sig. Take a teaspoonful every six hours		80		
	17147	Rx Elix Ergot Spirits ℥ii Sig a teaspoonful as needed		60		Shaw

Parker

Oct. 26th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17148	℞ Sp. Fleni et Ether. Gentian (Wyeths) Sig. A Tablespoonful before meals	℥iv		Shaak McLaren	
	17149	℞ Tablets Antipyrine āā gr v. Sig. Take one every	No. vi		" Three hours	"
	17150	℞ Spir Ethers Nitr Sig Take a Teaspoonful in water every 3 hours	℥i		Kile	Maggie
	17151	℞ Mur Morphiæ Bismuth Sub Nit Chloroformis Tr Zingib Ess Pancreas Sig Take a teaspoonful in water every 4 hours.	gr ½ ℥i ss. m xxxii ℥ii ℥ii gs		Kile C. Hammond	
	17152	℞ Marsh Pills No X Sig Take one at night.	No X		Marsh	
	17153	℞ Quiniae Hydrobrom. gr. ii Pellets Diaph. capsule No X Strych Sulph Capsule No X. Mix Sig. Take one every hour				

Oct. 27 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17154	℞ Apomorphia Sulph gr. ½ Tinct. Scillae M.C.L.X. Sub. Ipecac ℈ii ℥ Elix. Valerianate Ammonia q.s. ℥ii M.				
		Sig. Take a teasponful in water every 2 to 3 hours				
	17155	℞ Aloin gr. i Podophyllin Res. gr. ¼ Ext. Belladonnae gr. ¼ Ext. Nucis. Vom. gr. ¼ Ext. in Sing. Scillae q.s. ft. pil. No. xii			Phys. Hann's	
		Sig. Take one pill each or every other night				
	17156	℞ Morphia Sulph gr. 1/32 Zeznia Sulph gr. ii Salol gr. v M. et repello in capsulas repello capsulas No. xii			Keile Parker	
		Sig Take one capsule every 2½ hours.				
	17157	℞ Ac. Muriat. dil ℥ii Ext. Jalap. (Fld.) ℥iv Elix. Gentian ℥iv M.				
		Sig. Dose: A teasponful 3 times a day				
	17158	℞ Sul. Quinidae gr. xxx Syr. Liquoricae ℥iv M. Sig. Give a teasponful every fourth hour				

Oct. 28th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17159	℞ Fld. ~~Extract~~ Hydrastis ℥i			K.	
(Married)		Liquated Hydrangea q.s. ad	℥iv		Mrs. I. Coffin	
		Sig. Take a teaspoonful in water after each meal				
	17160	℞ Fl. Extract Digitalis ℥i			K.	
(Wyeth)		Elix. Simplex h. ℥i Ch. q.s. ad	℥iv		H.	
		Sig. Take 2 teaspoonfuls in water 3 times daily before meals				
	17161	℞ Liq. Ferri Persulph. ℥ss.				
		Liq. Opii ℥ss.			K.	
		Sig. Put a teaspoonful in a goblet of water use as a gargle				
	17162	℞ Morphia Muriat. gr. 1/32			K.	
{Use 1½ Wyeth Tablets}		Apomorphia gr. 1/16			Mrs. Mooney	
		Quiniae Muriat. gr. ii			H.	
		Ammon. Muriat. gr. iv				
		℞ Vespello sing. capsule				
		vespello capsule No. xvi				
		Sig. Take one capsule every 4 to six hours				
	17163	℞ Sol. Hyd. chl. Cocaine 4% ℥ii			H.	
		Listerine q.s. ad	℥iv			
		Sig. Use a teaspoonful in 4 ounces of water as a wash for nose and mouth				

Oct. 30 - 1889

E. L. Freeman & Son, Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17164	℞ Spir. Aeth. Nitrosi ℥ii Sig. Take a teaspoonful in sweetened water 2 to 3 times daily				Miss Agnes Mowry
	17165	℞ Pil. Assafoetida āā gr. v. No. xii Sig. One every hour till relieved			C. F. Hammond	
	17166	℞ Hostis Bitters ℥xx. Sig. Use as directed				Nash
	17167	℞ Elix. Cinch. Iron & Strychnia ℥iii Sig. Take as directed				Pitman
	17168	℞ Mist. Acaciae ℥ii Potassii Cyanidi gr. i Syr. Prunus Virg. ℥i Morph. Sulphat gr. i. Aquae ℥i Sig. One teaspoonful four times a day				
	17169	℞ Morph. Munias gr. 1/32 Zuniae Hydrobromas. gr. ii Salol gr. iv Et capsulo sing. capsulae capsulae No. xii Sig. Take one capsule every three hours.				Mrs A. Little

November 1 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17170	℞ Tinct. Lactopep Vinegar ℥iv Subnit. Bismuth ℥iii ⅋ ⅋ Sig. Take a teaspoonful every six hours				
	17171	℞ Stokes Liniment 1st But. Use as directed ⅋x				
	17172	℞ Fl Extr Convallaria ℥iv ⅋x Hale Tr Ferri Chlo ℥ii Mrs Wood ℞ Elix Ferri et Gentian q s ad ℥iv Sig Take a teaspoonful in water after each meal.				
	17173	℞ Listerine ℥iv ⅋x Hale Sig. Use a teaspoonful in a wineglass of water as a gargle				
	17174	℞ Apomorphia gr. 55 ⅋x Mrs. Freedom Syr. Scillae ℥iv Chloroformi M. viii Syr. Rubi Idaei q.s. ad ℥iii ⅋. Sig. Take a teaspoonful every three hours				
	17175	℞ Emplas. Cantharides 6x6 ⅋x V. Sig. Cantharides Plaster Mrs. Dunham				

Nov. 5th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17176	℞				
		Morphia Meurias gr 1/24			Hibbard	
		Zenzia Hydrobromat. gr iii			Capt Ray	
		Salol gr iii				
		M ft repello sing capsule				
		repello capsule No iii				
		Sig Take one capsule every 2 hours.				
	17177	℞ Mur. Morph. gr. 1/6				
		Bromid. Sodae gr. x.				
		Hyd. Chloral gr. x.				
		Pulv. Capsici gr. ss. M.				
		ft. repello sing. capsula				
		repello capsule No. iv				
		Take one capsule every hour				
	17178	℞				
		Strychnia Sulph. gr. 1/32				
		Ext. Digit. alis gr. 1/6				
		Iodinat Hydrobrom. gr. ii				
		Chloral Hydrat gr. xv. M.				
		ft repello sing. capsula				
		repello capsule No. vi				
		Sig Take one every hour				
	17179	℞ Syr. Sarsaparillae Comp. ℥ii				
		Fld. Ext. Stillingia ℥i ℈ii				
		Iod. Potassae gr. v.				
		Syr. Prunus Virg. ℥ii				
		Aquae ℥ii				
		Sig. ℥i t. i.d.				

Nov. 5th 1884 –

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17180	R Tinct. Colchici Rad. M. viii Tinct. Lupulini M. viii Tinct. Nucis Vomicae ℥i Tinct. Opii Camph. ℥ii Aqua Cordial q.s. ℥iv Sig. Take a great spoonful in water every 2 hours			K. Capt. Gray	
	17181	R Olei Ricini ℥ii Olei Olivae ℥ii Sig. Use warm as an enema			K. Parker	
	17182	R Marshs Pills No. xx Use as directed			Marsh	
	17183	R Stokes Liniment ℥i S. Use as directed			Marsh	
	17184	R Tr. Buchu ℥ii Spts. Aeth. Nit. ℥iii Tr. Opii ℥i Aqua ℥i Sig. A teaspoonful three times a day			J. Inman	
	17185	R Whiskey oi S. Tr John Smith			Mark	

Nov. 5th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17186	℞ Bismuth Subnit. ℥ss. with pat Acid. Salicyl. gr. v. #8 Amylum Maidis ℥ii Mucil. Aquae Rosarum ℥i ℥ii.			Mufe Norms	
	17187	℞ Potassii Chlor. ℥ss Dissolve in one pint ℥ss. of water. Use a wine- glassful as a gargle twice a day				
	17188	℞ Stokes Liniment ℥vii Sig use as directed			Mears	
	17189	℞ Emplast. Belladonnae ℥ss x ℥ss inch — No. ii Spread to apply over breast Thus —			Tate Parker	
	17190	℞ Ext. Hyoscyamus gr. ¼ Pulvis Asafoetida gr. xv. Oleum Theobroma q.s. ℥ss M. in Sing. rectal suppository M. Suppository No. xii Sig. Use one suppository every 2 to 6 hours			Pulvis in rectal capsules	
	17191	℞				

Nov. 7th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17192	℞ Spt. Hydrocyanus ℥ii Tinct. Iodid. Gr. CLX. Sodae Salicyl. ℥iv Syr. Sarsaparillae q.s. ℥iv Sig. Take a teaspoonful in water after each meal				
	17193	℞ Bromid. Potas. ℥ii Bromid. Sodae ℥i Bromid. Ammon. ℥i Aquae q.s. ℥ii Sig. Take a teaspoonful in water every hour till relieved				
	17194	℞ Tinct. Cubebs " Cinchonia " Iodi " Iodine " Camphor Carbol. Acid Glycerine ää ℥ii	1℥		Chas. Nicholson	
	17195	℞ Vin. Colchici Sem. ℥ii Tr. Cimicifuga ℥i Fld. Ext. Buchu ℥i Potash. Bi Carb. ℥i Syr. Sarsaparilla ℥x Aquae ℥ii Sig. Take ℥i four times a day in a small wineglass of water.				

Nov. 9th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17196	℞				
		Hydrobromate Quinia	gr i			
		Pulvis Capsici	gr i.	DA	Keli	
		Ext. Cannabis Indica	gr 1/8			
		Salol	gr ii		M. E. Hardesh	
		Bismuth Sub carb	gr iii			
		M ft pulvis sing capsule				
		repulvis capsulas No XII				
		Sig Take one capsule each hour till relieved.				
	17197	℞ Salol	gr. iv	DA	K.	
		Pulv. Capsici	gr. ½	DA		
		" Zingaris	gr. ii	DA		
		M ft pulvis sing. capsule			Lds. C. Tibbetts	
		repulvis capsulas No. Vii				
		Sig Take one capsule each hour till relieved				
	17198	℞ Pil. Asafoetida āā gr. v.			K.	
		Sig Take one pill No x every hour till relieved		1D		
	17199	℞ Potis Nitras	ʒi			
		Sig. Use to make wash		XD	"	
	17200	℞ Morphia Acetas	gr. 1/36			
		Zingae Hydrobromate	gr. ii		Keli	
		Ext Cannabis Indica	gr 1/4			
		" Hyoscyamus	gr 1/4		C. Hammond	
		Aloin	gr 1/12	XD		
		M ft pulvis sing capsulae				
		repulvis capsulas No XII				
		Sig Take one capsule every 3 hours				

Nov. 12th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17201	℞ Syr Liquoric Quiniae Sul. Gr. ¼ SD S. ℥ij every four hours	℥iv		Mash	
	17202	℞ Quiniae Sulph. Gr. ¼ Sal d Gr. ⅛ M. Et. vspello sing. capsule Vspello capsule No. VI S. Take one capsule every hour till relieved				
	17203	℞ Quiniae Sulph. Gr. ½. Vide div. in capsule No. XII S. Take as directed				
	17204	℞ Sol Cocaine 4% ℥ij ℞ Leiserine gs ℥ij Sig Leiserine Ect.				
	17205	℞ Quiniae Sulph. Gr. ¼ Salol Gr. ½ Et. Nucis Vomicae Gr. 1/8 M. Vspello Sing. capsule Vspello capsule No. XII S. Take one every hour				
	17206	℞ Quiniae Nuciae Gr. ¼ p. Cinnon. Nuciae Gr. ½ Et. Cannabis Ind. Gr. 1/8 Pulvis Ipecac. Gr. ½ M. vspello sing. capsule vspello capsule No. XII Sig. Take one every two hours			Mrs. Dafney	

Nov. 14th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17207	℞ Antipyrin pordus ää gr. iv No x. Sig. Take one every four hours				
	17208	℞ Elix. Lactopeptine ℥iv Bismuth Sub-nit. ℥iv Sig. Take a teaspoonful every six hours		.00		Mack
	17209	℞ Morph Muriat gr 1/24 Lupinia " gri Ammonia " griii Mist respello sing capsulae respello capsule No xii Sig Take one capsule evy hour		.10		Keith Mrs Defriz
	17210	℞ Chloral Hydras gr xv Mist ft in sing chart ft chart No vi Sig Take no more than three powders daily.		.10		Keith Lawrence
	17211	℞ Sr. Wrii Fld. Ft. Ergot Ft Hamamay	M. ℥vi ℥i ℥ii	.10		Washington Morning
	17212	℞ Elix Cinch Irun & Strych Sig Take a teaspoonful evy 6 hours after each meal in a teaspoonful of water	℥iv	.10		Mack bottle keeps

Nov. 16th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17213	℞				
		Acidum Boracicum	gr. xx.		K.	
		Fo. Mynh.	℥i		Wm. Lawrence	
		Sig. A teaspoonful in one ounce of water				
	17214	℞				
		Chloral Hydras	℥i ℔.			
		Fr. Zingiberis	℥i		Kile	
		Fr. Meleth. pip.	℥i			
		Muc. Acaciae	℥ℌ			
		Aquae q.s.	℥ii		Wm. Lawrence	
		Sig. Take one ounce in three divided doses daily				
	17215	℞				
		Morph Sulph	gr 1/24		Kile	
		— Quinia Sulph	gr i/2		C. Starbuck	
		— Bismuth Sub carb	gr iii			
		— Ext Cannab Indica	gr 1/6			
		Ft. pepello sing capsule pepello capsule No			XVI	
		Sig. Take one capsule every hour till relieved				
	17216	℞				
		Bromid Ammon	gr VI		Kile	
		Camphor	gr i		Mrs Johnson	
		Ext Digitalis	gr 1/24			
		" Cannab Indica	gr 1/24			
		Ft. pepello sing capsule pepello capsule No			XII	
		Sig Take one every hour.				
	17217	℞				
		Ext Gentian Fluid	℥iv			
		Bismuth Sub Nit	℥iv			
		Sig as directed				

Nov. 18th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17218	℞ Aquae Rosae ℥ iv Spt. Camph. ℥ ss Sol. morph.-gr. ii S. As directed				
	17219	℞ Mass. Pills. No. x. S. Take 3 for a dose				
	17220	℞ Tablets Corrosive Sublimate ⅄ x ℈ Bot. i Sig: Use one tablet in 2 quarts of hot water			Thos. C. Money	
	17221	℞ Hyd. chlor. mite gr. iv Sodae Bicarb. gr. vi ft. in sing. chartulae Chartulae No. ii Sig. ft. ℈ Take one powder in at night			" "	
	17222	℞ Sol. Tinctura Ferri Mur. ℥ viii ℈ Aquae q.s. ad ℥ ii Sig. Take a teaspoonful in water every hour till relieved			Wm. Johns.	
	17223	℞ Fl. Aconiti ℥ ss " Apii " Belladonna aa ℥ i Chloroformis Lini Saponis gr ℥ ss ℥ ii		Keep	XX H. B. Shaw Sig Poison only use as a liniment	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17224	℞ Morph Acetas	gr 1/16		Kalz	
		Liquid Hydrobromate	gr ii.		Mrs Lillie	
		Ext Cannabis Ind	gr 1/4			
		" Nucis Vomicæ	gr 1/4			
		M ft in sig pilulæ				
		ft pilulæ No XVI				
		Sig Take one every 3 to 4 hours.				
	17225	℞ Stokes Liniment	℥ vi		Marsh	
		Sig use as directed				
	17226	℞ Liq. Lactopeptini	℥ iv		M.	
		Bismuth Subnit.	℥ ii			
		Sig Take ½ every six hours				
	17227	℞ Antipyrin gr. xx				
		ft. pulv. No. iv				
		Take one every 4 hours				
	17228	℞ Ext. Cinchonæ	℥ iv			
		" Ext. Convallaria	℥ iv			
		" Ext. Nitrosi	q.s. ℥ ii			
		M ft. Sig. Take ½ in water every 4 hours				
	17229	℞ Sol. Tinctum 1%	m. x.			
		" Tr. Digitalis	m. xvi			
		Aquæ	q.s. ℥ ii		M.	
		Sig Take a teaspoonful in water every 4 hours				

Nov. 19 - 89

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17230	℞ Quinia Sulph. gr. i Salol gr. iii Ext. Ergot gr. ss. M. in sing. capsule S. Capsule No. xii S. Take one every 2 hours				
	17231	℞ Mur. Morphia gr 1/4 Potassa Iodidi gr CLX Sodium Salicylate ℥iv Syr. Sarsa. oz ℥iv Sig Take a teaspoonful in water every 4 hours.			Keile Henry L. Coffin	
	17232	℞ Citrate Lithia Bt. i Sig. Take a teaspoonful in water 4 to six times daily			Wm. M. John	
	17233	℞ Sol. Tinctura M.xxiv Aquae q.s. ℥ii S. Take a teaspoonful every 2 to 3 hours			Wm. M. John	
	17234	℞ Cordial Cascara Sagrada ℥i S. Gtts v to i drops 2 to 3 times daily			Fr. Baby	
	17235	℞ Syr. Zingiber ℥ii Sub. Nit. Bismuthi ℥iii S. Take a teaspoonful every 6 hours				

Nov. — 19 — 89

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17236	℞ Codeia Sulph	gr ii		Kalb	
		Fl Ext Convallaria	℥ ii			E. R. Folger
		Fl Ext Pichii	℥ iv		SA	
		M. Elix Gentian et Ferri q s	℥ i ½		SA	
		Sig Take 2 teaspoonful in water 3 times daily after meals				
	17237	℞ Sprudel Salts pond Bott i			" " "	
		Sig Take a teaspoonful in a glass of water on going to bed & before breakfast.			SA	
	17238	℞ Bromid Potassa	℥ i		Kalb	
		" Sodae				J. Coffin
		" Ammonia āā	℥ ii			
		M. Aquae q s	℥ i			
		Sig Take a teaspoonful in water every hour till relieved				
	17239	℞ Quinine Pills No. x.				
		āā gr. iv				
		S. Take one every 4 hours				
	17240	℞ Hyd. Subnat. Cocaine gr. ½.				
		~~Ext. Opii~~	gr. ¼			
		Belladonna gr. ¼ M.				
		Div. Theobroma q. s.				
		~~Ft. Ft.~~ in. Sig. Vaginal suppository				No. ii
		~~Ft. Vaginal Suppository~~				No. ii
		S. As directed				

Nov. 21st 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17241	℞ Syr. Sarsap. Comp.	℥ii			
		Fld. Ext. Stillingia	℥i			
		Iod. Potassa	gr. iv.			
		Aquae	℥ii			
	℈.	℥i t. i. d.				
	17242	℞ ~~Cinchonidia~~ Salicylatis	gr. v.			K.
		~~Salol~~ Salol	gr. xii		Mrs. C. C. Crosby	
	℥	℞ Capsulo Sing.				
		capsulo capsule	No. xii			
	Sig.	Take one capsule				
		Every 3 hours				
	17243	℞ Elix. Cinch. Iron				
		and Strych.	℥ii			Putnam
	℈.	℥i t. i. d.				
	17244	℞ Elix. Cinchon Iron				
		and Strychnia	℥ii			"
	17245	℞ Chloroform	m viii			Keith
		Fr Digitalis	℥ss			best Cary
		" Nux Vomica	℥i ss			
		" Capsici	m xvi			
		Ext Pancreat				
		Coca Cordial ää	℥i			
	Sig	Take a teaspoonful				
		in water every 2 hours.				
	17246	℞ Hyd Chlorid	℥iv			
		Elix Aurant	℥ii			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17247	℞ Chloral Hydros	gr X		Keith	
		Bromid Sodae	gr V			Cary
		Pulv Zingib	gr II			
		Mft repello sing capsule repello capsules	No IV			
		Sig Take 2 capsules at once & repeat in one hour.				
	17248	℞ Capsicum	m I		"	"
		" Nux Vomica	m X			
		" Opii Camph	m X			
		℞ XXX Flannen	℥ ℈ ℥II			
		Aquae	℥II			
		Sig One dose				
	17249	℞ Digitalis	m XLVIII		Keith	
		℞ Cinchona Comp	℈ ℥IV		Mrs Hammond	
		Sig Take 2 teaspoonfuls in water before meal.				
	17250	℞ Seydel Salts	Bott I		"	"
		Sig Take a teaspoonful in a glass of water night & morning				
	17251	℞ Codeia Sulph	gr ¼		Keith	
		Lenimia Hydrobromate	gr II		Mrs Johnson	
		℞ Salol	gr IV			
		Mft repello sing capsule repello capsulas	No XII			
		Sig Take one capsule every 2 hours till relieved				

Nov. 27th 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17252	℞				
		Hyd Chlo Mite	gr iii		Kile	
		Ext Belladonna	gr 1/4	1¢		
		" Nucis Vomica	gr 1/4		Main Johnson	
		Sodae Bi carb	gr vi			
		Mist sing chart ft chalk to	iv			
		Sig Take one powder at night.				
	17253	℞				
		Mm. Morph. G. f.				
		Bromid. Potass.	℥ii		Mrs. A. Harris	
		Fld. Ext. Ergot	℥i			
		Aquae q.s.	℥i	¢¢.		
		Sig. Take a teaspoonful in water				
		every hour till relieved				
	17254	℞				
		Fld. Ext. Ergot	℥i ss.			
		Tr. Hyoscyam	ii ℥ss.			
		Tr. Digitalis	℥ss.	0¢	Mrs. Hafner	
		Tr. Opii Camph.	℥ii			
		Elix. Amantii q.s.	℥ii	¢¢.		
		Sig. Take a teaspoonful in				
		water every 1 to 3 hours				
	17255	℞				
		Mm. Morph. Gr. ss.				
		Chloroform	M. xvi	0¢	Mrs Codd	
		Glycerine	℥vi			
		Syr. Tunus Canus q.s.	℥ii	¢¢.		
		Sig. ℥i in water every				
		one to two hours				
	17256	℞				

O¢ ¢¢

Nov. 22nd 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17256	℞ Bromid. Potass. ℥ii Bromid. Sodae ℥i Bromid. Ammon. ℥i Aquae q.s. ℥ii D. ℥i in water. every hour till relieved		##	K.	
	17257	℞ Cordial Cascara Sagrada ℥i Sig. Take one to 3 drops 3 times daily	1 oz		K.	Baby
	17258	℞ Strych Sulphat gr ½ Liq. Potassa Arsen ♏xx Aquae q.s. ℥iv Sig Teaspoonful in water before each meal.			Jeffries Long 4 times a day SN	
	17259	℞ Fleur Morphia gr xv Aquae ℥i Sig Take a teaspoonful every hour till pain relieved			Kile NY last day	
	17260	℞ Citrate Caffeia Effr Bott i Sig Take a teaspoonful in water at least every 2 hours.	1 X	"	"	"
	17261	℞ Mur. Morph. gr ¼ Chloroform m. viii Tr. Kino ℥ss Coca Cordial q.s. ℥i ℥i in water				Mrs Kite

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17261	℞ Rolas Liniment		℔ ⅆ	Mash	
			3 v.		Wallace Lad	
	17262	℞				
		Bismuth Subnit.	3i.			
		Lactopeptine	3i.	℔ ⅆ		
		Spir. Chloroform	3ii ℔			
		Spir. Lavend. C.	3ii ℔.			
		Syr. Ginger q.s.	3i.		M.	
	17263	℞ Mur. Morph.	gr. ℔.			
		Sod	gr. xxx			
		Chloroform	gr. xx			
		x x x Ammonia q.s.	3iv		M.	
	17264	℞				
		Tr. Opii	3i.		K.	
		Tr. Aconite	3ℓ.	xx		
		Chloroform	3ℓ.		H. C. Coffin	
		Liniment Saponis	3i.		M.	
	Liq.	Use as a liniment				
	17265	℞				
		Mur. Morphia	gr. ii ℔.			
		Potassii Iodidi	gr. ccxx	℔ ⅆ	K.	
		Sodium Salicylate	3iv	ss		
		Tr. Hyoscyamus	M. cxx		H. C. Coffin	
		Syr. Sarsaparilla q.s.	3iv		M.	
	Liq.	Take a teaspoonful in water every 4 hours				

Nov. 26th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17266	℞ Boracic Acid. ʒi Aq: Mouth pipe. ʒi ℔x Spir. Frumenti (Bourbon Whis) ʒv Glycerine Puna ʒiii ℔ii.				Killeen
	ℚ.	For the Ears				
	17267	℞ Aqua Lemma Sulph Acid Sulph Dil gtt Sig Teaspoonful every 6 hours.	℥iv grs XXXX		Marsh ℔x	
	17268	℞ Tr Digitalis Tr Nucis Vomica Tr Cinchona Comp gs Sig Take a teaspoonful diluted b i d.	℥i ℥ii ℥ii	℔x ℔x	Kile A. Lawrence	
	17270	℞ Tr. Aconit. m. xvi Tr. Hyoscyamus m. xxiii Coca Cordial. q.s. ʒii Sig. a teaspoonful diluted every hour			Wm McEwen	
	17269	℞ Sol. Hyd. Chl. Cocaine 4% ʒi Listerine q.s ʒii Sig. Use diluted as a wash for mouth			"	"
	~~17270~~	℞				

OVER

Nov. 27 dy 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17271	℞				
		Morph Sulph	gr 1/20		Keib	
		Lenimia Sulph	gr ii		Mrs Le Lätte	
		Salol	gr iv		HHX	
		Ext Nucis Vomica	gr 1/4			
		Ext Hyoscyamus	gr 3/4			
		M ft in sig capsule				
		ft c capsule No XX				
		Sig Take one capsule every 3 hours				
	17272	℞				
		Bromid. Potass.	3ii	10	K.	
		Bromid. Soda	3i			
		Bromid. Ammon.	3i		Mrs. I. L. Coffey	
		Tr. Gelsemium	M. LXX.			
		Aquae q.s.	3ii		HH.	
		Sig. Take a teaspoonful in water every two hours				
		tic relieved				
	17273	℞				
		Bismuth Sub Nit	gr XXX		Keib	
		Chloroformis	m VIII		Mrs Ko	
		Fr Zingib	ʒss			
		Coca Cordial	ʒss			
		M.				
		Sig Take a teaspoonful each hour	ʒi			
	17274	℞				
		Fr Euphrasia	ʒi		Keib	
		Sig Take 5 drops in water every 3 hours.			Albanan	

HH

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17275	℞				
		Fr Aconiti	m viii		Kiely	
		Fr Belladonna	m xxiv		W. Burgess	
		Fr Emphraria	m l xxx			
		℞ Coca Cordial	q.s ℥i			
		Sig Take a teaspoonful each hour.				
	17276	℞				
		Myrrh Pills	No x		Marsh	
		Sig Take one at bed time				
	17277	℞				
		Fr Myrrh	℥ii		Kiely	
		℞ Leiterink	q.s ad ℥ii		C. Murray	
		Sig use a teaspoonful diluted 3 to 4 times daily				
	17278	℞				
		Stokes Liniment	℥vi		Marsh	
		Sig use as directed				
	17279	℞				
		Ol Ext Convallaria	℥i		Kiely	
		Fr Nux Vomica	℥iv		Mrs Hammond	
		℞ Fr Cinchon Comp	q.s ad ℥iv			
		Sig Take a teaspoonful in water after each meal.		4 times		
	17280	℞				
		Hydrobrom.	gr i/12		Kiely	
		Salol	gr iii			
		Sig et repetatur in capsule			Mrs McEwen	
		repetatur capsule No X				
		Sig Take one capsule every 2 hours.				

Nov 29/89

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17281	℞ Mur. Ammonia	gr XXX		Kelly	
		Fr Myrrh	℥ ii		McEwen	
		℞ Aquae	q.s ad ℥ iii			
		Sig use diluted as a wash for nose & mouth.				
	17282	℞ Acidum Gallicum	gr vi		Kelly	
		Ext Chiii	gr ¼		Laurium	
		Ext Belladonna	gr ¼			
		Oleum Theobrom q.s				
		M et ft in sing suppository				
		ft suppository	No vi			
		Sig use one every 12 hours.				
	17283	℞ Bromid Potassa	℥ ii		Kelly	
		" Sodae				Wood
		" Ammonia aa	℥ i			
		℞ Aquae q.s ad	℥ ii			
		Sig Take a teaspoonful in water every 4 hours.				
	17284	℞ Ext Convallaria	℥ i		Kelly	
		Fr Nux Vomica	℥ i ss			
		℞ Tr Cinchonia Comp	q.s ad ℥ iv			Kerr
		Sig Take a teaspoonful in water every 4 hours.				
	17285	℞ Lini Farina	lb i		Kelly	"
		Sig Flaxseed Meal				

Nov 30/89

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17286	℞ Morphia Sulph. gr ¾ Chloroformi m XVI Syr. Scillae ℥ ii Succi Limon. Virid. ää q.s. ℥ ii Sig. Take a teaspoonful in water every 3 hours.			Keile Mooney XX	
	17287	℞ Morph. Acetas gr i Fl. Ext. Coca m CLX Tr. Ferri Chlor. q.s. ℥ ii Sig. Take a teaspoonful in water twice daily			Keile XX Capt W. Baptie	
	17288	℞ Syr. Zingiber ℥ ii Sub. nit. Bismuth ~~℥ iii~~ ℥ ii S. Take a teaspoonful for a dose			XX	
	17289	℞ Tr. Nucis ℥ ii D. ℥ i in water every three hours			XX	
	17290	℞ Fld. Ext. Cinchona ℥ i Tr. Nucis Vomic. ℥ iv Tr. Ferri Chlorid. ℥ iii Syrupus Simp. Aquam ää q.s. ℥ iv D. ℥ i T. i. d. after meals			K.	

Dec. 2 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17291	℞ Fld. Ext. Convallaria	℥i	50	K.	
		Tr. Nucis Vomicae	℥iv			
		Tr. Gentianae Comp. qs.	℥iv	50		Mrs Wood
	Dig.	Take a tea spoonful in water after each meal				
	17292	℞ Morph. Sulph. Gr. 1/20		40		
		Lucinae Hydrobromas Gr. ii			K.	
		Sodae Gr. iv		10		
		℞ repetto sing. capsulae			Mrs Wolcy	
		repetto capsulas No. x.				
	17293	℞ Acidum Tannicum Gr. lxxx				
		Argenti Nitras. Gr. i		40	K.	
		Syrupus Simplicis q.s.	℥i	10	Anderson Town	
	Dig.	Take a teaspoonful in water every 2 hours				
	17294	℞ Stokes Liniment	℥v		Marsh	
		Use as directed	℥v	00		
	17295	℞ Syr. Ipecac	℥i ℈.			
		Syr. Tolu	℥i ℈.			
		Syr. Squills	℥ii	00		
		Tinct. Lobelia	℥ii			"
	D.	Take a teaspoonful every three hours				
	17296	℞ Elix. Cinch. Iron & Strych.	℥i	50		"
		℈. ℥i every six hours				

Dec. 2 – 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17297	R Stokes Liniment ℥ss M. Dij. Use as directed				
	17298	R Quin Sulph. gr. i ss. Dalol gr. iii Ft Kapsella sig. Capsule No. viii S. Take one capsule every hour				
	17299	R Bromide Potass. gr. vi Bromide Soda gr. ii Bromide Ammon. gr. ii Ft. Kapsella sig. capsule No. xii Dij. Take one capsule every one or two hours			Mrs. R. McClellan	
	17300	R Elix. Iron Cinch. & Strych. ℥iv				
	17301	R Ft. Galsumciii ℥ss M ft. Quinina Sulph. gr. i p. Dalol gr. iii Pulvis Capsici gr. p. Pulv. Zingiberis gr. ii M. Ft. ft. in sig. Capsule ft. Capsule No. xii Dij. Take one capsule every two hours			Mrs. H. Morray	

— Dec. 3d 1889 —

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17302	℞ Ef. Citrate Lithia Bot. 1			K.	
	Sig.	Take a teaspoonful in a half glass of water 4 to six times daily			Mrs A L Mary	
	17303	℞ Elix. Lactopeptine ℥iv				
	Sig.	Submit Bismuth ℥iii Take a teaspoonful every Six hours			Dr Mark	
	17304	℞ Fr. Digitalis ℥ii ss. Fr. Nucis Vomicae ℥iv Fr. Ferri Chlor. ℥iii Elix. Ferri et Gent. Q.S. ℥iv M ℥i in water after Each meal			K. I. E. Cpp	
	17305	℞ Elix. Valerian. Ammon. ℥i Bromid. Potass. ℥iv M.				
	Sig.	℥ii in water every three hours until relieved				
	17306	℞ Sul. Zinciae gr. iv. Syr. Liquoricae ℥iv M.				
	S.	Take a teaspoonful every six hours				
	17307	℞ Syrup Liquorice ℥iv Sulph Zinciae grs XXXX			Mark	
	Sig	Take a teaspoonful every 4 hours.				

DEC. 4th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17308	℞				
		Morph. Acetas gr. ss.				
		Bromide Potass.	℥i			
		Bromide Soda	℥i.	10	K.	
		Bromide Ammon.	℥i.			
		Aquam q.s.	℥i.	℔.		
	D.	Take a teaspoonful in water every 2 hours till relieved				
	17309	℞				
		Morph. Acetas gr. ii				
		Tinctur Sulph.	℥i	1.x=		
		Calol	℥iii		K.	
		Ol. Gaultheriæ	℥i.			
		Ol. Nucis Vomicæ	℥iv			
		Syrupus Aquæ āā q.s.	℥iv	℔.		
	D.	Take a teaspoonful in water Every 4 hours				
	17310	℞ Globes Liniment	℥vi		Marsh	
		Sig use as directed			HN	
	17311	℞ Elix Cinch Orop & Strych	℥iv		Marsh	
		Sig Take a teaspoonful in a teaspoonful of water 3 times a day after meals.			HN brought.	
	17312	℞ Elix Cinch Iron & Strychnia	℥iv		Pitman	
		Sig a teaspoonful 3 times a day.			HN	

Dec 6/89

E. L. Freeman & Son

DATE.	No. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17313	℞ Syrup Tolu			Mearsh	
		" Scilla				
		" Ipecac āā	℥i		NX	
		Fluid Lobelia	℥ss			
		" Spii	℥ii			
		Sig Take a Teaspoonful every 2 or 3 hours.				
	17314	℞ Liq Ferri Persulph	℥i	HX	Mearsh	
		Glycerine āā	℥i			
		Sig use as directed				
	17315	℞ Sum Tinct Nucis Vomicae Fl.	gtt XL			
		Sig: Use as directed				
	17316	℞ Sulph Quinia	gr XX		Mearsh	
		Syrup Lycorice	℥ii	HO		
		Sig Take a Teaspoonful				
	17317	℞ Fld. Ext. Ergot	℥ii ß.		Mrs.	
		" Hydrastis	M. CCC XX	50	Judge Dyer	
		" Hyoscyamus	℥iii			
		Liquified Hydrangea	ß. ℥iv	HH.		
		Sig. Take a teaspoonful in water every four hours				
	17318	℞ Fl Ext Ergot	℥ii	HX	Mearsh	
		Sig use as directed	℥ii			

Dec. 9th 1889

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17319	℞ Antipyrin gr. v.				
		ft. Chart. No. I		10		
		ft. Chart. No. IV			Dr. J. Bunn	
		D. and at bedtime in water				
	17320	℞ Hyd. Chlorid. Corros.		.005		
		Aq. dest. 2 ℥ ij		.10		
		Zinc Sulph.		.35		
		ft. Eye Water				
	17321	℞ Sodii Borat	gr XII	.10		
		Aq. Dest	℥ VI			
		Aq. Camphor	℥ II			
		Morph Sulph	gr ss			
		Sig Lotion for eyes.				
	17322	℞ Liquiar Hydrobrom. gr. II				
		Ext. Digitalis gr. 1/6				
		Extri Capsici gr. ss.				
		Bromid. Potassii gr. VI				
		ft. capsello sig. capsule.				
		capsello capsules No. XVI				
		Sig Take one capsule every four hours				
	17323	℞ Morph Sulph	gr 1/4		Kil-	
		Quinia Sulph	gr ij	.10		
		Salol	gr IX			
		ft. capsello sig. capsule capsello No XVI				
		Sig Take one capsule every 3 hours.				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17324	℞ Lithiated Hydrangea	Bot 1/2		Reid	
		Sig Take a teaspoonful in water at 8 a.m. 12 m 4 P.M. & 8 P.M.		1.X2		Lelele
	17325	℞ Marsh Pills No X		1X	Marsh	
		Sig 2 every night.				
	17326	℞ Bismuth Subnit	℥iv		Marsh	
		Elix Lactopeptin	℥iv	2X		
		Sig Teaspoonful every 6 hours.				
	17327	℞ Elix. Calisaya	℥i	Bt.		
		Aquae Purae	℥i			
		Sig. Tablespoonful 3 times a day				
	17328	℞ Elix Cinch Iron & Strychnia	℥iv		Marsh	
		Sig Take a teaspoonful every 6 hours with a teaspoonful of water after each meal.				
	17329	℞ Antipyrin	gr V		Reid	
		Caffein Sing Chart ft Chart	No X			Defriez
		Sig Take one every 3 hours. till relieved		At		

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17330	℞ Pyrodull Salts	Bott i		Keith	
		Sig Take a teaspoonful in water night & morning			SA	
	17331	℞ Fleur Morphia	gr 1/4		Keith	
		Bromid Sodae	℥ i			
		Coca Cordial				
		℞ Aquae ää q.s.	℥ i			
		Sig Take a teaspoonful				
	17332	℞ Syr. Sarsaparilla Co.	℥ iv		Pitman	
		Fld. Ext. Stillingia	℥ i.	℔x		
		Iod. Potassa	gr. xij.			
		Syr. Prunii Virg.	℥ i	℔x		
		Aquae	℥ i			
		Sig. 1/3 teaspoonful three times a day				
	17333	℞ Stokes Liniment	℥ iv	℔x	Marsh	
		Sig use as directed				
	17334	℞ Lenimia Hydrobrom	gr i		Keith	
		Antipyrin	gr v		McEwen	
		Ecst Digitalis	gr 1/8	℔x		
		℞ et repello sig capsule				
		repello capsules	No v			
		Sig Take one capsule each hour.				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17335	℞ Fr. Digitalis M. ℥			K.	
		Acid. Hydrochloric dil. ℥j				
		Fr. Nucis Vomicae ℥ß				Capt. Carey
		Fr. Zingiberis ℥j				
		Aquae q.s. ℥ij				
		Sig. Dose ½ repeat in 2 hours				
	17336	℞ Ext. Digitalis gr. 1/12				
		Antipyrin gr. v				
		Tinctur Hydrobromas gr. i				
		Ext. Nucis Vomicae gr. ⅛				Miss McGinn
		Et 1 pulv. in capsule				
		pulv. capsule No. xii			K.	
		Sig. Take one capsule every two hours				
	17337	℞ Fld. Ext. Convallaria ℥j				
		Fr. Nucis Vomica ℥j ß.				
		Fr. Ferri Chloridi ℥iii				
		Elix Gentian et Ferri q.s. ℥viii				
		Sig. Take a teaspoonful in water after three meals daily				
	17338	℞ Hyd. Chlo. Mite gr. ii				Kirk
		Sodii Lactis gr. ix				
		Mix thoroughly & chart ft chartae No. ii				
		Sig Take one powder at night.				
	17339	℞ Pot. Iod. Potass. ℥j ß.				
		Simp. Syrup ℥j				
		Aquae ℥ij				
		S. a teaspoonful 3 times a day				

Dec. 16

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17340	℞ Elix. Lactopeptine Bismuth & Strych.	℥iiii			
		Sig. Take as directed	℔x			
	17341	℞ Elix. Lactopeptine Bismuth & Strychnia	℥iii	℔x		
	17342	℞ Mur. Morph. gr. iii Fld. Ext. Ergot.	℥iii	℔	K.	
		Fr. Hydrastis	℥vi		Miss.	Little
		Liquated Hydrargyra q.s.	℥iv	℔t.		
		Sig. Take a teaspoonful in water three times daily				
	17343	℞ Pil Salol	gr v	No xii	Keli	
		Sig Take one pill every 3 hours.		℔	Leary	
	17344	℞ Mur Morphia	gr ss		Keli	
		Bromid Ammonia	℥ii		Lost Leary	
		Fr Digitalis	m xlviii			
		Acid Mur Dil	℥vi	℔		
		Listerine	℥			
		Aquae ää q.s.	℥ii			
		Sig Take a tablespoonful in water every 3 hours.				
	17345	℞ Antipyrin	℥i			
		div. in pill No. xii (Compressed Wyeths)				
		Sig one every 4 hours until relieved, or until 4 have been taken		℔x		

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17346	℞				
		Bromid Ammonia	℥i.		Keil	
		Mur Morphia	gr. ii		M. Johnson	
		Fl Ext Convallaria	℥iv	SA		
		Fr Nucis Vomicae	℥iv			
		Fr Avenae Sativa	℥iv			
		Aquae q.s.	℥iv			
		Sig Take a teaspoonful in water at 8 A.M. 12 M. 4 P.M & 8 P.M.				
	17347	℞				
		Fr Nucis Vomicae	℥ss		Keil	
		Fr Cinchonia Comp q.s	℥ii		A. Langdon	
		Sig Take a teaspoonful in water after morning & evening meals.				
	17348	℞				
		Argenti Nitras	gr. xx		" " "	
		Aquae Dest	℥i			
		Sig apply over tonsils two to three times daily	℥i			
	17349	℞				
		Mur. Morph.	gr. ss			
		Bromide Potassii	℥ii	17	Keil	
		Fl. Ext. Ergot.	℥i			
		Aquae q.s.	℥i			
		Sig. Take a teaspoonful in water every two hours till relieved				
	17350	℞				
		Liq. Ferri Persulph			A. Clark	
		Glycerine aa	℥i			
		Sig Put a teaspoonful in a glass of water three times a day				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17351	℞ Sol. Trinitrin 1%	m XX		Keile	
		Tr Digitalis	m XVI		Mrs Johnson	
		Aquae q.s.	℥ ij		Whitbroyt.	
		Sig Take one teaspoonful every 2 hours.				
	17352	℞ Syr. Tolu	℥ ij			
		Glycerine	℥ ij		St. Nut Mark	
		Whiskey	℥ iv		DX	
		Sig. Take a teaspoonful every hour				
	17353	℞ Elix. Dactopeptine			Elect.	
		Bismuth Strychnia	℥ iv		St. Nut. DX	
		Sig. A teaspoonful after eating				
	17354	℞ Ext. Opii	gr. 1/4		Keile	
		Ext. Belladonnae	gr. 1/8			
		Theobromae q.s.	M.			
		ft. in sig. rectal suppository			Mrs. Codd	
		ft. suppository No. vi				
		Sig. Use one every 2 to 3 hours				
	17355	℞ Ef. Cit. Lithia Lat. ÷	℥ x			
		Sig. Take a teaspoonful in water several times daily				
	17356	℞ Cascara Sagrada Cordial	℥ ii ℥ x			
		Sig. Take 5 drops twice daily				

Dec. 22nd 1889

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17357	℞ Stokes Liniment	℥vi		Mauk	
		Sig use as directed				
	17358	℞ Zinci Sulph.	gr. xv.			
		Syr. Liquoris	℥iv			
		Q. Take a teaspoonful every six hours				
	17359	℞ Sol. Muc. Acaciae	℥ii			
		Chloral Hydrat.	gr. cclx			
		Zingiberis	℥iii			
		Aquae Menthi Pip. q.s.	℥vi			
		Sig. Dose: ℥ii Containing 12 gr. Chloral				
	17360	℞ Bromid Sodae	℥iv		Keil	
		Hyd. Chloral	℥ss		C. Mowry	
		Zingib	℥i			
		Aquae Menthi Pip				
		℞ Muc. Acaciae aa q.s.	℥ii			
		Sig Take a teaspoonful in water & repeat as necessary (3 doses)				
	17361	℞ Zinc. Sulph.	gr. cxx.			
		Tinct. Opii	℥ii.			
		Aquae	℥iv			
	17362	℞ Sol. Quinine	grs. xv.			
		Syr. Liquoris	℥iv			
		Sig. Take a teaspoonful every six hours				

Dec. 27th 1889

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17363	℞ Quinia e Hydrobrom. gr. ii Salol gr. iii Ext. Hyoscyamus gr. 1/8 M. M. Pepello sing. capsule No Pepello capsule No. viii Sig. Take one capsule every two hours			D. Shuck	
	17364	℞ Ext. Digitalis gr. 1/6 Quinia Sulph. gr. ii Ext. Nucis Vomicae gr. 1/8 M Camphorae gr. i M. D. Pepello sing. capsule Pepello capsule No. xvi Sig. Take one capsule every 3 hours			Hite	
	17365	℞ Ext. Cascara Sagrada Fluid ℥ii M. Sig. 5 to 15 drops in water 1 to 3 times daily for bowels				
	17366	℞ Bismuthi Sub Carb gr. xxx Tr Opii Camph ℥i Tr Zingib ℥i M. Aquae Menth Pip q.s. ℥i Sig Dose a teaspoonful in water every hour till relieved.			Reib D. Folger	
	17367	℞				

Ives

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17367	℞					
		Sodii Bromidi	gr xx		Keil	
		Ext Podophyllin	gr 1/4			
		Ext Belladonna	gr 1/4	++	Mc. Dunham	
		" Nucis Vomicae	gr 1/4			
		Aquae q.s. in sing pillulae	ft pillulae No	VIII		
	Sig	Take one pill at night.				
17368	℞					
		Tinctura Gelsemii	gtt ii		Keil	
		Salol	gr IV		" "	
		Ext Nucis Vomicae	gr 1/8		++	
		Pulvis Zingiber	gr ii			
		Aquae q.s. ut fiat capsula				
		Capsula	No	XVI		
	Sig	Take one capsule every 3 hours.				
17369	℞					
		Ext. Opii	gr. v.			
		Ext. Belladonnae	gr. v.			
		Ext. Ergot.	gr. x.			
		Mellis	℥j		++	
		M ut ft unguent				
17370	℞					
		Tr Aconiti	m VIII		Keil	
		" Belladonna	m XLVIII			
		" Euphrasia	℥ss			
		Coca Cordial	q.s.	℥ii		
	Sig	To cold in head.				
17371	℞					
		Sodii Iodidi Pot.		℥iii		
		Syr. Liquiritiae		℥iv		
	Sig.	Take a teaspoonful every six hours				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17372	℞ Tr. Euphrasia ℥ii Dij. Take 5 drops in water twice daily		1⁰⁰	K.	
	17373	℞ Mur. Ammon. gr. xvi Liquor Sulph. gr. viii Sol. Muc. Acaciae ℥x Aquam Mentae Pip. Coca Cordial āā ℥ii Dij. Take a teaspoonful in water four times daily			K.	
	17374	℞ Tinct Iodine Aquae Ammonia Collodion āā ℥ss Sig apply as directed		1⁰⁰		
	17375	℞ Elix Quinch Iron & Strych ℥ix Sig Take ~~one~~ a teaspoonful in water 3 times a day.			Marsh	
	17376	℞ Marsh Pills No x Sig Take one at night.		1⁰⁰	"	
	17377	℞ Syr. Tolu ℥ii Glycerine ℥ii Ess. Wintergreen ℥ii Sig. Use as directed				

Dec. 1889

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17378	℞				
		Quiniae Muriat.	gr. ℥ss.			
		Ammon. Muriat.	gr. iv.			
		Pulv. Ipecac.	gr. ss.	WA.		
		Et capsulo sing. capsulæ		⅀x		Bacon
		capsulo capsulæ No. xvi				
	Sig.	Take one capsule every 2 to 3 hours				
	17379	℞				
		Sul. Quiniæ	gr. L.			
		Syr. Limonis	℥ss	50		
	Sig.	Take a teaspoonful every six hours				
	17380	℞				
		Aloin	gr. 1/4	Double		
		Hyd. Chl. Mitè	gr. ii	1x		
		Ext. Nux. Vomica	gr. 1/8			
		" Belladonna	gr. 1/8	WA.		
		Et. in sing. capsulæ				Wentworth
		capsulo capsulæ No. iv				
	Sig.	Take one at night				
	17381	℞				
		Quinia Hydrobromas	gr. ½			Abbé & Co
		Salol	gr. ii			Keith
		Ext. Nucis Vomicæ	gr. 1/16			
		" Hyoscyamus	gr. 1/16			
		Et capsulo sing capsulæ				
		capsulo capsulæ No. viii				
	Sig	Take one capsule every 3 hours.				
	17382	℞				
		Elix. Lactopeptini	℥iv.			Hearth
		Sub. Nit. Bismuth	℥iii			
	Sig	Take a teaspoonful	℥iii	SN		
		every 6 hours.				

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17383	℞ Tablets Heyd Chlo Corrosive Bst i Sig use one tablet in 2 quarts of hot water twice daily		1X	Keiki Mrs Allen	
	17384	℞ Morphia Acid Nitro Mur Dil Fr Digitalis Fr Zingib ℞ Aquae Menth Pip q s Sig Take a teaspoonful every hour.	gr ½ ℥ i ℥ ½ ℥ ½ ℥ ii	XX	Keiki Coffman	
	17385	℞ Heyd Chloral Bromid Sodia Pulv Capsici Zingib ℞ et "repello 5ing capsule repello capsule No VI Sig Take one each hour.	gr X gr VI gr ½ gr i	XX	Keiki " "	
	17386	℞ Apiol Sig. Take 5 drops three times daily for 6 days	℥ ss	XX	K Marquette	
	17387	℞ Fld. Ext. Convallaria Acid. Mur. dil. Fr. Nucis Vomicae Elix. Gentian et Ferri q.s. Sig. Take a teasp. in water every four hours	℥ ii ℥ iv ℥ iv ℥ iv	XX	"	

Jan. 2 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17388	℞ Sp. Salts. Bat. ℈ Sig. Take a teaspoonful in half a glass of hot water night and morning				Margaretta
	17389	℞ Fld. Ext. Kola ℥iiii Tr. Digitalis ℥i Tr. Nucis Vomicae ℥iv Tr. Capsici M. ~~xxxii~~ Acid. Nitro Mur. dil. ℥v. Ess. Pancreatis q.s. ℥iv Sig. Take a teaspoonful in water every four hours				Capt. Cary
	17390	℞ Apiol ℥i ℔. Sig. Take five drops every four hours				
	17391	℞ Tr. Capsici M. ~~xxxii~~ Tr. Digitalis ℥i Tr. Nucis Vomicae ℥iv Acid. Nitro Mur. dil. ℥iv Tinct. Cinchonae Co. q.s. ℥iv Sig. Take a teaspoonful in water every four hours				
	17392	℞ Pepsin (Fairchilds) ℥i Po. Colocynth Co. gr. viii Ext. Nucis Vomicae gr. viii Po. Ipecac gr. iii Ft. in pil. No. xxx. Sig. One pill after meals				

Jan. 3d 1890

n & Son. Stationers, 3 Westminster St.

IENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
		17393	℞ Syr. Sarsae Co.	℥ii			
			Fld. Ext. Stillingia	℥i ℈.		Pitman	
			Pot. Potassa gr. x ℥.	℞			
			Syr. Rumi Vig.	℥i			
			Syr. Simp.	℥i	℈.		
			Sig. A teaspoonful three times a day				
		17394	℞ Morphia Sulph	gr 1/4		Keit	
			Ext Belladonna	gr 1/4		Capt Colisby	
			Ext Ergotae	gr ii		I.X.D.	
			Oleum Theobroma q.s.				
			Ft in sing rectal suppository				
			ft suppository No xii				
			Sig use as directed				
		17395	℞ Calcinae	℥iv		Mrs. Johnson	
			Sig Take a teaspoonful in water every four hours				
		17396	℞ Sodae Salicyl.	℥i.			
			Hyd. Chl. Corr.	gr i			
			Iodide Potassii	gr c To x			
			× Syr. Sarsaparilla q.s.	℥iv	℈.		
			Sig. Take a teaspoonful in water after each meal				
			× Aqua ℥i. water to dissolve Hyd. Chl. & Iodide				
		17397	℞ Pond. Ext. Conii (Fearce)	gr. ii	℈.		
			Ext. in sing. pill.				
			ft. pill. No xxx.				
			Sig. Take one pill after each meal				

Monday Jan. 6th 1890

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17398	℞ Fl Ext Pichii	℥i		Keith	
		Fr Hyoscyamus	℥ss		Cooper Clinic	
		Aquae q.s.	℥iv		SA	
		Sig Take a Teaspoonful in water every 4 hours.				
	17399	℞ Elix Cinchon Ferri et Strychnia	℥iv	DA	Pitman	
		Sig. Teaspoonful after eating				
	17400	℞ Morphia Acetas	gr 1/24		Keith	
		Bromid Potassa	gr vi			
		" Sodae			Mrs P. Winslow	
		" Ammonia āā	gr ℈iv	DX		
		Mitte repello sing capsules				
		repelled capsule No	xii			
		Sig Take one capsule every 2 to 3 hours when in pain				
	17401	℞ Quiniae Sulph.	gr. ii	DO	K.	
		Ext. Nucis Vomicae	gr. 1/3			
		Ferri Phosphide	gr. 1/8			
		Ferri Sulph. Exsiccat.	gr. iii	M.		
		Ft. ft. in sing. pill. ft. pil. No.	x.			
		Sig. Take one pill after each meal				
	17402	℞ Mucc Acaciae	℥ii		Pitman	
		Cyanide Potassa	gr i	DX		
		Morph Sulph	gr ss			
		Syr Prunni Virg	℥i		Sig a teaspoonful	
		Aquae āā	℥i		3 or 4 times in the 24 hours.	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17403	℞ Iyndal Salts 8oz. i Dij. Take a teasponful in a glass of water before breakfast		50		
	17404	℞ Bromid. Potass. gr. viii " Soda gr. iii " Ammonia gr. iii M. Ft. capsules sig cells Calendula No. Tox. Dij. Take one capsule after three meals daily		50		
	17405	℞ Tonic Pill Quinia Sulph. gr. ii Ext. Nux Vomica gr ½ Zinc Phosphide gr. ¼ Ferri Reducti gr. iii M. Ft. in pil. No. i Ft. pil. No. Tox. Dij. Take one after each meal				
	17406	℞ Sol. Quinine grs. Ts. Syr. Digenice ℥iv Sig. Take a teasponful every four hours		50	Marsh	
	17407	℞ Elix. Calisaya Iron & Strychnia ℥iv Sig a teaspoonful 3 times a day.		☒x	Pilman	

Jan 7th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17408	Rx Elix. Lactopeptine Bism with Strychnia	℥iv	0+	Pitman	
		Sig. A teaspoonful before or after eating				
	17409	Rx Stokes Liniment	℥v.	40	Mack	
		Sig Use as directed				
	17410	Rx Lenimia Sulph	gr ii		Keith	
		Ext Nucis Vomicae	gr 1/4		Meggs	
		Aloin	gr 1/8		40	
		Mft repello ring capsule				
		repello capsule No	XVI			
		Sig Take one capsule every 4 hours				
	17411	Rx Lotio Nigra	℥iv		Keith	
		Sig. Use to Bathe Lands		80		
	17412	Rx Pill Tabulae			Keith	
		Special Formula No C. IX				
		Sig. Take one pill after each meal				
	17413	Rx Mur. Morph.	gr. ii			
		Hyd. Chlor. Corrosiv	gr. ii.	40		
		Aquae	q.s.	℥iv		
		Sig. Use a teaspoonful in 2 ~~quarts~~ glass of water 4 times daily				

Jan 9th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1741	℞ Ext. Digitalis gr. ½..4 Bromid. Potassii gr. vii Bromid. Sodae gr. iv Bromid. Ammoniae gr. iv M. ft. pulvis sing. capsula pulvis capsula No. xvi Sig. Take one capsule every two hours till relieved	℔x		Miss. Johnson	
	1745	℞ Tr. Aconite Tr. Opii Alcoholis Aquae āā q.s.	℥ß ℥i ℥iv	B.B.C. ℔x		
	1746	℞ Bromid Potassa " Sodae " Ammonia āā Fl. Ext. Ergot Fluid Extract Hydrangea āā Sig Take a teaspoonful in water every 3 hours till relieved.	℥ii ℥i ℥i ℥ii	Keith Mer & Wm Allen ℔x Lott Lymph.		
	1747	℞ Mur. Morph. gr. ii Hyd. Chlor. Corrosiv. gr. iv Listerine Aquae āā q.s. Sig. Use a teaspoonful in a syringeful of warm water 6 times daily	℥iv	℔x		

E. L. Freeman & Son. Station

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17418	℞ Sulph Zeynia gr. I-4 ℔ Syrup Lericis ℥iv Sig Take a teaspoonful every 4 hours.			Marsh	
	17419	℞ Sul. Quinina gr. I-4 ℔ Syrup Lericis ℥iv Sig Take a teaspoonful every 4 hours.			Marsh	
	17420	℞ Hyd Chlo Corros Tablets 1/24 i Sig Give one tablet in 2 quarts of hot water once daily			Keeb Capt Allen	
	17421	℞ Ext Cinch Gran x Strych ℥iv Sig Take a teaspoonful every 6 hours. in a teaspoonful of water			Marsh	
	17422	℞ Phenacetine Tablets gr. V No XII Sig Take one tablet every 2 & 3 hours.			Keeb Dr. H. Mowry	
	17423	℞ Sul. Morphia gr. I Pt. Powder No. ii Sig. Use as directed			Marsh	
	17424	℞ Marsh Pills No X				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17426	℞ Phenacetine gr V			Keile	
		in 4 sig chart ft chart to XII		.HX		
		Sig Take one powder every 2 to 3 hours.				
	17426	℞ Hyd Chloral gr CCCLX			Keile	
		Sodae Carbonas ℥i			A Laurens	
		Tr Zingib ℥ii		.SA		
		Glycerine ℥ss				
		℞ Aquae Cinnamoni q.s ad ℥vi				
		Sig each teaspoonful contains 7½ grs of Chloral. Dose two teaspoonful in water repeat every 2 to 4 hours if necessary.				
	17427	℞ Antipyrin gr XXX		##	Mearle.	
		ft Chart No VII				
		Sig Take one every 4 hours				
	17428	℞ Pulv Phenacitine gr. iii		□A		
		Salol gr. i ℥ss				
		ft sig. Chart ft. Chart No. XII				
		Sig. Take one powder every three hours				
	1729	℞ Aquae Camphor ℥i			Mearle	
		Sulph Morphia gr i				
		℞ Aquae ℥ii				
		Sig Take a teaspoonful for a dose				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17430	Rx Lotio Nigra	3vi			
		Sig. Use locally on Face				
	17431	Rx				
		Tr. Aconita M. xxx				
		Tr. Opii M. xxx				
		Tr. Cannabis Indicae M. xxx				
		Sig. Use 5 drops on Cotton in the ear				
	17432	Rx				
		Quiniae Murias gr. ½				
		Ammonia " gr. v.				
		Pulvis Ipecac. gr. ss.				
		M. repello sing. capsule				
		repello capsule No. xii				
		Sig. Take one capsule every 2 to 3 hours				
	17433	Rx				
		Morph. Acetas. gr. 1/16				
		Quiniae Hydrobromat gr. iii				
		M. repello sing. capsule				
		repello capsule No. viii				
		Sig. Take one capsule every 2 hours till head is relieved				
	17434	Rx				
		Fld. Ext. Cannabis Ind. M. xviii				
		Tr. Hyoscyamus ā ā f. ʒii				
		Glycerinae q.s. ad ʒiv				
		Sig. Take a teaspoonful 4 times daily				

Jan. 14th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17435	℞ Morphia Acetas gr 1/24 Lenina Hydrobromate gr i Ft et repelle sing capsule repelle capsules No VIII Sig Take a capsule evy 2 hours.			Kirk	A. Langdon
	17436	℞ Tr Gentian Comp ℥ii Celerinae gr xv ℥viii Sig Take 2 teaspoonfuls in water 3 times daily			Kirk 1 N Newcomb	
	17437	℞ Tr. Gentian Co. ℥ii Celerinae gr. xv. ℥viii				
	17438	℞ Morph. Acetas Gr. 1/6 Zinci Hydrobrom. Gr. ii Lobel Gr. iv. Ft repello sig capsule repello Capsule No. VIII Sig Take one capsule evy one or two hour till relieved.			Kirk Dr Shaw 1 N	
	17439	℞ Tablets Phenacetine Gr. V. Sig. Take one tablet No. X. every hour till relieved			1 N	
	17440	℞ Aquae ℥i Bromid. Potassa ℥ii Bromid Sodae ℥i Bromid. Ammonia ℥i Sig. Take a teaspoonful each hour till relieved			1 N	

Jan. 15th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17441	℞ Sul. Quinian grs. I Syrup Liquorica ℥iv. Sig. Take a teaspoonful every 3 hours			Marsh	
	17442	℞ Morphia Acetas gr 1/24 Quinia Hydrobrom gr xx Salol gr iii Et repello sing capsule repello capsule No viii Sig Take one capsules every hours.			Keiss	
	17443	℞ Muc Acaciae ℥ii Cyanide Potassa gr i Syr Pruni Virg ℥i Aquae āā ℥i Morph Sulph gr 1/2 Sig a teaspoonful 4 times a day			Pilman D. Burgess	
	17444	℞ Marsh Pills No X Sig Take 4 pills for a dose			Marsh	
	17445	℞ Morphia Acetas. gr. 1/24 Quinae Hydrobrom. gr. 1/2 ss. Salol gr. iii Et repello sing. capsule repello capsule No. viii Sig. Take one capsule every hour till relieved			McMack	

Jan. 15th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17446	℞ Extr. Nucis Vomica	gr 1/16		K.	
		Zinnia Hydrobrom	gr II			
		Bromid Sodæ	gr VI			Mrs A. Lennox
		Et. vapello sing. capsule			Sig. Take one capsule every hour till relieved	
		vapello capsule No. VIII				
	17447	℞ Morph. Sulph.	gr. 1/24		K.	
		Zinnia Sulph.	gr II			
		Salol	gr IV			
		Et. vapello sing. capsule				Meiggs
		vapello capsule No. XII				
		Sig. Take a capsule every 2 to 3 hours				
	17448	℞ Antipyrin	gr. XX		D.C. Brayton jr.	
		Ft. Pulv. No. IV				
		Sig. Take one every four hours in sick				
	17449	℞				
		Sulph Zinnia	grs XXX			Mauch
		Ft Chart No X				
		Sig Take one every 6 hours.				
	17450	℞ Antipyrin	grs. XX			Mauch
		Ft. Pulv. No VIII				
		Sig Take one every six hours				
	17451	℞ Sul. Quinine Pills No. XX.				Mauch
		Each gr. IV				
		Sig. Take one every six hours				
	17452	℞				

OVER

Jan-17th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17452	℞ Stokes Liniment Sig. Use as directed	℥vi	85		
	17453	℞ Stokes Liniment Sig use as directed	℥vi		HA	Mauk
	17454	℞ Stokes Liniment Sig use as directed	℥vi		HA	Mauk
	17455	℞ Ext. Hyoscyamus gr. 1/16 Quinae Sulph. gr. ii Salol gr. iv M. in sing. capsule M. capsule No. xii Sig. Take one every two to three hours				K.
	17456	℞ Quinae Sulph. gr. i Salol gr. iii repeat sing. capsule repeat capsule No. viii Sig. Take one capsule every 2 to 3 hours			Hr Mrs. K.	K.
	17457	℞ Boracic Acid. gr. x. Elix. Amantiae Aquae āā. q.s. ℥i Sig. To wash mouth				K. Baby
	17458	℞ Fowlers Solution ℥i Sig. Take 2 drops in water 3 times daily for 3 weeks in each mouth		dist. nx		K. Mark Brooks

Jan. 17th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17459	℞ Hyd chlo Cocaine Sol 4%	℥i		Keile	
		Aiget Meyrh	℥ii			le. Mc. Mercy
		℞ Loeiterine gr ½	℥ii		☐X	
		Sig me a teaspoonful diluted as a gargle.				
	17460	℞ Synodal Salol 12 gr	i		SA Keile	
		Sig Take ½ to one teaspoonful in half glass hot water as directed.			" " "	
	17461	℞ Quinia Sulph	gr ii		" " " "	
		℞ Antipyrin	gr v		SA	
		Sig repello 5ing capsule repello capsule No X				
		Sig Take one capsule every 2 to 3 hours.				
	17462	℞ Ext Digitalis	gr 1/12		Keile	
		Mur Morphia	gr 1/24		Mar Leittle	
		Ext Cannabis Indica	gr ii			
		Quinia Sulph	gr ii		☐X	
		Salol	gr iv			
		Sig repello 5ing capsule repello capsule No xii				
		Sig Take one capsule every 2 or 3 hours.				
	17463	℞ Morph Sulph	gr 1/16		Keile	
		Quinia Sulph	gr ii		le. Leittle	
		Ext Cannabis Indica	gr ii		☐X	
		Salol	gr iv		Sig Take one capsule every 2 to 3 hours.	
		Sig repello 5ing capsule repello capsules No xii				

Jan. 18th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17464	℞ Cantharidis Collodium	℥i		Keile	
		Sig use externally		1X	Margaret	
	17465	℞ Morph Sulph	gr xx		Keile	
		Chloroform	m viii			
		Syr Prunae	℥ii	1N		
		Syr Scillae				
		ℳ Ethy Aquae āā	℥ii			
		Sig Take half a teaspoonful in water every 3 hours				
	17466	℞ Sulph Quinia	gr l		Mack	
		ℳ Syrup Liquiricae	℥iv	SX		
		Sig Take a teaspoonful every 4 hours.		Lott Wright		
	17467	℞ Sulph Quinia pilfs āā gr ii				
		No X		1X		
		Sig Take one every 4 hours.				
	17468	℞ Phenacetine	gr. iv.			
		Salol	gr. iiii.	0X		
		ft. pt. in sig. chart. ft. Chart. No. xii				
		Sig. Take one powder every 3 hours				
	17469	℞ Sul. Quinine	grs. x to.			
		Syr. Licorice	℥iv	0 0	March	
		Sig. Take a teaspoonful every six hours				

Jan. 18th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17470	℞ Phenacetine gr V Salol gr iii Ext Cannabis Indica gr 1/4 M ft chartella sig capsule repetatur capsule No XII Sig Take one capsule every 3 hours.		SA	Keile R.B. Ho	
	17471	℞ Phenacetine gr. ii Sig. ft. in chart. ft. chart. No xii Sig. Take one powder each time				
	17472	℞ Quiniae Murias gr. ii Ammonia Murias gr. v. Ext. Hyoscyamus gr. 1/16 M ft. in chart. capsule ft. capsule No vi Sig. Take one every two hours				
	17473	℞ Tr. Aconite M. viii Tr. Belladonnae M xvi Coca Cordial q.s. ℥iv M ft For Cold				
	17474	℞ Tr. Aconite M. iv Elix. Amantii Aquae āā q.s. ℥i M ft. Sig. Take a teaspoonful every two hours			Albanac	
	17475	℞				

Jan 19 - 1890

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1475	℞ Sul. Quinias gr. I.				
		Syrup Liquoice ℥iv		5x		
		Sig. Take a teaspoonful every 4 hours				
	1476	℞ Elix. Cinch. Bon Ch Stychnia ℥iv		5x	Pitman	
		Sig. A teaspoonful three times a day.				
	1477	℞ Hyd. Chl. Corosive gr. f.				
		Pot. Iodid. ℥iv				White
		Sodae Salicyl. ℥ii		50		
		Syr. Sarsaparilla ℥iii				
		Aquae q.s. ℥iv				Mt.
		Sig. Take a teaspoonful in water night & morning after meals				
	1478	℞ Sul. Quiniae gr. xxx				
		Syr. Licoice ℥iv		5x		
		Sig. Take a teaspoonful every four hours				
	1479	℞ St. Jacobs Liniment ℥v		50		Marsh
		Sig. Use as directed				
	1480	℞ Morr. Morph. gr. f.		5x		
		Heydnat. Chloral gr. xxx				
		Tr. Capsici ℳ v.				
		Tr. Zingiberis ℥i				
		Coca Cordial ℥ii				
		Aquae q.s. ℥iv				

Sig. 1/2 teaspoonful every 2 hours till relieved

Jan. 21 — 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17481	℞ Tr. Buchu	℥ ii			
		Spts. Etheris Nit.	℥ iii			
		Tinct. Opii	℥ i			
		Aquam	℥ i			
		Sig. A teaspoonful 3 times a day				
	17482	℞ Phenacetine	gr iii		Kile	
		Salol	gr ii			L. F. Brooks.
		Mix & div in pulv chart No XII				
		Sig Take one powder every 4 hours.				
	17483	℞ Bis. ~~Subnit~~ Subcarb.	℥ ii			
		Chloroformis Purae	M xvi			
		Tr. Zingiberis	℥ ii			
		Coca Cordial q.s.	℥ ii			
		Sig. Take a teaspoonful in water each hour				
	17484	℞ Syr. Scillae	℥ i		Marsh	
		Glycerinae	℥ i			
		Syr. Ipecac	℥ i		Gifford	
		Syr. Tolu	℥ i			
		Tinct. Lobelia	℥ iii			
		Sig. Take a teaspoonful every three or four hours				
	17485	℞ Tr. Digitalis	℥ ii			
		Tr. Cinchonae Comp. q.s.	℥ iv			
		Sig. Take a teaspoonful in water after each meal				

January Twenty-first 1890

E. L. Freeman & Son, Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17486	℞ Sulph Quinia gr. X Syrup Licorice ℥iv Sig Take a teaspoonful every 4 hours.		50	Mark bottle brought	
	17487	℞ Spir. Aeth. Comp. ℥i Sig: Half a teaspoonful in a wineglass of water as directed	℥iv	50	Shark	
	17488	℞ Sulph. Quinine grs. iv Syr. Licorice ℥i ℥iv Sig. Take a teaspoonful every four hours		75	Shark.	
	17489	℞ Quiniae Sulph. gr. iii Ammon. Muriat gr. xx M. et ft. capsulae No. vi Sig. Take one three times a day		10	Shark. Mrs. C. M. Crocker	
	17490	℞ Sul. Quinine grs. iv. Syr. Licorice ℥i ℥iv Sig. Take a teaspoonful every four hours		50	Shark	
	17491	℞ Sulfonal gr. X M. et ft in sing chart for chart No. VIII Sig Take one powder every 2 to 3 hours.		60	Reid Mrs R. Allen	

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17492	℞ Quinina Sulph. gr. i M. Capsulas No. x.			Shaw	1 Kit
	17493	℞ Tr. Myrrh. ℥i Listerine " ℥i Elix. Aurantiq. q.s. ad ℥ii				
	17494	℞ Stokes Liniment ℥vi Sig. Use as directed				
	17495	℞ Antipyrina gr. v. Tablets No. x. Sig. Antipyrina gr. v.			K.	K.
	17496	℞ Tr. opii ℥ii			Shaw	
	17497	℞ Tr. Myrrh. ℥i Mist. Ammon. ℥i Listerine q.s. ad ℥ii Sig. Use a teaspoonful diluted as a wash for mouth & throat each hour				
	17498	℞ Hydrarg. Chlor. Corros. gr. ii Spir. Vini Rect. ℥i Tr. Cantharid. ℥ii Aquae Calog. ℥ii Aquae Font. q.s. ℥viii			Shaw as directed	

Jan 22. '90

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17499	℞ Sul. Quinia grs. I. Syr. Licorice ℥iv Sig. Take a teaspoonful every four hours		50		Marsh
	17500	℞ Antipyrin gr xxx ft in chart No vi Sig Take one every 3 hours.		1.00		Mearsh
	17501	℞ Stokes Liniment ℥vi Sig use as directed		1.00		Marsh
	17502	℞ Ext. Digitalis gr. 1/2 Quinia Sulph. gr. i Ammon. Muriat gr. iii M. et. mitte sing. capsule mitte capsules No xii Sig. Take one capsule every 2 hours		1.00		X
	17503	℞ Sul. Quiniae gr. i Syr. Licorice ℥iv Sig. Take a teaspoonful every four hours		50		Marsh
	17504	℞ Fr Aconite mxl Elix Aurantii Aquae āā qs ℥i Sig Take a teaspoonful evry 2 hours. For Fever		1.00		Mearsh

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17505	℞					
		Aqr Ipecac	m viii		Keile	
		" Scillae	m xxiv			Mowry
	℔	Elix Aurantii q s	℥i	18		
	Sig	a teaspoonful evy half hour till vomit. For Cresp.				
17506	℞					
		Pulv Zinc Oxide	℥ii			
	℔	Pulv Amyli	℥iii			half quantity
17507	℞					
		Stokes Liniment	℥vi		Marsh	
	Sig	use as directed		88		
17508	℞					
		Sulph Quinia	gr i.		Marsh	
	℔	Syrup Scillae	℥iv			strength.
	Sig	Take a teaspoonful evy 4 hours.				
17509	℞					
		Hour Morphia	gr iss		Keile	
		Fr Gelsemium	m i.		Hammond	
		Fr. Nucis Vomica	m clx			
	℔	Elix Aurantii q s	℥ii			strength.
	Sig	Take a teaspoonful in water evy hour till relieved.				
17510	℞					
		Quinia Sulph	gr xvi		Keile	
		Fr Aconite	m viii			
		" Belladonna	m xii			
		Acid Sulph Dil	m xv			
		Elix Aurantii				
	℔	Aquae ää q s	℥ii			

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17571	℞	Carcara Sagrada Cordial	℥i.		Kelso	
	Sig	Give 2 to 3 drops 3 times daily			℔ & Bro[illegible]	
17572	℞	Fl Extr Buckthorn	℥i		Mead	
	Sig	Take 3 drops in a tea-spoonful of water.			℔	
17573	℞	Stokes Liniment	℥vi		Mead	
	Sig	use as directed			℔ &	
17574	℞	Tr. Digitalis	℥i		Kelso	
17575	℞	Apomorphia	gr 4/10		"	
	℔	Agnae	℥i.			
	Sig	Apomorphia				
17576	℞	Mur Morphia	gr x		"	
		Syr Scillae				
	℔	Coca Cordial	gr	℥ii		
	Sig	For Cough				
17577	℞	Sol Chinibin	1/0	m xxxii	Kelso	
	℔	Agnae	gr	℥ii	A. A. Gardner	
	Sig	Take a teaspoonful every 4 hours.			℔ &	

[illegible]

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17518	℞ Antipyrin gm XXX Ft in chart No VI Sig Take one evy 3 hours.		.DX	Mark	
	17519	℞ Sul. Quinine Gr. I Syr. Liquorice ℥iv ℥ii Take attention until every four hours make Syr. Liquorice by mixing ℥ij Ext. Liquorice and ℥iv Simple Syr.				
	17520	Ext. Digitalis gr. 1/16 DX Quinine Sul. gr. ii Ammon. Muriat gr. vi Ft repello sing. capsule repello cap. No. XVI Sig Take one capsule every 2 hours				
	17521	℞ Quinia Sulph gr ii Phenacetin gr v Ft repello sing capsule repello capsule No XVI Sig Take one capsule evy 2 hours.		I.X3	Keile J. Leffin	
	17522	℞ Liquor Morphia gr ss Ft Ext Cannabis Ind ℥iss Syr Scillae Coca Cordial aa gs ad ℥iv Sig Cough.			Keile	
	17523	℞ Hearts Pills No X as directed Sig				

Jan 28-

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17524	℞ Sulph Quinia gr ¼			Marsh	
		Syrup Scillae	℥iv	50		
		Sig Take a teaspoonful every 4 hours.				
	17525	℞ Sulph Quinia gr ¼			Marsh	
		" Acid Dil gtts ½				
		Fiozt Gentian	℥i	50		
		Aquae	℥iii			
		Sig use as directed				
	17526	℞ Elix Lactopeptina	℥iv			
		Bismuthi Subnit.	℥iii		Bismuth.	
		Sig. Take a teaspoonful every six hours		50		
	17527	℞ Mur Morphia gr 1/16				
		Syr Scillae				
		Coca Cordial āā gr ℥ii				
	17528	℞ Sulph Quinia gr ¼			Marsh	
		Syrup Licorice	℥iv	50	Lost bottle	
		Sig Take a teaspoonful every 4 hours.				
	17529	℞ Stokes Liniment	℥vi		Marsh	
		Sig. Use as directed		50		

Will

Jan. 28th

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17530	℞ Ammon. Mur. Ch. Gr. 3/16 Chloroformis M. viii Syr. Scillae Coca Cordial ää q.s.	℥ii		Mrs. A.A. Gardner	
		Sig. Take a teaspoonful in water every 2 to 3 hours				
	17531	℞ Quinidae Murias gr. i Pulmactine gr. v. M. ft. in sing. chart. d. Chart. No. xii			Mrs. A.A. Gardner	
		Sig. Take one powder every 3 hours				
	17532	℞ Pot. Iodid. gr. iv Sodae Salicyl. gr. iv et vesp. ad sing. capsule vesp. ad capsule No. xii				
		Sig. Take one capsule 4 times daily			Margaret	
	17533	℞ Stokes Liniment Sig. use as directed	℥vi		Mark	
	17534	℞ Morph. Sulph. gr. 1/24 Quiniae Sulph. gr. ii Salol gr. v. et vesp. ad sing. capsule vesp. ad capsule No. xvi			M.A. Holden	
		Sig. Take one capsule every four hours				
	17535	℞ Pulmactine Tablets gr. v. No. xii Sig. Take one tablet every 4 hours			"	"

Jan 28th '90

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17536	℞ Antipyrin Grs. xxx.				
		Sig. ℞ Mucl. Acac. q.s. ft.		xx		
		Sig. Give one every 3 hours				
	17537	℞ Hyd Chlo Corros Tablets			Keb	
		B.M.P.		ox		
		Sig. Use one tablet in 2 quarts of hot water 115 ℉ twice daily.			Mrs Le. Gillette	
	17538	℞ Elix. Lactopeptine	℥iv		Marsh	
		Submit. Bismuth	℥iv	ox		
		Sig. Take a teaspoonful every six hours		ox		
	17539	℞ Stokes Liniment	℥vi		Marsh	
		Sig use as directed		xx		
	17540	℞ Sulph Zeminia grs	XXXX		Marsh	
		" Acid Dil	℥ss XXXX			
		Tinct Gentian	℥i	xx		
		℞ Aquae	℥viii			
		Sig Take a teaspoonful every 6 hours				
	17541	℞ Stokes Liniment	℥i		Marsh	
		Sig. Use as directed		ox		
	17542					

Jan. 29th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17542	℞ Sol Trinitrin 1%	℥iss		Kidd	
		Sig. Hyoscyamus	℥iii		A. A. Gardner	
		℞ Agnae q.s.	℥iv	XX		
		Sig Take a teaspoonful in water three times daily				
	17543	℞ Tr. aconite M. vi				
		Syr. althae		XX	K.	
		Elix. Amantii				
		Aquae āā q.s.	℥ii	XX		
		Sig. Take a teaspoonful in water every hour				
	17544	℞ Mur. Morph. gr. 1/16				
		Quinias Sulph. gr. iv			Junior Kidd	
		ft. capsulos. caps		XX		
		No. xvi				
		Sig. Take one capsule every 4 hours				
	17545	℞ Phenacetine Tablets gr. v.		ox	K. Fisher	
		No. xii				
		Sig. Take one tablet every 2 hours till relieved then every 4				
	17546	℞ Antikyrin gr. xx		xx		
		ft. Chart - No iv				
		Take one in a teaspoonful of water				
	17547	℞ Mach Pills No xx				
		Sig use as directed				

June 31st 1890

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17548	℞ Hyd. Chlorid Mite gr. vi ~~Sodae~~ Sacch. Lactis gr. iv in sing. chart. #. Ch aa Sig. Take at once			Nite	
	17549	℞ Acidum Gallici gr. vi Bismuth ~~Sub~~ Carb. gr. v. M. Et. ft. in sing. Chart. ft. Chart. No. viii Sig. Take one powder every hour		10	K.	
	17550	℞ Mur. Morph. gr. ~~x~~ 3/16 Tr. Hyoscyamus ℥ss. Tinct. Scillae Coca Cordial āāgs. ℥ss Sig. Take a teaspoonful every 2 to 3 hours diluted if desired			K. Capt. Grant	
	17551	℞ Listerine ℥i Tr. Myrrh. ℥i Aquae q.s. ℥iv Sig. Use as a wash for nose and mouth			K.	
	17552	℞ Antipyrine gr. xx ft. Chart. No iv Sig. Give one every hours in a teaspoonful of water				
	17553	℞				

Jan. 31st 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17553	℞ Ext. Opii gr. v. Ext. Hyoscyamus gr. v. Acidi Tannici gr. xx Ung. Zinci Oxid. q.s. ℥ii ft. et. Oft. in unguent. Sig. Use on hands			K.	
	17554	℞ Antipyrin grs xxx ft. in chart No. iv Sig Take one every 4 hours.			Marsh	
	17555	℞ Tinct. Gentian ℥ii Tinct. Buchu ℥ii ft. ℥ts. Lavender Comp. ℥i Sig Take a teaspoonful every six hours			Marsh	
	17556	℞ Stokes Liniment ℥v. Sig Use as directed			Marsh	
	17557	℞ Cinch. Iron & Strychnia Elixir ℥iv. Sig. Take a teaspoonful three times a day in a teaspoonful of water			Marsh	
	17558	℞ Tablets Phenacetine gr v No xii Sig Take one tablet every 2 hours.			Reid Mrs A.A. Gardner	

Feb 2/90 Jan Feb. 3rd 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17559	℞ Elix Cinch Iron & Strych Sig Take a teaspoonful every 6 hours in water		℥ij Ditto	Mauk	
	17560	℞ Elix Cinch Iron & Strych Sig Take a teaspoonful every 6 hours		℥ij Ditto	Mauk	
	17561	℞ Epsom Salts Bot. i Sig Take a small teaspoonful in a glass of hot water twice daily		50		
	17562	℞ Muriate Morph. gr. 1/16 Quinine Muriat gr. iii Salol gr. iii Ext. Nux Vomicae gr. 1/4 M. ft. in sig. capsule ft. Capsules No. xvi Sig. Take one capsule every 4 hours daily		1.00 Ditto 1/6		
	17563	℞ Fr. Aconite Fr. Euphorbia Elix. Amantis Aquae aa. q.s. ℥vii Sig Take a teaspoonful every 2 hours		Mviii ℥ij.		
	17564	℞				

Feb. 3rd 1893

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1754	Rx Ext. Digitalis gr. 1/16 Quiniae Murias gr. ½ Pulv. Ipecac. gr. ¼ Ammon. Murias. gr. iii M. et ft. caps. sig. capsule Sig. Take one capsule every hour				
	1755	Rx Antipyrin gr. xxxx M. et ft. Chart No. viii Sig. Give one every four hours Tablets dispensed per order of Physician	℔x		Mark	
	1756	Rx Stokes Liniment ℥vi Sig. Use as directed	℔		Mark	
	1757	Rx Tablets Phenacetine gr. v. No. xii Sig. Take one every two hours	℔x			
	1758	Rx Mur. Morph. gr. 1/16. Phenacetine gr. v. Ext. Nucis Vomicae gr. ¼ M. et ft. caps. sig. capsule Caps. capsule No. xvi Sig. Take one capsule every three hours	℔x		Mrs. Small	

OVER

Febry Third- Eighteen Ninety

E. J. Freeman & Son Stationers.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	17569	℞ Ergotin Pills No XX 2 grs. each Sig. Take one every four hours			H & Mash		
	17570	℞ Morph. Murias. gr. 1/16 Quinia Murias. gr. ii Ammona. Murias gr. v. Et. pepsin sing capsulae pepsin capsulae No. XII Sig. Take one capsule every two to three hours			R. McAllen		
	17571	℞ Ext Digitalis gr 1/12 Quinia Murias gr ii Ammon " gr 1/4 Ext rich sing capsule pepsin capsulae No XII Sig Take one every 2 hours.			Keib H & Mer Wood		
	17572	℞ Ext Nucis Vomica gr 1/4 Quinia Hydrobrom gr iii Ferri Redactum gr 1/4 Ext rich sing capsule pepsin capsulae No XVI Sig Take one capsule every 4 hours.			Keib S H R. B. Henry		
	17573	℞ Hydr Chlo Cocaine gr X Ung Petrolii ℥ ii Sig Cocain & Vaselin.			Keib H+		

Dr

Tuesday February Fourth Eighteen 90 –

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17574	℞ Sulph Quinia	grs Ii		Marsh	
		Syrup Liquirice	℥iv	.50		
		Sig Take a teaspoonful every 4 hours.				
	17575	℞ Sprudel Salts Bott i			Keile	
		Sig Take a teaspoonful in a glass of hot water before breakfast.		50	A.A. Gardner	
	17576	℞ Ext Digitalis	gr 1/12		Keile	
		Ferri Redactum	gr iv	1.00	" " "	
		M ext in sing pillulae ft pillulae No ix				
		Sig Take one after each meal.				
	17577	℞ Hyd Chlo Mite	gr vi		Keile	
		Sodae Bi carb	gr iv	10	Mrs Small	
		M ext in sing chart ft chart No iv				
		Sig Take one powder every 4 hours.				
	17578	℞ Phenacetine Tablets	gr v		Keile	
		No xii		.60	Mrs Wood	
		Sig Take one tablet every 2 hours.				
	17579	℞ Antipyrine	gr. ~~xxx~~	(gr. xxx)		
		M chart. No. vi		40		
		Sig. Take one every four hours				
	17580	℞ Liniment 136 Fl.	℥ii			

E. L. Freeman & Son Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
17581	℞	Sulph Quinia	gr. I.		March		
	℞	Syrup Liquorice	℥iv	8☒			
	Sig	Take a teaspoonful every 6 hours.					
17582	℞	Acetate Morphia	5/70 gr. xx		K.		
		Ext. Hyoscyamus	℥ss				
		Ext. Cannabis Ind.	℥ii	1.8	Miss C. Little		
		Emp. Picis cum Cantharidis q.s.					
	ft.	plaster spread on kid 8 x 6½ inches					
17583	℞	Stokes Liniment	℥vii		March		
	Sig	use as directed		☒☒			
17584	℞	Antipyrine gr. xv.		☒☒	March		
	ft. Chart. No. viii						
	Sig.	Take a powder every four hours in water					
17585	℞	Elix. Lactopeptine	℥iv	☒☒			
		Sub Nit. Bismuthi	℥iii	p.			
	Sig.	Take a teaspoonful every six hours after meals					
17586	℞	Stokes Liniment	℥vi	1.8			
	Sig.	Use as directed					

Feb. 6th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17587	℞ Ext. Nucis Vomicae gr. 1/8 Antipyrine gr. v. Et. vspello sing. cap. sule vspello capsule No. xii Sig: Take one capsule every 2 hours			K.	
	17588	℞ Ext. Digitalis gr. 1/6 Morph. Sulph. gr. 1/24 Quinia Hydrobrom. gr. ii Ammon. Muriat. gr. vi Et vspello sing. capsule vspello capsule No xvi Sig. Take one capsule every 2½ hours				
	17589	℞ Stokes Liniment ℥vi Sig use as directed		℔ viii	Marsh	
	17590	℞ Sig Ferri Persulph ℥ss ℔ Glycerine aa ℥i Sig use as directed		℔ x	Marsh	
	17591	℞ Syr. Tolu ℥i Syr. Scillae ℥i Tr. Capsici gtts. v.		℔ viii	B. & R.	
	17592	℞ Quinia Hydrobrom gr. i Phenacetin gr. iii Extr. Nucis Vomica gr. 1/16 ℔ et vspello sing capsule vspello capsule No. xxi Sig Take one capsule each hour.		℔ ix	Kidd	Sept 29

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17593		℞				
		Fr Aconiti	m iii		Keator	
		Fr Spii Camph	m xl			Baby
		Elix Aurantii	℥iii			
		Aquae q.s	℥i			
		Sig Take a teaspoonful every hour till relieved.				
17594		℞				
		Fr Spii Acid	m x		Keator	"
		Glycerini Pura	℥iv			
		Sig Use to rub on gums.				
17595		℞				
		Sub Nit Bismuthi	℥iv		Mack	
		Elix Peptonum	℥i	08		
		Sig Teaspoonful after meals.	iv			
17596		℞				
		Syr. Scillae	℥i		Mack	
		Syr. Ipecac.	℥i	08		
		Syr Tolu	℥i			
		Tinct. Lobelia	℥ii			
		Sig. Take a teaspoonful every hour				
17597		℞				
		Hyd. Chlorid Gr. xl.				
		Bromid. Ammon.	℥ii			
		Fr. Zingiberis	℥i			
		Fr. Spii Camph.	℥ii		Mr. Roberts	
		Coca Cordial				
		Elix Aurantii q.s. ad	℥i			
		Sig. Take two teaspoonfuls in water every hour till 6 P.M.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17598	℞				
		Sulph Quinia	gr ℥		Mack	
		Syrup Liquorice	℥i ℥iv	8A		
		Sig Take a teaspoonful every 4 hours.				
	17599	℞				
		Morph Sulph	gr 1/4		Keli	
		Bismuth Sub Nit	℥i.		Capt Carey	
		Chloroformis	m xvi			
		Sig Single	℥ss	HB		
		Coca Cordial				
		Aquae ää gss	℥ii			
		Sig Teaspoonful every half hour.				
	17600	℞				
		Pulv. Lobelia	℥i			
		Pulv. Sanguinaria	℥ii		Chem	
		Syrup Liquoris Pectoral	℥iii			
		Pond ~~Syrup~~ Ipecac	℥i	HB		
		Pulv. Capsicici	℥i	HA.		
		Sig Use as directed				
	17601	℞				
		Morph Sulph	gr ss		Keli	
		Antipyrin	gr xii		A.A. Gardner	
		Quinia Hydrobrom	gr xvi	HN		
		Water in capsules No	xvi			
		Sig One every half hour till relieved				
	17602	℞			Keli	
		Morphia Sulphia	gr 1/4		Capt Carey	
		Bismuth Sub Nit	℥i.	☐+		
		Chloroformis	m xvi		Sig Take 2 teaspoonfuls every half hour till relieved.	
		Elix Lactopeptini				
		Coca Cordial	ää gss	℥ii		

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17603	℞	Meur Morphia	gr 1/4		Keith	
		Ext Belladonna	gr 1/8		Capt Day	
		Oleum Theobrom	q.s.	ℍ		
		Mft in sig rectal suppository				
		ft suppository No VI				
		Sig Use one every 2 hours.				
17604	℞	Elix Lactopeptinum Strychnia & Bismuth	℥ iv	ℍ X byth brought.	Marsh	
		Sig Take a teaspoonful every 6 hours in a teaspoonful of water				
17605	℞	Ext Nucis Vomicae	gr 1/16		Keith	
No 3 capsules		Zinnia Hydrobrom	gr i	ℍX	Hodges	
		Phenacetini	grs iii	A+		
		Mft repello sing cap rep capsules	No XVI			
		Sig Take one capsule each hour.				
17606	℞	Pill Zinnia ää	gr 3			
			No X	ℍX		
		Sig Take one every 4 hours				
17607	℞	Zinnia Hydrobrom	gr i ss		Keith	
		Bromid Ammonia	gr X	ℍ	A.A. Gardner	
		Mft rep sing capsule repello capsule	No XII			
		Sig Take one capsule every 2 hours.				

Ovr

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17608	℞	Ext. Nucis Vomica	gr 1/16		Keile	
		Zinzinia Sterias	gr ij ss			Roberts
		Phenacetin	gr V		SN	
		Mek resp sing cap repille	capsule	to	xii	
		Sig Take one capsule every 2 hours.				
17609	℞	Hyd. Chlor. Mite gr. iv			K.	
		Sacch. Lactis gr. ii				
		ft. sing. Chart.		10	Thos. Wood	
		ft. Chart. No. ii				
		Sig Take one powder at night.				
17610	℞	Sul. Quiniae gr. L.				
		Tinct. Licorice ʒiv				
		Sig: Take a teaspoonful every four hours				
17611	℞	Sulfonal	gr. xxx			
		ft. ft in sing Chart.			K.	
		ft. Chart. No. ii				
		Sig. Take one to induce sleep, repeat in an hour if necessary				
17612	℞	Sul. Quiniae Pills āā gr. iii No. xv.			Mark	
		Sig. Take one every 3ek hours				

Feb. 9th 1890 -

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	~~17612~~ 17613	℞ Pulv Zingib	gr xx	ox Keile		
		Mur Methylia	gr 1/16			
		Lenimia Hydrobrom	gr ½			
		Salol	gr iv	~~HA~~.		
		ut ft pulv sing. capsule				
		Sig. ~~ft pulv~~ capsule No. ~~vii~~				
		Take one capsule every 2 hours				
	17614	℞ Morph Sulph	gr i		Millican	
		Chloroformis	℥ xv	ox		
		℞ Syr Pruni Virg	℥ iv	~~HA~~ bought		
		Sig Teaspoonful 3 times a day				
	17615	℞ Phenacetine	gr. v. āā		Wite	
		Tablets	No. x.	~~HA~~	Miss. Chinery	
		Sig. Take one tablet every hour till relieved				
	17616	Syr. Ipecac	℥ i	oo	Mack	
		Syr. Scillae	℥ i			
		Syr. Tolu	℥ i	~~HA~~.		
		Sig. Take a teaspoonful every hour				
	17617	℞ Morph. Muriat	gr. ss.		K.	
		Bismuth Subnit.	℥ ii	ox	Mr. Lorel	
		Chloroformis	M. xvi			
		Elix. Lactopeptini	q.s. ℥ ii	~~HA~~		
		Sig. Take a teasporonful every 2 hours till relieved				

Feb. 10th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17618	℞ Fr. Digitalis	℥i	1.00		
		Fr. Nucis Vomic.	℥iv			
		✡✡✡ Hennessy	℥viii			
		Sig- Take a greatspoonful daily in water 3 to 4 times				
	17619	℞ Sulph Zeinia	gr xl		Marsh	
		" Acid Dil	℥ss			
		Aquae	℥iv			
		Sig Take a teaspoonful every 4 hours.				
	17620	℞ Antipyrin	gr xx		Marsh	
		ft in chart No IV				
		Sig Take one every 4 hours.				
	17621	℞ Acquili	m iv		Kahl	
		Fr Euphorbia	℥i-ss		Lawrence	
		Coca Cordial	℥ss			
		Sig Take a teaspoonful every 2 to 3 hours.				
	17622	℞ Digitalis	℥i		Kahl	
		Fr Nucis Vomica	℥ss		Mrs Wood	
		Fr Gentian Co				
		Ext Cadelyptine aa	gr ℥i-ss			
		Sig Take 2 teaspoonfuls in water every 4 hours.				

Feb. 11th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17623	℞ Sulph. Morphia	gr ii			Mearth
		ft. in chart No. iv				
		Sig. Put one in half a glass of water then take a teaspoonful every 3 hours.		1st		
	17624	℞ Liq. Bicarb. Sodae	ʒ iv			J. R. Bacon
		Liq. Alum	ʒ iv			
		Sig. Two teaspoonfuls to a pint of water - add to this one half a teaspoonful of -		1st		
		℞ - Tinct. Cinchonis Comp.				
	17625	℞ Elix. Calisaya Bark	ʒ vi			J. R. Bacon
		Elix. Cascara Sagrada	ʒ vi			
		Elix. Valerian. Ammon.	ʒ iv			
		Tr. Pulsatilla	ʒ i			
		Tr. Hyoscyamus	ʒ vi			
		Tr. Nucis Vomicae	gtt. xxx	1st		
		Bromid. Lithia	gr. xxx			
		Bromid. Soda	ʒ iv			
		Bisulph. Quinine	gr. xx			
		Sig. A teaspoonful before meals three times a day				
	17626	℞ Sulph. Zeminia	grs xxxx			Mearth
		Syrup Licoriae	ʒ iv			
		Sig Take a teaspoonful every 4 hours.		8d		

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17627	℞	Phenacetin Tablets āā gr V			Keller	
		No XII				Roberts
	Sig	Take one every 2 to 3 hours.				
17628	℞	Sulph Quinia gr XXXX			Marsh	
		Syr Scillae ℥iv				
	Sig	Take a teaspoonful every 6 hours.				
17629	℞	Bals Copaiba			Pilman	
		Sub Nit Bismuth āā ℥ss				
	Sig	Shake well & take 25 drops 3 times a day.				
17630	℞	Syrup Ginger	℥ii		Marsh	
		Sub Nit Bismuth	℥iii			
	Sig	Take a teaspoonful every 6 hours.				
17631	℞	Antipyrin gr XXX			Marsh	
		Ft in Chart No VI				
	Sig	Take a powder every 4 hours.				
17632	℞	Tab. Quinina Pills				
		āā gr. iii No. xii				
	Sig	Take one every four hours				

Feb 12 - '90

E. L. Freeman & Son, Stationers.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	17633	℞ Mur. Morph. gr. ¼ Elix. Amantii q.s. ℥ii ℔i.		##	Capt. C.		
		Sig. Take a teaspoonful at once and then as directed					
	17634	℞ Antipyrin āā gr V M ft X		##	Meark		
		Sig One every 4 hours.					
	17635	℞ Elix. Cerich. Iron & Strych.	℥iv		Meark		
		Sig Take a teaspoonful every 6 hours with a teaspoonful water.		##	H. Meyrick		
	17636	℞ Antipyrina grs. xxx in 5ss. Water		##			
		Sig Take one every six hours					
	17637	℞ Stokes Liniment	℥iii	##	Meark		
		Sig use as directed					
	17638	℞ Potassa Iodide gr ii Zenzia Hydrobrom gr ii Salol gr iv Pulv Zingib gr i			Keith Capt Lacy		
		M ft sig capsule rep capsule		ft	xii		
		Sig Take one capsule every 2 hours.					

Feb 13th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17639	℞ Leminia Pills āā gr iii No xii Sig Take one every 4 hours.		.0x	Marsh	
	17640	℞ Fld. Ext. Scales Squibbs ℥i Syr. Omni Frag. ℥i Fiat Haust ℥x. Sig. Dose = Dessertspoonful ~~three~~ times a day in water		1.10 .75		
	17641	℞ Sodae Boracis ℥i Put in Box		10		
	17642	℞ Sol. Leminae Pils No xx āā gr. iii Sig. Take one every four hours		00	Marsh	
	17643	℞ Stokes Liniment ℥vi Sig. Use as directed		80	Marsh	
	17644	℞ Lumaetine gr vi Leminia Hydrobrom gr iss Mebrep sig cap rep capsule No xvi Sig Take one capsule every 2 to 4 hours.		1.x= Mrs Wood	Kiili	
	17645	℞ Valentines Beef Expt Bott i Sig Take a teaspoonful in a teacup of hot water.		1x= Copeland	Kiili	

Feb. 15th 1890 -

E. L. Freeman & Son. Station

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17646	℞ Syrup Liquiriae	℥iv	50	Marsh	
		℞ Sulph Quinine	grs XXXX			
		Sig Take a teaspoonful every 4 hours.				
	17647	℞ Resorcin	gr xl		Keith	
		Menthol			le Leod	
		℞ Unguent Petrolati	ää gr ℥i		40	
		Sig Use as an ointment three times daily				
	17648	℞ Antipyrin	gr ii		Keith	
		℞ Quinini Sulph	gr i			
		in zinc capsule rep capsule No XII				
		Sig Take one every hour.				
	17649	℞ Resorcin	gr. xx			
		Mollin	℥iii			
		Petrolatum	℥i			
		Sig ft in unguent				
		Use twice daily as an ointment				
	17650	℞ Sol. Tinct Iodi 1% Mxxx.				
		Fr. Hyoscyamus	℥ii			
		Aquam q.s.	℥iv			
		Sig Take a teaspoonful in water every 3 to 4 hours daily				

Master Shop

do not renew

Feb. 15th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17651	℞ Mengt Citrini	℥ii	18		
	17652	℞ Infus. Spanish Sarsaparilla Rad. 3xvi Mask with 3ii Fld. Ext. Sarsa Aquae Bull. 3xvi				
	17653	℞ Pilocarpin Muriat gr i/2 Aquae ℥i/2 Sig Take a teaspoonful each ½ hour till sweating free.	9ss	XX	Keith	Capt Leary
	17654	℞ Sulfonal gr. Lx. Ft. in sing. Chart. No. ii Sig. Take one at night to make sleep		1.75		
	17655	℞ Sol. Quinine gr. L. Syr. Licorice ℥iv Sig. Take a teaspoonful every four hours		50		
	17656	℞ Ext Digitalis gr 1/24 Tannic Sulph gr xv Fleur Ammonia gr iv Make sup sing cap rep capsules No xii Sig Take one capsule each hour.		XX	Keith Mrs Woods	

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17657	℞				Hale	
		Lini Farina	lb i	1X	Mrs Woods	
17658	℞	Pot. Brom.	ʒ vss.		Bk Bk	
		Tinct. Digitalis	ʒ ii ℔.		DX	
		Infusi Cascarilla	ʒ iv		AA.	
		Take a teaspoonful three times a day				
		Make infus. Cascarilla with ʒ℔. Tinct. Cascarilla & ʒ iii ℔. water				
17659	℞					
		Mur. Morphia	gr 3/8		Hale	
		Ft Digitalis	ʒ i		Mrs Wood	
		Ft Nucis Vomica	ʒ iii			
		Ft Tinctura Ferri			HN	
		Elix Lactopeptine	ää gr xx	ʒ iv		
		Sig Take 2 teaspoonfuls in water every 4 hours.				
17660	℞					
		Sulph. Quinia	gr x		Marsh	
		Syr. Liquoricii	ʒ i			
		Sig Take a teaspoonful every 6 hours.	ʒ iv		SB	
17661	℞					
		Phenacetini Tablets	ää gr v		Hale	
		No X			BX Mrs Le. Myer	
		Sig Take one tablet every 2 hours				
17662	℞					
		Ft Spiri Camph.	ʒ ii		Hale	
		Syr Althea	ää ʒ i		" "	
		Sig Take a teaspoonful each hour.				
					Del. BX	

Stationers, 9 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17663	℞ Cubebs Buch Extract Bth	1 x		Hale	C. Myers
	17664	℞ Quinine Pills ää gr. iii No. xx Sig. Take one every four hours	8x		Mack	
	17665	℞ Ung. Hydrarg. 3i Ung. Cetrae Rosae 3i Sig.			HH	
	17666	℞ Mandrake Pills No. x. Sig. Take two for a dose				
	17667	℞ Mm. Morphia Gr. i 1/4 Fld. Ext. Pichii 3i Fr. Digitalis 3ii Fr. Hyoscyamus 3ii Elix. Aurantii q.s. 3iv Sig. Take a teaspoonful in water three times each day			Hale	
	17668	℞ Fl Extr Convallaria 3vi Fr Gelsemium M xl x Fr Hyoscyamus 3vi Elix Aurantii q.s 3iv ℞ Sig Take a teaspoonful in water 3 times daily after eating			Keith Mrs Mapham SH 1 ∧ H dbl	

Feb 17 — 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17669	℞ Liq. Pot. Ass. Arsen.	℥i	Br. Bt.		
		Sig. Five drops in cold water 3 times daily	℥i	1X		
	17670	℞ Elix. Lactic Iron & Strych	℥iv		Mauk	
		Sig Take a teaspoonful every 6 hours with a teaspoonful of water after eating		IX		
	17671	℞ Plumbi Acetas gr	XX		Coleman	
		Ft Pulv	℥i			
		M. Aquae Font	℥iv	#8		
		Sig use as directed				
	17672	℞ Spir. Aeth. Nitrosi	℥ii	IX	K.	
		Sig. Take 1/2 teaspoonful in water to relieve palpitation				
	17673	℞ Mur. Pilocarpin gr. i	p.	#8	K.	
		Tr. Digitalis	M. XX			
		Aquam q.s.	℥i	M.		
		Sig. Take a teaspoonful in water every hour till 4 doses taken				
	17674	℞ Morph. Muriat gr.	1/24			
		Quinine Muriat gr.	#	IX	K.	
		Ammon. Muriat. gr.	VI			
		Ext. Digitalis gr.	1/12			
		M. in sing. Capsule ft. Capsule	No XVI			
		Sig Take one every 2 hours				

Feb. 18th 1890

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1767	℞ Quiniae Sulph. Gtts. L. Syr. Zingiber 3iv Sig. Take a teaspoonful every four hours			W	
	1768	℞ Pill Valerianate Special Formulae No. C. Sig. Take one pill after each meal			K.	
	1769	℞ Pil. Iodidi Gr. V. Ft. in caps. No. XX Sig. Take one capsule every 2 to 3 hours	XX		Chas F. Hammond	
	1770	℞ Syr. Aet. Nitri 3i Sig. Take one half teaspoonful in water for Levulose			K.	
	1771	℞ Tr. Digitalis 3ß. Tr. Nucis Vomic. 3i ß. Tr. Cinch. Comp. 3i Ammon. q.s. 3iv Sig. Take a teaspoonful after each meal	XX		K. Mack.	
	1772	℞ Mist. Magn. Quinidae Magnes q.s. Ammon. Magnes q.s. Ft. in caps. No. XVI Sig. Take one capsule every 2 hours till relieved then every 3 hours			Wm. Bowen	

Feb. 19th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17681	℞ Morethan	grs LX		Hale	
		Mk & resp sing chart ft chart to	No II		Capt Clay	
		Sig Take one powder at night in a glass of water repeat if necessary		.BX		
	17682	℞ Iodide Potas.	℥ii	80	Marsh	
		Syr. Licorice	℥iv			
		Sig. Take a teaspoonful every six hours				
	17683	℞ Marsh's Pills	No X.	10		
		Sig. Use as directed				
	17684	℞ Phenacetine Tablets	BX			
		āā gr. v.	No. XII			
		Sig. Take one tablet every 2 to 4 hours				
	17685	℞ Sulfonal	gr. xxx.	BX		
		in sing. chart ft. chart	No. II			
		Sig. Take one powder at a dose repeat in an hour if necessary				
	17686	℞ Tinct. Buchu	℥ii			
		Spts. Aeth. Nit.	℥ii			
		Tr. Opii	℥iii	BX		
		Aquam	℥i			
		Sig. A teaspoonful	℥ss	40		
		a day in bitter water	3 times			

Feb. 22 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17687	℞ Sodae Boratis ℥iv ⅆ× K. Fld. Ext. Pichii ℥i ℍ Aquam q.s. ad ℥iv Sig. Take a teaspoonful in water after and before each meal				
	17688	℞ Tr Opii ℥ii ..× Kale Sig Laudanum Poison Label				Lowell
	17689	℞ Codeia Sulph. Gr. 1/8. Liquiar Hydrobromidae Gr. I Acidum Carbolicum Gr. ½. Ft. Nucis Vomicae Gr. 1/4 ℍ. Ft. in sing. Pillulae Ft. Pillulae No. XVI Sig. Take one pill every three hours			Kale McLowell	
	17690	℞ Ferri Pyrophosphate ℥i Tr Nucis Vomica ℥ii Tr Gentian Co ..× Mist Ferri et Aq ää q.s. ad ℥iv Sig Take 2 teaspoonful in water ½ hour before each meal.			Kale Merrwood	
	17691	℞ Bromid Ammonia grs XXX Hyd Chloral gr XXX Tr Digitalis m VI Syrup ℥iv Tr Zingib ℥i Elix Aurantii q.s. ad ℥ii Sig Take one half at 9 P.M. repeat at 10.30 if necessary			Kale Lee's Corp ..×	

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1769	2	℞ Rolaria Lod	gr ii			
		Ext Digitalis	gr 1/8			
		" Nux Vomica	gr 1/8			
		Ferri Redactum	gr i			
		Mix & sig capsule				
		Rep capsule No XVI				
		Sig Take one capsule every 2 hours.				
1769	3	℞ Sulph Quinia	gr x		Marsh	
		℞ Syrup Liquorice	℥ iv			
		Sig Take a teaspoonful every 6 hours.				
1769	4	℞ Sulph Quinia	gr x		Marsh	
		℞ Syrup Liquorice	℥ iv			
		Sig Take a teaspoonful every 6 hours.				
1769	5	℞ Phenacetine				
		Salol āā gr v				
		Ext. sing. capsule				
		M. ft. capsule No XVI				
		Sig Take one capsule every 3 6 hours				
1769	6	℞ Sol. Tinctura				
		Aquae q.s. ℥ iv				
		Sig Take a teaspoonful in water three times daily				

Feb 24th 1890

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17697	℞ Spirt	℥ss		Kile	
		Sig Spirt				
	17698	℞ Fl Extr Ergotæ	℥ii		Kile	
		" " Cannabis Indica	mxii			
		Sig Five drops evy 4 hours.				
	17699	℞ Pilli Pills	āā gr i		Marsh	
			No x	1N		
		Sig Take one evy 3 hours.				
	17700	℞ Sulph Zinc	℥i	1N	Marsh	
		Sig use as directed				
	17701	℞ Elix Cinch Iron & Glych	℥iv	8x	Marsh	
		Sig Take a teaspoonful evy 6 hours with a teaspoonful of water				
	17702	℞ Codeia Sulph.	gr 3/16	K		
		Liquor Hydrobromas	gr i	5x		
		Acidum Carbolicum	gr 55.		Mr. Lovell	
		Ext. Nucis Vomicae	gr 1/8	1N		
		Aloin	gr 1/24	1N.		
		Sig. Take one pill evy 3 hours	eff. in sing- pill fr. pil. No. xvi			
	17703	℞ Iodid. Potas.	℥iii	8s		
		Syr. Liquorice	℥iv			
		Sig. Take a teaspoonful evy 6 hours				

Feb. 25th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17704	℞ Soth Fowles Pil Cum Sig. Use as directed	℥j	10		
	17705	℞ Sul. Quinine grs. L. Syr. Liquorice ℥iv Sig. Take a teasponful every four hours		50		
	17706	℞ Liq Ferri Persulph Glycerin āā ℥ß Sig Take a teasponful in a goblet of water then use as a gargle 3 or 4 times daily		15	Mack	
	17707	℞ Listerine Bott i Sig use as directed		1.x=	Mack	
	17708	℞ Iodide Potass ℥iii Syrup Lefonica ℥iv Sig Take a teaspoonful 3 times a day			Mack	
	17709	℞ Morph. Murias gr. 1/16 Quinian Murias gr. ii Ammon. Murias gr. iv. Ft capsula sing. capsula repetatur cap. No. xvi Sig. Take one capsula every 2 hours till relieved then every four hours		℔x	K.	

Feb. 25th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17710	℞				
		Sulph Quinia	grs XXX		Marsh	
		Syrup Sarsaparilla	℥iv			
		Sig Take a teaspoonful 3 times a day.				
	17711	℞				
		Marsh Pills No X			Marsh	
		Sig use as directed				
	17712	℞				
		Potassa Iodide	℥iii		Keith	
		Sodae Salicylat	℥iii			
		Syrup Sarsaparilla	gs ad ℥iv			
		Sig Take a teaspoonful in water after each meal.				
	17713	℞				
		Syr. Ginger	℥iii			
		Sub Nit. Bismuth	℥iii			
		Sig. Take a teasponful three times a day after meals				
	17714	℞			Keith	
		Phenacetine			Mrs Johnson	
		Salol	ää gr V			
		Mix & so as to make capsules No XVI				
		Sig Take one capsule every 2 hours.				
	17715	℞				
		Syr. Aconite M. iv			K. Baby	
		Tr. Opii Camph.	℥i			
		Xxx Hemsay	℥i			
		Elix. Amantii				
		Aquae ää q.s. ad ℥ii M.				
		Sig. Take a teasponful each hour till pain is relieved				

Feb. 27th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17716	℞ Tr. Aconite M. ℥				
		Liniae Hydrobromas gr. ℥				K.
		Carbonate Ammonia gr. v.				
		ft. capsulo sing. capsula				
		Sig. capsulo Capsula No. Fii				
		Sig. Take one capsula every 2 hours				
	17717	℞ Iodide Potass. ℥iii		50		
		Syr. Liquorice ℥iv				
		Sig. Take a teaspoonful every six hours				
	17718	℞ Liniae Hydrobromas gr. ℥				K.
		Pharmacopeiae gr. iv		1.5	Mrs. C. Myers	
		Salol gr. iv				
		ft. capsulo sing. capsula capsulo capsula No. xvi				
		Sig. Take one capsule every 3 hours				
	17719	℞ Liniae Farina ℥. ℥				
		Sig. Flaxseed Meal				
	17720	℞ Sulph. Quinia gr. ℥				Mack
		Syr. Liquorice ℥iv		50		
		Sig. Take a teaspoonful every 4 hours.				
	17721	℞ Ext. Digitalis gr. 1/12				Keib
		Quinia Murias gr. ii				
		Ammonia " gr. vi				
		Aloes sing cap in cap No. xvi				
		Sig. Take one capsule every 2 to 3 hours.				

Feb. 27th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17722	℞			Hale	
		Spini Farinae	℔ ½	1×		Maigs
		Sig Elapsed Meal				
	17723	℞				
		Sul. Quinine gr. ½.			Mack	
		Sul. Acid. dil. gtt. xv.				
		Aquae	℥ iv	5×	75	
		Sig. Take a teaspoonful every				
		four hours				
	17724	℞				
		Stokes Liniment	℥ vi		1.50	
		Sig. Use as directed		1×		
	17725	℞				
		Fr Aconite	♏ x		Hale	
		Fr Eupatoria	℥ ii		Mrs Hale	
		Coca Cordial aa	℥ ii			
		Sig Teaspoonful each hour.				
	17726	℞				
		Cascara Sagrada Cordial	℥ i		"	
		Sig Cascara Cordial. Dose				
		2 to 10 drops.				
	17727	℞ Stokes Liniment	℥ vi		1.50	M.
		Sig. Use as directed				
	17728	℞ Morph. Acetas	gr. ¼		10	K.
		Elix. Amantii	℥ i			
		Sig. Take one small teaspoonful to relieve pain repeat if necessary				

March 1st — 1890 —

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17729	℞ Ft. Digitalis Bromid Ammon. Aquae q.s.	℥i ℥i ℥ii			
		Sig. Take a teaspoonful in water each hour till relieved				
	17730	℞ Sol. Tinctura M. Cl. Fort Aquae q.s.	℥iv			
		Sig. Take a teaspoonful in water 4 times daily				
	17731	℞ Potassa Iodide Ext Digitalis " Nucis Vomica Ferri Redactum Mix & so as to make in capsules No XXIV	gr ii gr 1/6 gr 1/4 gr ii			
		Sig Take one capsule every 3 hours 6 daily				
	17732	℞ Ext Digitalis Tinctura Strychnina Salol Mix & so as to make in capsules No XVI	gr 1/12 gr 1/32 gr iv			
		Sig Take 6 daily one every 3 hours.				
	17733	℞ Ext. Nucis Vomicae Morphia Murias Quinae Murias Salol Mix & so as to make in capsules No XV	gr. 1/8 gr. 1/24 gr. ii gr. v.		Wm. M. Johnson	
		Sig. Take one capsule every 2 to 3 hours				

March 1st 1890

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17734	℞ Morph. Muriat 3/4. Chloroformis M. ℥vi ℥ß Syr. Scillae Coca Cordial āā ℥ß ℥ii. Sig. Take a teaspoonful diluted every two hours			K. Mrs. Hamm	
	17735	℞ Fowler Solution ℥ii Sig Take 3 to 5 drops in water after each meal.			Kile ℞ Morning	
	17736	℞ Tablets Eisen Zucker gr X Bott i Sig Take one tablet after each meal.		1.00 "	C. Wyar.	
	17737	℞ Fiindel Salts Pond Bott i Sig Take a teaspoonful in a glass of hot water twice daily	ßß	"	Morning	
	17738	℞ Morph. Sulph. ~~gr. 1/4~~ gr. 1/4 Zinnar Bi Sulph. gr. i-v Ext. Cannabis Ind. gr. 1/4 Ext. Ergotae gr. iii Pulv. Pyrethrum q.s. ~~ßß~~ Ft. massa. Vap. suppos. No. xii Sig One Vap. suppos. 3 to 4 hours			Kile Defriez	

March 31 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1773	℞ Syr. Sarsp. Comp. ℥ii Fld. ext. Stillingia ℥ss. Iod. Potass. gr. xv. Aquam ℥ii Sig. A teaspoonful 3 times a day			Pitman	
	1774	℞ Tr. Aconiti M. ss. Liniar Hydrobromat gr. ii Carbonati Ammoniae gr. iv at vspello sing. capsule vspello capsule No. xvi Sig. Take one capsule every hour till relieved			W. H. Lawrence	K
	1774	℞ Alcohidin ℥ss Sig. Alcohol. add 1/4 to 1/3 water			Capt. A. A. Gardner	Witte
	1774	℞ Liniar Hydrobromas gr. ii Salol gr. vi et vspello sing. capsule vspello capsule No. xii Sig. Take one capsule every 3 hours			R. B. Harris	K.
	1774	℞ Codeia Sulph. gr. 1/4 Acidum Carbolicum gr. 3/4 Ext. Nucis Vomic. gr. 1/4 Fiat Redactum Alom et ft. in sing. pill Sig. Take 4 hrs daily			Mr. Lord	K. J. gr. 1/16 M. pil. No. xxiv

March 5th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17744	℞				
		Cascara Sagrada Fld. ℥ii.		13 12½		
		Elixir Aromatici ℥ii		25		
		Dij. Two teaspoonfuls at Bedtime				
	17745	℞				
		Sodii Bromid	℥iv		Warren	
		Lithia Bromid	gr xx		Le. Cornwall	
		Quinia Bisulph	gr xxx			
		Syr Tolut	℥v	30		
		℞ Chloral Hyd Cryst	℥ss			
		Sig Teaspoonful 3 times a day bfore meals.				
	17746	℞				
		Quinia Murias	gr ii.		Keiler	
		Ammonia "	gr vi		Mrs Hammond	
		M & ft sep sing caps rep. caps No xvi		40		
		Sig Take one capsule every 3 hours.				
	17747	℞ Spir. Ammon. Aromat.	℥ii	50	K	
		Sig. Take a teaspoonful in water before & after each meal			Clark	
	17748	℞ Aloin	gr. ss		V.	
		Rhs. Podophyllin	gr. 1/4	10		
		Ext. Nucis Vomicae	gr. 1/4	40	Mrs C.F. Hammond	
		Ext. Belladonnae	gr. 1/8	40		
		M ft. in sing. pil - ft. pil. No xii				
		Sig. Take one pill at night - then every 3d to 4th night				

March 6th '90

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17749	Rx Codeia Sulph. gr. 1/4				
		Quiniae Muriat gr. ii		1¢ =		
		Ammonia Muriat gr. ~~xx~~ vii				
		Dabl gr. iv				
		Ft = repelleosing capsule				
		Sig Take one capsule after each meal daily				
	17750	Rx Whiskey (good)	℥iv		Mail	
		Syr. John	℥ii			
		Glycerine	℥ii			
		Sig. Take a teaspoonful for a dose.				
	17751	Rx Zinci Oxidi	℥i			
		Ung. Aquae Rosae	℥i			
		Sig. Use as directed				
	17752	Rx Acid. Boracic	℥ii			
		Sig. a teaspoonful in a teacup of water				
	17753	Rx Blakes Liniment	℥vi		Mail	
		Sig use as directed				
	17754	Rx Morph. Muriat. gr. 3/4			K.	
		Bromid. Potassa	℥v			
		Bromid. Soda	℥ii			
		Brom. Ammon.	℥ii			
		Aquae q.s.	℥ii			
		Sig. Take a teaspoonful in water every two hours				

March 10th 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17755	Rx Stokes Liniment Sig.	℥vi		disct. March ox	March
	17756	Rx Syr. Ginger Subt Nit. Bismuth Sig. Take a teaspoonful 3 times a day after meals	℥iii ℥iii	ox		March
	17757	Rx Buchu Leaves Sig. Use as directed	℥i	1s		March
	17758	Rx Tinct. Colchi Liniment Saponis Tinct. Aconite Chloroformis Sig. Use as directed	℥i ℥i ℥i ℥i	ox		Mrs
	17759	Rx Stokes Liniment Sig Liniment	℥vi	1s		March
	17760	Rx Tinct Aconiti Belladonna Coca Cordial qs Sig Take half a teaspoonful every hour till relieved.	m xxx m xxx ℥ii	1s		Laurena
	17761	Rx Tinct Iodine Opii Sig use as directed	āā ℥i	ox		March

March 16th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17762	℞ Tinct. Gent. Co of	℥i			
	17763	℞ Sulph Quinia gr xl				Mauk
		Syrup Sarsaparilla	℥iv			
		Sig Take a teaspoonful every 4 hours.				
	17764	℞ Ol. Rii	℥i			
		Soap Liniment	℥i			Dict
		Tinct. Aconiti	℥i	℞x		
		Chloroform	℥i			
	17765	℞ Mur. Morph. gr. 1/4				
		Tinct. Aconiti m. xxiv				
		Aquam q.s. ad	℥ii			
		Sig. Take a teaspoonful every three hours				
	17766	℞ Mur. Morph. gr. 1/4				
		Fr. aconite m. xvi xx				Shull
		Fr. Euphasia	℥i f.			
		Coca Cordial q.s.	℥ii			
		Sig. a teaspoonful each hour				
	17767	℞ Quin. Pills āā gr. ii				Shull
		No. xii				
	17768	℞ Bals Copaiba				Pelman
		Spts Ethers Nit āā	℥ss			
		Sig 25 drops 3 times a day				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17769	℞			Keil	
		Morphia Acetat	gr 1/36			Adams
		Zeminia Hydrobrom	gr 3/4			
		Sig et rep sing capsule rep caps No VI				
		Sig Take one capsule every 1 to 2 hours.				
	17770	℞				
		Morph Gr. 1/8				
		Hyd. Chlor. Mite gr. i			Keil	
		Ext. Nucis Vomic. gr. 1/8				
		Ext. Belladonnae gr. 1/16				
		et rep. sing. capsule				
		rep. capsule No. VI				
		Sig. Take one pill at night				
	17771	℞				
		Antipyrin	gr XX		Marsh	
		Ft. in chart No IV				
		Sig Give one every 4 hours.				
	17772	℞				
		Sod. Sprudel Salts	1 Bott i		Keil	
		Sig Take a teaspoonful in a glass of hot water twice daily				Mrs Allen
	17773	℞				
		Morph Sulph	gr 1/4		Keil	
		Ext Belladonna	gr 1/4			
		" Cannabis Ind	gr i			Mrs M. F. Ladd
		Ol. Theobrom	q.s			
		et fiat in sup rectal				
		fiat rectal suppositories	No XII			
		Sig use one suppository night & morning				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17774		℞ Elix Lactopeptin	℥iv		Mearth	
		Sub Nit Bismuth	℥iii	.08		
		Sig Take a teaspoonful every 6 hours.				
17775		℞ Elixir Phosph. Iron Quin and Strych	℥viii	1.00		
		Syr. Rhei Aromat.	℥ii	.10		
17776		℞ Schiefflin's granules Pil. Cath. Co. No. XXV.		.40		
17777		℞ Sodae Bi Carb	℥i	.10		
		Put in a bottle				
17778		℞ Listerine	℥iv	.25		
17779		℞ Zinci Oxyd.	℥i			
		Acidum. Boracicum gr. XXX		.20	R. B. King	
		Mollin	℥i ℈.			
		Unguent Cetrioli q.s.	℥i ℈.	.10		
		ft. ft. de unguent				
		Sig. Use ointment 3 times daily				
17780		℞ Elix Cin Iron & Strych	℥iv		Mearth	
		Sig Take a teaspoonful every 4 hours.			Dr. Mearth	
17781		℞ Mearth Pills	No. X			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17782	℞ Codeia Sulph. gr. 1/16		1.8		
		Quiniae Hydrobrom. gr. ¼			Albrae	
		Tr. Aconiti M. 1/4				
		Ft. in sing. capsule				
		vapello capsule No. viii				
		Sig. Take one capsule every 2 hours				
	17783	℞ Fr Digitalei	℥i		Kile	
		Fr Lynchnia leo			M.D. hospt.	Meigs
		M Elix Gentian et Ferri āāgr ℥i	℥iv			
		Sig Take 2 teaspoonfl in water ½ hour befor each med.				
	17784	℞ Ac. Bric. gr. xxx.				
		Listerine q.s. ℥ii			K	
		Sig Use a teaspoonful in water Mrs L. Spencer every hour as a gargle				
	17785	℞ Codeia Sulph. gr. 1/8				
		Quiniae Sulph. gr. ii			K	
		Salol gr. iv			Mrs Lyd Spencer	
		Ft. Nucis Vomicae gr. 1/8				
		vapello sing. capsule				
		vapello capsule No xvi				
		Sig. Take one capsule every 2 or 3 hours				
	17786	℞ Stokes Liniment	℥vi		Marsh	
		Sig use 3 or 4 times a day.				

March 22nd 1890

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17787	℞				
		Fr Aqua Camph	℥i.		Kirk-	
		Chloroformi	m XVI	ox	Moreland	
		Fr Zingiber	℥iss			
		Elix Lacto Pepsin				
		Coca Cordial ää q.s	℥ii			
		Sig Take a teaspoonful diluted each hour.				
	17788	℞ Sul. Quinine Pills ää gr. ii No. XX.		XS	K.	
		Sig Take one every four hours				
	17789	℞ Listerine Bot. i		1$		
		Sig. Use as directed				
	17790	℞				
		Elix Cinch Iron & Strych	℥iv		Mack	
		Sig Take a teaspoonful every 6 hours.				
	17791	℞				
		XXX Hemeny	℥iv\8		K.	
		Elixir Adhantii	xii ℥vi			
		Elixir Althae	℥vi			
		Sig Take a teaspoonful in water every 2 to 3 hours				
	17792	℞				
		Sul. Quinina	grs. xxx			
		Sulph. Acid. dil.	gtt. xx			
		Aquae	℥iv			
		Sig. Take a teaspoonful every four hours				

March 23d 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17793	℞ Hoyd Chlo Mite	℥ss		Kolb	
	Sig	Use powder on eye	night		NN	Coffin
		& morning				
	17794	℞ Packer Tar Soap	cake	i	NN	" "
	17795	℞ Leisterine	℥iv		NN	
	Sig	Leisterine				
	17796	℞ Pill Assafoetida gr. v.				Kittle.
		No. 4.		1N		
	Sig.	Take one pill every			Mrs. W. F.	Codd.
		Day from				
	17797	℞ Quin et Ferri Cit	℥iss			
		Syr Sarsae	℥iiss			Dunham
		Fl Ext Senna	℥ss		NN	
	℔	Tinct Hyoscyamus	℥i			
	Sig	Teaspoonful 3 times a day				
	17798	℞ Tinct. Opii	℥i			
		Tinct. Aconiti	M. xxx			Kittle
		Fld. Ext. Cannabis Ind.	M. xx			
		Tr. Belladonnae	℥i		NN	Mrs Spencer
		Chloroformi	℥ss			
		Linimenti Saponis q.s.	ad ℥iss			
	Sig.	Poison				
		Use as a Liniment				

March 24th 1890

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17799	℞ Codein Sulph. gr. i Chloroformi M. xvi Tinct Scillae ℥ss Coca Cordial q.s. ad ℥iv Sig. Take two teaspoonfuls in water every one to two hours			Mc Glauchr	Kite
	17800	℞ Elix Cinch Iron & Strych Sig Take a teaspoonful every 6 hours.	℥iv		Mc Clure	Bell Dunph.
	17801	℞ Elix. Cinch. Iron & Strych. ℥iv Sig. Take a teaspoonful every 6 hours after each meal				
	17802	℞ Spirdl Saltz. Bat i Sig. Take a teaspoonful in a glass of hot water fasting	Powdered ss		K.	
	17803	℞ Resorcin ℥i Ext. Belladonnae ℥ss Lanoline (Agnine) ℥ii Vaseline q.s. ad ℥i Sig. Use as an ointment on hands twice daily				
	17804	℞ Schieffelin granules Pil. Cath. Co. No. xv.				

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17805	℞ Elix Lactopeptini Sub Nit Bismuth Sig Take a Teaspoonful every 6 hours.	℥iv ℨiii			Marsh OH	
17806	℞ Liquor Nigra Sig use on a cloth over face	℥viii			Reilo HH	Lavinde
17807	℞ Pill Cathartic Co Sig Take 2 at night to move bowels	No vi			Reilo IH	"
17808	℞ Sulfonal ft in chart No i Sig Take at night	grs xxx			Reilo HH	Mrs L. Spencer
17809	℞ Sulf Morphia Spir Ethers comp Coca Cordial aa Sig Take 2 teaspoonful in water every one to 2 hours.	gr xv ℨi ℨiv			" " " "	
17810	℞ Pul. Laxative Pills aa gr. ii No. xx Sig. Take as directed				M. Capt. Adams	
17811	℞ Listerine Sig use as directed	Bott i			Marsh IX=	

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17812	℞				
		Morph Meur	gr iss		Keith	
		Potassa Iodide	gr CLX		Bedfit	
		Sodae Salicylate	ʒiv			
		Tr Gelsemium	ʒiss		⊞ ⊠	
		Aquae	ʒi ss			
		℞ Syr Sarsaparilla q.s	ʒiv			
		Sig. Take a Teaspoonful in water after each meal.				
	17813	℞ Quiniae Hydrochloras gr. ii				
		Pharmacinae gr. vi				
		Ex aqueo sing. capsule	℈x			
		aqueo capsule No. viii			Mrs Lyd. Spencer	
		Sig. Take one capsule every two hours				
	17814	℞ Tinct. Digitalis ʒii				
		Fr. Ferri Chloid. ʒiv				
		Sig. Take six drops in water after two meals daily			Capt. A.A. Gardner	
	17815	℞ Tinct Iodine			Marsh	
		" Opii aa ʒii			⊞ ⊠	
		Sig use as directed			Symptoms	
	17816	℞ Sol. Quiniae gr. iv			⊞ Tinct.	
		Syr. Lignorica ʒiv			⊠	
		Sig. Take a Teaspoonful every 4 hours				

Same as name number & last former

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	7817	℞				
Look at same Number next Back	7816	℞ Baker Liniment ℥vi Sig. Use as directed				
	7818	℞ Codeia Sulph. gr.¼ Pepsin Pnae ℥i M. Acid Hydrochl. dil. ℥ii Fr. Nucis Vomicae ℥ii Ess. Pancreas q.s. ℥iv Sig. Take a teaspoonful diluted before and after meals	1.10 K.	W. T. Cobb		
	7819	℞ Phenacetine gr. vi Bromid. Ammon. gr. vi Extracti Cinchonae q.s. M. et ft. capsule No. xii Sig. Take one capsule every 2 hours	K.			
	7820	℞ Fld. Ext. Richii ℥i Fld. Ext. Convallaria ℥i Elix. Amarum ℥iss Sig. Take a teaspoonful in water every four hours	K.			" "
	7821	℞ Acid Carbolic m xxx Sodii Bi borat " Bi carb āā ℥i xx Glycerinae ℥iiiss Aquae q.s. ad ℥iv			Sig. Atomizer	

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17822	℞ Ext Cascara Sagrada Strychnia Ferri Sulphas Lenimia Sulph āā gr ½ M Ft Pil No xii Sig Teaspoonful before meals.	℥ iii gr. i ℥ iii	25¢			
17823	℞ Cathinae Bot. f Sig- Take two teaspoonfuls diluted about 10. a.m. 3 & 4 P.M. and 8. P.M.	℥ i	15¢		M. Johns MD	
17824	℞ Pot. Iodidi gr. iv Salol gr. vi Phenacetine gr. vi M ft pil No xii Sig. Take one capsules every 3 & 4 hours		50¢			Swan
17825	℞ Muriat. Morphia gr. ¼ Chloroform m. xxx Fl. Digitalis ℥ ss Coca Cordial q.s. ad ℥ iv Sig. Take a teaspoonful in water every four hours					
17826	℞ Rochelle Salts. ℥ i Sig. Take a teaspoonful in a glass of hot water night and morning		50¢			

March 29th

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17827	℞			Kibi	
		Sp. Nitrodel Salts Pond	12 oz i			Mr. Johnson
		Sig Take a teaspoonful in a glass of hot water before breakfast & on retiring		8N		
	17828	℞				
		Elix Lactopeptini	℥ iv		Mearle	
		Sub Nit Bismuth	℥ iv	ON		
		Sig Take a teaspoonful after meals				
	17829	℞				
		Mur Morphia	gr iss		Kibi	
		Chloroformi	m xxxii			Mr. Folger
		Cerca Cordial	gs ℥ iv	AX		
		Sig Take a teaspoonful in water every 4 hours.				
	17830	℞				
		Elix Lactopeptini	℥ iii		Mearle	
		Sub Nit Bismuth	℥ iv	⊞8		
		Sig Take a teaspoonful every 6 hours.				
	17831	℞ Ext. Cascara Sagrada	℥ iii	⊠8	disct.	
		Syr. Sassparilla	℥ ii	~~AA~~		
		Glycerine	℥ i	~~AA~~		
		Sig. Teaspoonful at bedtime				
	17832	℞				
		Sodii Phosphat	gr. to x	1/2 quantity ⊠X		
		Ex Pancreatin	gr. cxx	~~AA~~		
		Sodii Bi Carbon.	gr. xc	~~AA~~		
		Sig. Take as directed				

3/31/1890

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17833	℞ Cult. Sod. Brat. gr. xx Aquae Camphor. ℥ii Fiat. Collyr. Cola.	℥ii	½ quantity 10¢ Bt Bit		
	17834	℞ Pheniacetini gr. iv Mft resp sing caps resp capsule No. xii Sig Take one capsule every 3 hours.	gr. i gr. iv	Keli Wyn		
	17835	℞ Pheniacetini gr. iv Ext Nucis Vomicae gr. ¼ Mft resp sing caps resp caps No. xii Sig Take one capsule every 2 hours.	gr. ¼ gr. iv gr. ¼	Keli Small		
	17836	℞ Syr. Scillae ℥ii xx dist. Syr. Tolu ℥i Tinct. Capsici ℥ß				
	17837	℞ Calcinae Bot. i Sig. Take 4 teaspoonful daily Mist Gent		1.x- K.		
	17838	℞ Antipyrine gr. vi Ft. in sing. Chart. ft. Chart. No. x. Sig. Take one powder every one to two hours as desired		dist. x.	Miss. Hain	

MATERIA - THIRD

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17839	℞ Syr Ipecac				
		℥ " Squills	ää ℥i	37½		
		Sig Dose 12 drops at		Cents.		
		first & increase				
	17840	℞ E. F. Pulv Cinnamomi				
		Kennedys White	℥ii 22		Granger	
		℥ Aquae	℥vss		7th	
		Sig Gargle				
	17841	℞ Tr Iodine	℥ss		Granger	
					1st	
	17842	℞ Tinct Buchu	℥ii		Marsh	
		Sig Take a teaspoonful			1st	
		every 6 hours in a table-				
		spoonful of water				
	17843	℞ Hyd Chlo Mite	gr iii		Keith	
		Pulvis Zingib	gr i		1st	
		Sacch Alba	gr iv			
		Mix & so divide chart & chart No iv				
		Sig Take one powder at night.				
	17844	℞ Tr Digitalis	m xvi		Keith	
		℥ Spir Ethers Sulf q s	℥ii	37½	Meigs	
		Sig Take 2 teaspoonfuls		Cents.		
		in sweetened water every 4 hours.				

over

E. L. Freeman & Sons

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17845	℞				Kale	
		Mur Morphia	gr i/4			Folger
		Chloroformi	m xxxii			
		Coca Cordial		ℸ		
	ℳ	Elix Aurantii āā ʒs	ʒiv			
	Sig	Take a teaspoonful				
		diluted every 2 to 3 hours.				
17846	℞				"	"
		Spir Ethers Comp	ʒii			
	Sig	Take ½ teaspoonful		ℸ		
		diluted when faint or distressed				
17847	℞					
		Tinct. Opii Camph.	ʒi	ℸ		
		Syr. Althae q.s.	ʒii	ℸ		
	Sig.	A teaspoonful as directed				
17848	℞					
		Hydg Chlor Corros Bapo	i	ℸ	Kale	
						Dunbar
17849	℞					
		Pot ass. Iodid.	ʒi			
		Aq. Cinnamon	ʒi		ℸ	
	Sig.	5 (fifty) drops in ½ glass				
		water half hour before				
		meals three times a day				
17850	℞					
		Oleum Gaultheri	ʒi		Kale	
		Fl Aconiti	ʒi			J. Laffin
		" Cannabis Ind	ʒiv		ℸ	
		Chloroformis	ʒiii			
	ℳ	Linim Saponis	ad ʒii			
	Sig	use as a liniment			4 times daily	

APRIL 15th 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17851	℞ Ammon. Chloid. Gr. xxx Syr. Hydrocyanici Acidum ℥ss Aquae ad ℥ii Sig. A teaspoonful as directed			Robinson	
	17852	℞ Antipyrin gr viii Bromill Ammon " Sodae āā gr vi Mix respiring caps resp capsules No xii Sig Take one capsule each hour till relieved			Hale C.H. Henry	
	17853	℞ Elix. Cinch. Iron & Strychnia ℥ii Sig. A teaspoonful little while before each meal			Pitman P. Winslow	
	17854	℞ Tinct. Iodini ℥i ss. Aquae Ammoniae ℥ii Tinct. Arnicae ℥i Spts. Vini Rect. ℥vi Aquae ad ℥viii Sig. For External use as Liniment			Ashley W.H.H. Smith	
	17855	℞ Sul. Quinine Pills āā gr. ii No. xx. Sig. Take one every four hours				

April 7th. '90

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17856	℞				
		Aquae Rosae	℥iii			
		Aquae Camph.	℥i		March	
		Tinct. Opii	℥ii			
		Pulv. Boracis	gr. iii			
		Sig. Use as directed				
	17857	℞				
		Aloin	gr. 1/4			
		Resinae Podophyll.	gr. 1/8			
		Ext. Belladonnae	gr. 1/4			
		Ext. Nucis Vomicae	gr. 1/4			
		et ft. sing. pillulae. ft. pil. No. viii				
		Sig. Take one pill at night if necessary				
	17858	℞				
		Liquor Hydrobromas	gr. i			
		Ammonii Muriatis	gr. iv			
		Et. sapello sing. capsule				
		sapello capsule No. vi			Rev. Little	
		Sig. Take one capsule each hour				
	17859	℞				
		Salol				
		Phenacetine āā gr. iss			Hale	
		Mistr in sing chart ft chartae No. x			W. Baptist	
		Sig Take one powder each hour.				
	17860	℞				
		Elix. Althae				
		Elix. Amantii				
		Syr. Prunus Cerasus aa. q.s. to	℥i			
		Sig. Take a teaspoonful in water every 2 to 3 hours				

Apr. 9th '90

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17861	℞ Fiat Bucku	℥ ii			
		Spt Ether Nit	℥ ii		Pelman	
		Aquae	℥ iii			
		℞ Fiat Mist	q.s. ad ℥ xxx			
		Sig a teaspoonful 3 times a day				
	17862	℞ Salol	℥ i		Kale	
		℞ Listerine q.s.	℥ ii		N. Butler	
		Sig use diluted as a wash for mouth.				
	17863	℞ Phenacetin				
		Salol aa	gr iv		" " "	
		Pulv Opii	gr 1/16			
		" Digitalis	gr 1/8			
		℞ Mist in 3ij chalk & water ft chartas No xii				
		Sig Take one powder every 3 hours.				
	17864	℞ Spirol	℥ iv		Kale	
		Sig Take 5 drops in water after 3 meals daily			Mrs Allen	
	17865	℞ Mur Morphiæ	gr ii		Kale	
		Liquor Muriat	gr xxx			Brown
		Ammoniæ "	℥ iv			
		Sach Albae Pulv				
		℞ Acaciæ Gum " aa	q.s. ℥ ii			
		Sig use as directed				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17866	℞ Sul. Quinine Pills āā gr. ii No. xx.		0x		
		Sig. Take one every four hours				
	17867	℞ Bromid Sodae				
		" Ammonia āā ʒii ss			Kile	
		Elix Aurantii				
		℞ Agnae āā gs ʒii			Hx	
		Sig Take a teaspoonful in water				
	17868	℞ Eff Cit Lithia Bot i			Kile	
		Sig Take a teaspoonful in half a glass of water every 2 to 3 hours.		1x	H. B. Sharp	
	17869	℞ Bismuth Sub Nit	ʒi		Kile	
		Tr Opii Camph	ʒss	Hx	Laurence	
		Tr Zingib	ʒi			
		℞ Ext Pancreas gs	ʒi			
		Sig a teaspoonful each hour till relieved				
	17870	℞ Tinct Iodine			Marsh	
		" Opii āā	ʒi			
		Sig use as directed		0x		
	17871	℞ Marsh Pills No x		1$	Marsh	
		Sig use as directed				

Apr. 12th '90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17872	℞ Ext. digitalis gr. 1/12 Ext. Nucis Vomicae gr. 1/4 Ferri Redactum gr. iii Ex. vapello sing. capsule vapello capsule No. Lx Sig. Take one after each meal			K. Capt. Baxter	
	17873	℞ Fin. Aconite Rad. ℥ss Sig Ten drops to ounce of water three times a day.	.18		Gardner	
	17874	℞ Antipyrine gr. v. Ext. digitalis gr. 1/2 Pulv. Zingiberis gr. i fiat. in sing. Chart. ft. Chart. No. xii Sig. Take one powder every two to six hours			Kite Mrs. Cole	
	17875	Quiniae Valerianas gr. i s. Zinci Valerianas gr. i Ferri Valerianas gr. ii s. Ext. digitalis gr. 1/10 ℞ vapello sing. capsule vapello capsule No Lx Sig. Take one pill 3 times daily			"	"
	17876	℞ Elix. Cinch. Comp. & Glycer. ℥iv Sig Take a Teaspoonful every 6 hours after meals.	℥		Marsh F. B. Murphy	

April 12th 1890

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17877	℞ Spundel Salz Bot. (Pulv.)	℥i	1s 8d	Kyle David Foley	
		Sig. Take one to two teaspoonfuls fright and morning in a glass of hot water				
	17878	℞ Listerine	℥ii	1s	Mark	
		Sig wear dissolved				
	17879	℞ Mucil Acaciae	℥ii.		Pitman	
		Cyanide Potassa	gr i.			
		Syr Prunii Virg				
		Aquae aa	℥i			
		℞ Sulph Morphia	gr i.			
		Sig a teaspoonful 4 or 5 times in 24 hours.				
	17880	℞ Morph Acetas	gr i ¾		Kate	
		" Ext Ergotae	℥iv		Co. Little	
		" " Hydrastis	℥vi			
		Tinct Strophanthus	℥vi			
		℞ Lithiated Hydrangea	q s	℥iv		
		Sig Take a teaspoonful diluted after each meal.				
	17881	℞ Iodol	gr. iv		K.	
		in pulv sing. capsule		1s		
		in pulv capsule No. xxx			Capt. Carey	
		Sig. Take one capsule four times daily				

April 13th '90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17882	Rx Sul. Quinine Pills āā gr. ii No. xx. Sig. Take one every four hours			Mouch	
	17883	Rx Tinct. Cinchona ℥ii. Alcohol ℥iv Aquae Fontana ℥iv Sig. Use as directed			Coleman	
	17884	Rx Bismuth Subnit ℥iv Acidi Nitrici dilut. ℥iii fs Tinct. Nucis Vomicae ℥i fs. Aquae Mouth Wash q.s. ℥iv Sig. Take one teaspoonful 3 times a day before meals Shake before taking			Dr. Pitman	
	17885	Rx Syr Sarsae Comp ℥ii Fl Ext Stillingia ℥ss Iodid Potassa gr x Syr Prunī Virg āā ℥i Aquae Sig a teaspoonful 3 times a day			Pitman	Mrs Dwight
	17886	Rx Iodol gr vi Strych sing capsule No 30 capsules No xxx Sig Take one powder twice daily.			Keith	Mr. Mowry

April 15th '90

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17887	℞ Phenacetine Gr. vi Salol Gr. iv Pulv. Zingiberis Gr. i Ft. ft. in sing. Chart. ft. Chart. No. xii Sig. Take one powder every two hours then every four hours		08	Kite	Capt. Boyte
	17888	℞ Elixir Cinch, Trox et Strychnia ℥iv Sig. Take a teaspoonful every six hours		Dx	Mark	
	17889	℞ Antipyrine Gr. iiii ft. in sing chart. ft. Chart. No iv Sig. Antipyrine Gr. iii		10	Kite	
	17890	℞ Hyd Chlo Mite gr ii Sodæ Lactis gr iv M ft in sing chart ft chart No iv Sig Take one powder as directed			Kite Wm Baptie	
	17891	℞ Alcoholis ℥iv Menthol ℥ss. Glycerine Elix. Simplicis āā q.s. ℥i Sig. Dos. a small teaspoonful in warm water every 2 hours			XX	

April 17th 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17892	℞				
		Alum Epriccalum	gr x		Keile	
		Sodae Salicylate	ʒi			Hopkins
		" Bi Borate	ʒi		**	
		" Bi carb gr 2	ʒiv			Bellows 14
		Mix finely pulv				
		Sig Put powder in insect powder bellows.				
	17893	℞				
		Acid. Salicyl.	ʒi			
		Ethers	ʒi			
		Collodion q.s.	ʒi			
		Sig Apply twice daily				
	17894	℞				
		Hoyd Chlo Cocaine 4%	ʒss		Keile	
		Sig Use one to 5 drops in a teaspoonful of dilutant				Coffin
	17895	℞				
		Iodide Potassium	gr. iv			
		Salol	gr. ii			
		Ext. digitalis	gr. 1/8			
		ft. in sing capsule rubello capsule No. xvi				
		S. one capsule every four hours				
	17896	℞				
		Bismuth Sub carb	ʒii		Keile	
		Codeia Sulph	gr iss			Wm Baxter
		Chloroformi	m xvi			
		Elix Lactopeptini	aa ʒii			
		Sig Take a teaspoonful in water every 3 hours.				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17897	℞	Marsh Pills No	XX	##	Marsh	
	Sig	Take 3 for a dose				
17898	℞					
		Codeia Sulph	gr 1/32		Kale	
		Bismuth Sub carb	gr VI		Cash	Baker
		Pulvis Acaciae	gr VI		##	
		Mett in sing chart ft chart No	VIII			
	Sig	One powder dry every 3 hours.				
		take a swallow of water afterwards				
17899	℞					
		Salol	℥i			
		Ethers	℥ii		K,	
		Collodion q.s.	℥i		##	
	Sig.	Use twice daily				
17900	℞					
		Aquae Rosae	℥ii		Yu	
		Aquae Camphor	℥i			
		Tinct opii	℥ii			
		Pulv. Borax	gr ii			
	Sig.	Use for wash for eyes				
		3 & 4 times a day				
17901	℞					
		Hyd Chlo Mite	gr iiss		Kale	
		Pulv Sacch Alba	gr VI		Mary	
		Mett in sing chart ft chart No	IV			
	Sig	Dose one powder				
17902	℞					
		Marsh Pills No	XV			
	Sig	as directed				

Apr. 20th '90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17903	℞ Hyd. Chlor. Mit gr. ii ss. Ext. Belladonna gr. ½ Sacch. Albar q.s. vi Ft. pt. in sing Chart. Ft. chart No. iv Sig. one powder at a dose			K.	
	17904	℞ Marsh Pills No x		1s	Marsh	
		Sig use as directed				
	17905	℞ Ext Ergotae	℥ iiss		Keile	
		" " Hydrastis	℥ iv	5N		Safriz
		Tinct Sumbul	℥ iv			
		℞ Lithiated Hydrangea q.s	℥ iv			
		Sig Take a teaspoonful diluted 4 times daily				
	17906	℞ Quiniae Hydrobrom. gr. i ss. Antipyrine gr. ii	xx		K. Mrs Wright	
		Et rep. sing. capsule repeat cap. No. viii				
		Sig. Take one each hour till relieved				
	17907	℞ Antipyrine gr. xxx	xx		M.	
		Ft. Chart. No. vi				
		Sig. Take one every six hours				
	17908	℞				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17908	℞	Stokes Liniment	℥vi		Meaux	
	Sig	use as directed				
17909	℞	Liniciae Hydrochloras.	gr. i			
		Phenacetine	gr. iii			
		Salol	gr. iii			
		ft. ft. in sing. capsule				
		ft. capsule No. xvi				
	Sig.	Take one capsule every 2 hours				
17910	℞	Camphorae	gr. lxxx		Bt. Ret.	
		Tinct. Aconit.	℥iii			
		Tinct. Sapon. Camph.	℥i			
	Sig.	Aconite Liniment				
		Poison Shake				
17911	℞	Phenacetine				
		Salol	āā gr ii		Reid	
	Mist	repello sing cap, repello cap No xii			Meury	
	Sig	Take one capsule every hour,				
		till relieved then every 2 hours.				
17912	℞	Salicylic Acid	℥i			
		Alcohol				
		Leiterum	q.s ℥i			
	Sig	use diluted on gums				
17913	℞	Hearn Pills	No xx			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17914	℞				
		Syr Sarsæ Co	℥ii			
		Fld Ext Stillingia	℥ss		Pilman	
		God Potassa	grs x			
		Syr Prunī Virg			H+	
		℞ Aquæ ää	℥i			
		Sig a teaspoonful 3 times a day				
	17915	℞				
		+++ Hennery	℥iv		Keile	
		Sig Brandy				
	17916	℞				
		Sulph Quinia	grs x		Marsh	
		Syr Liquoricæ	℥i		SA	
		℞ Ext Wintergreen	℥ss			
		Sig Take a teaspoonful every 4 hours.				
	17917	℞				
		Pond Ext Hamamelis	℥i		Carvill	
		Soda Bicarb	grs xx			
		Glycerine	℥ss		IN both	
		℞ Aquæ Rosæ q s	℥viii			
	17918	℞				
		Menthol	grs i		Keile	
		Phenacetine	grs iv		& H. Henry	
		Quinia Hydrobrom	grs ii		AX	
		℞ Disp sig caps no caps	No viii			
		Sig Take one capsule every 2 hours.				
	17919	℞ Sul ~~Quinia~~	grs x		Marsh	
		Syr Leccinæ	℥i		AN	
		Sig Take a teaspoonful every 6 hours.	℥iv			

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1792	℞	Lactopepsi Elix	℥iii		Mearle	
	Sub Nit Bismuth		℥ii			
	Sig use as directed					
1792	℞					
	Aqua Spts Ammonia		℥iv		Keil	
	Sig Take a teaspoonful in water every 4 hours.				Hooper	
1792	℞					
	Collodion Cantharadis		℥ss		Keil	
	Sig use to paint over pain full spot.				Mowry	
1792	℞					
	Plumbi Acetate		grs xvi		Coleman	
	Tinct Opii		℥ss			
	Aquae Fontis		℥iv			
	Sig use as directed					
1792	℞					
	Syrup Ipecac				Mearle	
	" Scillae					
	" Tolu					
	Tinct Lobelia		aa ℥i			
	Sig Take a teaspoonful every 3 hours.					
1792	℞					
	Menthol		gr. i ss.		K.	
	Quinae Hydrochloras		gr. ii			
	Phenacetine		gr. viii			
	et vanillo sing. capsule				Mrs. C. H. Mowry	
	vanillo capsule No. xii					
	Sig. Take one capsule every hour then every 2 hours					

Apr. 28th '90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17926	℞ Cantharaidal Collodion	℥j	10	K.	
		Sig. Use ovr inflamation.				
	17927	Sul. Quinine Pills No. x.			Nash	
		Sig. Take one every four hours		10		
	17928	℞ Phenacetin Bayer	ʒii			
		fly in chart As VIII			F. W. Folger	
		Sig one powder in a goblet of water night & morning		SH		
	17929	℞ Spindel Salz. Bot. i			K.	
		Sig. Take a teaspoonful in water once daily	SO		Mulligan	
	17930	℞ Tablets Hyd. Chlor. Corrosive Bot. i	4x		"	
		Sig. Use ½ tablet in a quart of water as directed			"	"
	17931	℞ Ext. Digitalis gr. ½				
		Ext. Nucis. Vomicæ gr. ¼				
		Ergotin gr. i			W.	"
		Ferri Reducti gr. iii				
		Pulvo sing. capsule repeat cap. No. xx			"	"
		S. Take one capsule after each meal				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17932	℞ Morph. Acetas. Gr. ss. Elixir Bromides ℥ viii Coca Cordial Elix. Althae āāq.s. ℥ii Sig. Take a teaspoonful when necessary			Murray	
	17933	℞ Morph Acetas. Gr. 1/16 Antipyrine Gr. vi Citrate Caffeine Gr. ii Ft. at vapello sing. Capsule repulv Cap. No. xii Sig. Take one capsule every 3 hours			"	
	17934	℞ Elix. Calsaya Bark ℥ii aa Elix. Cascara Sag. ℥ii Tr. Nux Vom. ℥i Sig. A teaspoonful night & morning			Warren	
	17935	℞ Liq. Ferri Persulph. Glyc. āā ℥i. S. Put a teaspoonful in a goblet of water then use a teaspoonful for a gargle				
	17936	℞ Morph. Acet. Fl. Ext. Ergot. " " Hydrastis Tr. Sanctul Citrated Hydrangea Sig. Take a teaspoonful 3 times	gr. ¼. ℥iii ℥i ℥i q.s.		Ox	daily

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17937 ℞	Stokes Liniment ℥vi				
	Dig.	As directed				
	17938 ℞	Morph. Muriat. gr. ¼ ~~IV~~				
		Ext. Belladonna gr. 1/8 ~~III~~				
		Oleum Theobroma q.s. ~~III~~				
		ft. suppository No. ~~IV~~ No. VI				
	Dig.	Use one each hour till relieved				
	17939 ℞	Hyd. Chlo. Mite	gr. ii		Pills	
		Pulv. Zingib	gr. i		Mrs. H. Mowry	
		Sacch. Albae	gr. iv			
		Mist. pulv. ipsi in sing. chart ft. chart No. iv				
	Sig	Take as directed.				
	17940 ℞	Morphia Sulph.	gr. ¼		"	
		Ext. Belladonna	gr. ¼		"	" " "
		Hyd. Chlo. Mite	gr. ii			
		Oleum Theobro	q.s.			
		Mist. ipsi in sing. rectal suppositories ft. suppos. No. vi				
	Sig	Use one as often as necessary				
	17941 ℞	Morph. Sul.	gr. 1/8			
		Quiniae Sul.	gr. iii			
		Ext. Digitalis	gr. 1/3			
		Aloin	gr. 1/4			
		Oleum Theobroma q.s.				
	ft. sing rectal suppository	ft. suppositories No. vi				

Sig. Use one every 2 hours

May 1st 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17942	Rx Pill asafoetida Gr. v No. vi S. Take one each half hour till relieved		10		
	17943	Rx Tr. Aconite M. viii Elix. Amantig. ad 3iv Mt. Sig. Take a teaspoonful every 3 hours		10		
	17944	Rx Hyd. Chl. Mite gr. i p. Pulv. Zingiber gr. ss Sacch. Albae gr. iv M. ft. pulv. et ft. pulv. No. i ft. Chart. No. vi Sig. Take one powder at night		10		
	17945	Liq Potassa Arsen Zss Sig Take one drop in water after each meal		Keith		
	17946	Rx Sodae Salicylat Zvi Tinnia Hydchlo Ziii Tr Cantharides mx " Capsici Zi " Alcoholis Aquae ää qs Zi Sig use as hair		Keith 1.10		

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17947	℞				
		Tablets Antikynin gr V	No XII		Kidd	
		Sig Antikynin 5 grs.		☒ X	H. B. Sharp	
	17948	℞				
		Extract Cerium	gr ii	1☒	Kidd	
		Melt in sing chart ft chart	No VI		H. Mowry	
		Sig Take one each ½ hour till relieved.				
	17949	℞				
		Morphia Murias	gr 1/16		Kidd	" " "
		Ext Belladonna	gr 1/4			
		" Cannabis Ind	gr ½	☒ X		
		" Digitalis	gr 1/3			
		Oleum Theobrum	q.s			
		Melt in sing rectal suppos ft suppos	No VI			
		Sig use one every 2 hours.				
	17950	℞				
		Elix Lactopeptine	℥ iv		Marsh	
		Sub Nit Bismuth	℥ iii	0☒		
		Sig Take a Teaspoonful every 6 hours.				
	17951	℞ Sul. Quinine	gr. xxx			
		Sul. Acid. dil	gtt xx			
		Aquae	℥ iv	☒ X		
		Sig. Take a teaspoonful every four hours				
	17952	℞ Stokes Liniment	℥ vi			
		S. Use as directed		☒		

O K

April – Thirty – 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17953	℞ Quinine gr. xxxx Syr. Liquoricæ ℥ss Ess. Wintergreen ℥ss. Sig. Take a teaspoonful every 4 hours				
	17954	℞ Spir. Fruments ℥iv Sig. Take two teaspoonfuls in a glass of milk 3 to 4 times daily		xx		
	17955	℞ Sol. Hydrobl. Cocaine 4% ℥ss Listerine q.s. ad ℥ii Sig Use at rasp. in a wineglass of water as a wash for mouth		℥x		
	17956	℞ Menthol gr xv Spts Camphor ℥i Sig use 3 or 4 times a day		℥x	Mount	
	17957	℞ Stokes Liniment ℥vi Sig. Use as directed				
	17958	℞ Morphia Murias gr i Hyd Chlo Corros gr i Listerine ℥ii Aquae q.s. ad ℥iv Sig use a teaspoonful in water 3 to 4 times daily			Keller	

April 190

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17959	℞ Stokes Liniment Sig use 3 times a day as directed	℥ vi		Marsh Lott Drugs.	
	17960	℞ Ext Digitalis " Nucis Vomica Pulv Capsici " Zingib Bismuth Sub Nit Disp in cap no cap No viiii Sig One every 2 hours.	gr ¼ gr ¼ gr ss gr ii gr iv		Keil Capt Leary "	
	17961	℞ Hydrate Chloral Bromid Ammon Chloroformi Muc Acaciae Elix Aurantii q s M Ft in Emulsion Sig Take in one dose on going to bed.	gr xxx gr xxx m ii ℥ i ℥ ii		Keil "	" "
	17962	℞ Aro Spts Ammon Sig Take a small teaspoonful in ½ glass of water 4 times daily	℥ iv		Keil "	Mowry
	17963	℞ Ext Cascara Sagrada Sig Take a teaspoonful in ½ glass of water several times daily.	℔ i		" I.X.	"
	17964	℞ Rum Sig use as directed	℥ x		Marsh	

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17965	℞	Sulph Quinia	gr L		Marsh	
		" Acid Dil	gtt L			
		Tinct Gentian	℥ i			
		Aqua	℥ iii			
	Sig	Take a teaspoonful every 6 hours.	℥ iii			
17966	℞	Alcohol	℥ iv		Coleman	
		Aqua	℥ iv			
		F. Ex. Cinchonia	℥ ii			
		Fr Aconite	℥ i			
	Sig	use as directed				
17967	℞	Pot. Iodid.	gr. cxxiii			
		Sodae Salicyl.	℥ ii			
		Tr. Opii Camph.	℥ iii ℔			
		Elix. Pepsi et Gentian q.s.	℥ iv			
	Liq.	(Elix. Gent. cum Tr. Pepsi Co.) A teaspoonful in water after meals				
17968	℞	Sulph Quinia	gr L		Marsh	
		" Acid Dil	gtt L			
		Aqua	℥ iv			
	Sig	Take a teaspoonful every 6 hours.	℥ iv			
17969	℞	Sul. Quinine	gr. L.			
		Syr. Liquorice	℥ iv			
	Liq.	℥ i every four hours				

April sixth 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17970	℞ Sulph Zinnia	grs XXX		Marsh	
		Syr Liquiritiæ	℥i.			
		Sig Take a teaspoonful	℥iv	NY		
		every 4 hours.				
	17971	℞ Marsh Pills	No X	1N	Marsh	
	17972	℞ Menthol	grs XXXii		Keile	
		Fl Ext Convallaria	℥iss		Mrs J Defriez	
		Fr Sumbul				
		" Avenæ Sativa	ää ℥vi	ON		
		℞ Celerina	grs ℥iv			
		Sig Take a teaspoonful in				
		water 4 times daily.				
	17973	℞ Old Medford Rum	℥iv		Keile	
		Sig Take a teaspoonful or			Mrs S. Hammond	
		more diluted four times daily		HN		
	17974	℞ Menthol	grs XV		Marsh	
		Spts Camphor	℥i	1N		
	17975	℞ Emplastrum Cantharadis			Keile	
		one square.				
	17976	℞ Hyd. Chlor. Corr.	gr. i		K.	
		Cocain Hydrochlor.	gr. ii			
		Mellin	3i			
		Ung. Petrolii q.s.	3iv	HH		
		M. ut ds ad ointment on face				

April 6th 1890

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17977	Rx				
		Acid. Boracic	gr. xx	25 Cts.		
		Aquae Mouth. fiat.	℥ii	10		
		Aquae Camphor.	℥ii			
		Aquae Dest. q.s.	℥ii	Free.		
		Sig. To be dropped in the eyes as directed				
	17978	Rx				
		Morph. Sulph.	gr. 1/8			
		Ext. Cannabis. Ind.	gr. ss.	5¢		Kite
		Ext. Belladonna	gr. 1/4			
		Ext. Ergot	gr. ii	Free.		
		Oleum Theobroma q.s.				
		Ft. ext. in sing rectal suppository				
		Ft. suppositum No. xi				
		Sig. Use one suppository when necessary				
	17979	Rx				
		Morphia Acetas	gr 1/8		Kite	
		Ext Cannabis Indica	gr ss			
		" Belladonna	gr 1/4		C. Little	
		" Ergotae	gr iii	5¢		
		Oleum Theobrom	q.s			
		M. et ft in sing rectal suppository				
		ft suppositum No vi				
		Sig use one every 3 hours				
	17980	Rx				
		Citrate Caffeine	gr. i	5¢	K.	
		Phenacetine	gr. iii			
		Salol	gr. iii	Free.		Mrs. J. N. Bodge
		Et capsulo sing. capsule capsulo capsule No. xii				
		Sig. One every 2 to 3 hours				

April 8th '90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17981	℞ Antipyrine Grs. V. 8x Dft. Chart. No. X. Sig. Take a powder Every four hours in water			J. Gray	
	17982	℞ Marsh's Pills No. X. 10			J. Gray	
	17983	℞ Liq. Ferri Persulph. ℥ss. Glyc. ℥ss. Sig. Put a teaspoonful in a goblet of water three or four times a day as a gargle				
	17984	℞ Codeia Sulph. Gr. ¼ Acid. Carbolic. Gr. ¼ Bis. Sub. Carb. ℥ii 40 K. Coca Cordial ää Elix. Amantii q.s. ℥ii Meigs S. Take a teaspoonful in water after eating three times a day. repeat if necessary				
	17985	℞ Antipyrine Grs. XL. 8x Dft. Chart No. VIII S. give one every six hours				
	17986	℞ Stokes Liniment ℥vi S. Use as directed 8x				

May 8th '90

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17987	℞ Sulph Zinc	ʒss	1x	Mearle	
		Sig use as directed				
	17988	℞ Fl Ext Veratrum Viride	ʒi		James.	
		℞ Alcohol (70 pct)	ʒi		40	
		Sig 2 to 4 drops.				
	17989	℞ Fluid Valerian	ʒss		James	
		Calc Magnesia	ʒi		10	
		Fluid Aphii	ʒss			
		Peppermint Water	ʒi ss			
		℞ Cil Anise	m xv			
		Sig Tearspoonful				
	17990	℞ Phenacetine				
		Salol āā	gr iii			Kale
		℞ ft in sing chart ft chart No	viii			
		Sig Take one powder every 2 to 3 hours.			40	
	17991	℞ Phenacetine				
		℞ Salol āā	gr iii		00	Kale
		Sig ft in sing chart ft chart No	xii			
		Sig Take one powder every 3 hours.				
	17992	℞ Stokes Liniment	ʒvi		Mearle	
		Sig use as directed			000	bottle bought.

over

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
17993		℞ Hyd. Chl. Corr. gr. i Pot. Iod. gr. CL. x Sod. Salicyl. ℥iii Syr. Sarsaparilla q.s. ad ℥iv Sig. ℥i in water after each meal				
17994		℞ Ergotin Pills No XX 2 gr. each Sig Take one every 4 hours.			Marsh.	
17995		℞ Pot. Iodid gr. iii Sod. Salicylate gr. iv Extr. Jingib. gr. i et q.s. ad sing. Capsula q.s. Capsules No. XXX Sig. Take one capsule after each meal				Black
17996		℞ Fld. Ext. Ergot ℥ss. " " Hamamelis ℥ss. S. 10 drops in water every four hours till better				
17997		℞ Antipyrine gr. iii Cit. Caffeine gr. i Malate Cerium gr. i et q.s. ad sing. Capsule q.s. ad capsule No. viii S. Take one capsule every 2 hours till relieved				

1898

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	17998	℞				
		Fowlers Solution	℥iii		Marsh	
		℞ Syrup Sarsa q.s	℥ix		At	
		Sig Teaspoonful every 4 hours after Meals				
	17999	℞				
		℞ Ext Convallaria	℥i		Keil	
		Fr Salviae. Comp	℥ii		Capt Leary	
		" Nucis Vomica	℥i	10¢		
		℞ Cedrinae q.s	℥viii			
		Sig Take a great spoonful in half a glass of water.				
	18000	℞				
		Bromo Pyrine Batt	i	50¢	Keil	
		Sig Take a teaspoonful in ½ glass of water.			H. B. Sharp	
	18001	℞				
		Ammonia Bromide	℥ii		Hasbrouck	
		Syr Ammon Aromat	℥i	40¢		
		℞ Agnae	℥iv			
		Sig Dessert spoonful thrice daily				
	18002	℞				
		℞ Ext Cascara Sag	℥i		Hasbrouck	
		" " Berberis Aqfol	℥ss			
		Syr Prunii Virg	℥ss	40¢		
		℞ Ext Hyoscyamus	gr xx			
		Sig Teaspoonful t.i.d.	℥ss			
	18003	℞ Phenacetine	gr. iii	5¢	Sig. Take one powder every three hours	
		Salol	gr. iii			
		Citrate. Caffeine	gr. i			
		et Ft. in. Sim. Chart. et. chart. No.	℥iii			

May 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18002	℞ Hyd Chlo Corsive Sol. 1% M. xxx				
		Sig. Use two drops in a ½ great spoonful of water				
	18005	℞ Pill Asafoetida gr v No X ½ Rile				
		Sig One pill when necessary.			Meigs	
	18006	℞ Elix Calisaya Iron & Strych	℥ iv			
		Sig Take a teaspoonful 3 times a day after each meal in a tablespoonful of water				
	18007	℞ Morph. Acetas.	gr. ss.			
		Chloryone	m. iv			
		Fr. Kino	℥ ii	DS	K.	
		Dil. Laurel. Co.				
		Coca Cordial q.s. ad	℥ iii			
		Sig. Take ℥ i in water every 2 to 3 hours				
	18008	℞ Slater Liniment	℥ vi		Marsh	
		Sig use as directed		DS		
	18009	℞ Liquor Murias	℥ i			
		Apiol	℥ iii			
		Fld. Ext. Convallaria	℥ iv			
		Elix. Bui et Gentian q.s. ad	℥ iv			
		Sig. A teaspoonful in water after each meal				

May 5th 90.

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18010	℞ Antipyrine Gr. iii Caffine Cit. Gr. i et ft. pulv. no. chart ft. Chart No. viii Sig. When necessary take one powder every one to two hours relieved		75	Mr. Morris	Mrs. Morris
	18011	℞ Antipyrine Gr. v. Pulv. Digitalis Gr. ss. " Myristicae Gr. ii et ft. in no. chart. ft. Chart No. xii Sig. Take one powder every 3 to 4 hours relieved		100	Mr. Folger	Mr. Folger
	18012	℞ Bromid Potassa ʒss Simp Syrup ʒi Aquae ʒiii Sig Take a teaspoonful every 6 hours.		100	Mr. Marsh J. M. Folger	
	18013	℞ Morph. Acetas Gr. 1/32 Tinctur Hydrobromic Gr. i Mur. Ammonia Gr. iii et pulv. no. capsulae pulv. capsulae No. viii Sig Take one capsule every 2 hours		75		
	18014	℞ ~~Pulv~~ Tablets Antipyrine Gr. xv No. xii Sig. one tablet t. i. d.				

May 17th " 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18015	℞ Sul. Quinine gr. xxxx Syr. Liquirice ℥i Sig. Take a teaspoonful every six hours	℥iv	☒☒	M	
	18016	℞ Tr. Iodine ℥ss. ☒☒ M. Tinct. of ü ℥i. S. Use 3 or 4 times a day				
	18017	℞ Ferro Pyrophosphate ℥vi Mearle Sig Teaspoonful every 4 hours				
	18018	℞ Salol Phenacetine āā gr ii ss ☒☒ Brady Mitte rep sing caps rep caps No xii Sig Take one capsule every 3 hours.			Kali	
	18019	℞ Elix. Lactopeptine ℥ii ☒☒ Bt. Bat. Elix. Phos. Ferrum Quinine Strychnia ℥ii Sig. Teaspoonful after meals			Warren J.R. Bacon	
	18020	℞ Tr. Nux Vomica ℥ss Elix. Calisaya ℥iv Tr. Hyoscyamus ℥vi Elix. Cascara Sagrada ℥ii Tr. Belladonna ℥i Tr. Nucis Vomicæ ℥i ℞. Sig. teaspoonful night and morning before meals			Warren Bt. Bat. J.R. Bacon.	

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18021	℞ Sol. Potash. Acet. ℥ii Elix. Simp. ℥ii Sig. Teaspoonful every 4 hours when kidneys act badly Sol Potassa Acet is ℞ Potassa Acet ℥i Aquae Purae q.s ad ℥ii				
	18022	℞ Cascara Cordial ℥iv Sig Take half a teaspoonful once or twice daily			Kel- R. Allen	
	18023	℞ Hyd. Chlo. Cocaine 4% ℥i Listerine q.s ad ℥ii Sig use a teaspoonful in a wineglass of water			" " "	
	18024	℞ Fleur Morphia gr 1/32 Liquida Fleurias gr i Ammonia " gr iv Act rep cap rep cap No xii Sig Take one capsule every 2 to 3 hours.			" " "	
	18025	℞ Phenacetina gr. ii Salol gr. iii ft. sing. Chart ft. " chart. No xx Sig Take two powders daily				

May 20th 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18026	R/ Sul. Quinin grs. L. Tinct. Lavend. Co ℥i ss Aquae ℥iii M Sig. A Teaspoonful every six hours				
	18027	R/ Pyrodel Salts. Bot i (Tutuila) Sig. Teaspoonful in a glass of hot water 2 times a day				
	18028	R/ Morph Acetas	grss		Keile	
		Bismuth Sub Nit	℥iss			
		Chloroformis	m viii		Cadman	
		Tr Capsici	m iv			
		Ess Pancreat q s	℥ii			
		Sig Take a teaspoonful in water when necessary.				
	18029	R/ Pyrodel Salts Powd Bot i			"	"
		Sig Take a teaspoonful in a glass of hot water night & morning				
	18030	R/ Lotio Nigra	℥iv			
		Sig. Use Externally				
	18031	R/ Aromat. Spir. Ammon.	℥ii	dbl.	℥iv	
		Sig. Take a small teaspoonful in water every two hours				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18032	℞ Potass. Bi Carb. ℥i Syr. Aurantii Cort. ℥ii Aquam q.s. ad. ℥iv Sig. Take one tablespoonful in a wineglass of water an hour after each meal				
	18033	℞ Quinia Hydrobromas gr i Salol Phenacetin aa gr iii Sig & rep sig cap. rep capsules No xii Sig Take one capsule every 3 hours.			Heil	
	18034	℞ Fluid Extract Buchu ℥ii Spts Etheris Nit ℥ii Agnae ℥ii Sig a teaspoonful in little water ℥ time a day.			Pilman	
	18035	℞ Mur Morphia gr ¼ Coca Cordial ℥ss Elix Althea q.s ad ℥ii Sig Take a teaspoonful when necessary.			Keli R. Allen	
	18036	℞ Elix. Calisaya Co. ℥i et Strych. ℥i S. Take a teaspoonful every 4 hours				

May 23rd 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18037	℞ Fld. Ext. Buckthorn				
		Syrup ā ā ℥ i				
		Tinct Rhei ā ā ℥ i				
		Sig Take a teaspoonful at night				
	18038	℞ Pulv Assafoetida				
		Ext Colocynth Co ā ā gr X				
		Ext Hyoscyamus gr XII				
		Make one Pill				
		Sig Take as necessary to relieve distress in Stomach				
	18039	℞ Bromid Ammonia	℥ iv			
		Fl Extract Salix Comp	℥ ii			
		Aqua q s	℥ ii			
		Sig a teaspoonful in water when necessary.				
	18040	℞ Whiskey	℥ vi		Marsh	
		Simple Syrup	℥ ss			
		Sig Take a teaspoonful every 6 hours.				
	18041	℞ Alcohol	℥ vii		Marsh	
		Sig use for Bathing				
	18042	℞ Sul Quinine	gr L		"	
		Syp Liquorice	℥ iiii			
		misg Take a teaspoonful every 4 hours.				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18043	℞				
		Stokes Le iniment	℥ vi	☒☐	Marsh	
		Liq as directed.				
	18044	℞				
		Plumbi Acetate	grs XX			
		Tr Opii	℥ ii	☐☐	Coleman	
		Aquae	℥ iv			
		misq ature as directed.			Peerrious	
	18045	℞ Elix. Lactopeptina				
		Bismuth & Strychnia	℥ iv			
	18046	℞				
		Quiniae Hydrobromas	grs lv		Miss A Laurence	
		Ammonii le carbonas	grs lll	S☐		
		" Muriás	gr ii.		Kite.	
		met in misq caps. ap caps no XXIV				
		Liq. Take one capsule every 3 hours.				
	18047	℞				
		℔ Acid. Phosphoric. dil. ℥ i.			dbl Bst. Bit.	
		℔ Elix. Cinchon. ℥ ii		☐X		
		Liq. Teaspoonful in water				
		℔ before meals				
		℔ Elix. Calisaya				
	18048	℞				
		Elix Bism Lactopeptina & Strychnia	℥ iv	☐X	Pittman	
		Liq a teaspoonful just before or after meals.				
	18049	℞				
		Le Chloroformis	m viij	1☐	a teaspoonful in water when necessary ☙ Kite	
		Tr Capsicum	m lv			
		Tr Opii le camph	℥ ii			
		Tr Zingiberis	℥ i			
		boca le orchid	grs ℥ ii misq liq.			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	~~1804~~ 18050	℞				
		Lactopeptine	℥ iiii i	⧈⧈	Wm.	
		Sub-Nit Bismuth	~~℥ iiii~~ ℥ iv			
		Sig. Take a teaspoonful every 6 hours.				
	18051	℞				
		Tr Opii	m xxiv	⧈	Kite	
		Tr Digitalis	m xii			
		Fld Ext Ergotae	℥ iss			
		Elixir Aurantii q.s.	℥ i ~~ad~~			
		Sig Take as directed				
	18052					
	13052	℞				
See No. 13052 in other Book		Quiniae Sycholeomatis	gr ⅛			
		Salol	gr ¼			
		Phenacetine	gr ii	⧈X		
		Ext Cannab Indica	gr 1/32	⧈X	Kite	
		m ft sp 2 sig capsule disp cap no xvi			Mc Junkin Depuy	
		Sig. Take one capsule every 1 to 2 hours.				
	18053					
	13053	℞				
See same Number in back Book		Hyd Chlo Morphinae Hyp	℥ i		Kite	
		Cocaine	℥ ii ⓓ		Mc Donner	
		Sig. Use as a spray.		⧈X		
	18054					
	13054	℞				
See same Number in back Book		Antipyrin	gr ii		Kite	
		Ext Cannab Indica	gr 1/16	⧈⧈	Mc Donner	
		" Digitalis	gr 1/2			
		mft ft in 2 sig capsule disp cap no xii			(no 4 caps)	
		Sig. Take one capsule every 3 to 4 hours.				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18055. 13055	℞				
See same No. in back Book		Quiniae Bychobromas	gr. ss			
		Pulmactine	gr. ii		Fite	
		Salol	gr. iv	XX	Mrs M G Staley	
		Ext. Cannab Indicae	gr. 1/16			
		mitte in sing. caps. fil. xvi caps (No 2)				
		Sig. Take one capsule every 2 hours.				
	18056 13056	℞				
See same No. in back Book		Tr Aconiti	m viii			
		Tr Belladonnae	m xvi	XX	Fite	
		Tr Euphrasia	ʒ i ss			
		Aqua Cardial q.s.	ʒ ii			
		M sig a teaspoonful every one to two hours.				
	18057 13057	℞				
See same No. in back Book		Salol	gr. iv			
		Pulmactine	gr. iv			
		Ext. Cannabis Ind.	gr. 1/8			
		Ext. Ergot	gr. ss.		M. Mrs Defrieg	
		Ft. ft. in sing. capsule				
		Mitte capsule No. xvi				
		Sig. One every four hours				
	18058 13058	℞				
See same No. in back Book		Tablets Hyd. Chl. Cor. Bot. i		ox		
	18059 13059	℞				
See same No. in Book back		Ferri Et Hydrogen gr i Gelatine coated Pills no xx sig as directed.		XX	Mrs Gathcart	

Stationers, 9 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18060					
	3060	℞				
See same No. in book Back		Epsomd Salts	bott		Kite	
		Sig a teaspoonful in a glass of water once daily.				Mrs Shelton
	18061					
	3061	℞				
See same no. in book back		Fld Ext Ergotae	℥ii		Kite	
		" " Convalaria	℥iii			Mrs Shelton
This number is duplicated		℞ Ferri Chloridi	℥i			
		Ferri et Quinia Citrat (Lilly)	℥iv			
		Sig a teaspoonful in water after each meal				
	18062.					
	3061	℞				
See same No. in book Back ↑ See above		Tinct Lobelia				
		" Aconiti aa	℥i	☐☐	Marsh	
		Sig. Use 3 times a day				John Collins
	3063	℞				
		Pil Ferri Iodidi gr i		1☐		
		Gelatine coated no XX- (No 5 capsule) as directed				Mrs Cathcart.
	18064	℞				
		Morphia Acetas	gr ½		Kite	
		Acidum Carbolicum	m iv			Meiggs
		Sodae Salicylatis	℥ii			
℞ Sig		Elix Aurantii	aa ℥ii	ℏ bott brought.		
		a Teaspoonful diluted when necessary.				
	18065	℞				
		Salol		☒X	Kite	
		Phenacetine				Mrs Louis Leitch.
		Sodae Salicylatis aa	gr ii			
		Ext Cannabis Indicae	gr ½	m d in 1 cap. fill XII caps.		
		Sig Take one capsule every 4 hours.				(No 1 cab)

June 3d 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18066	℞ Bromid. Potass.	℥ ss.			
		Syr. Simp.	℥ ss.			
		Aquae	℥iii ss.			
		Sig. Take a teaspoonful for a dose				
	18067	℞ Morph Acetas	gr 1/24			
		Pheneretine	gr ii			
		Apalate Cerium	gr i		Kite	
		mist pt vi sig shake pt charter no viii				Mrs Lowden
		Sig. One powder each hour till relieved.				
	18068	℞ Morph Acetas	gr ss.			
		Tr Aconite	m vii		Kite	
		Tr Belladonnae	m xvi			Mrs Le Baron
		Fl Ext Eucalyptus	℥ vi			
		Coca Cordial	℥ i ss			
		Elix Aurantii gs.	℥ iv			
		m sig. Take a teaspoonful every 2 hours.				
	18069	℞ K Cy (Cyanide Potassa)	gr i			
		Syr Scillae			Kite	
		" Tolu				For Lena
		" Prunus Virginus aa ss.	℥ ii			
		m sig. Take a teaspoonful every 2 to 3 hours.				
	18070	℞ Bromida Ammonia	℥ iv			
		Elix. Aurantii	g.s. ad ℥ ii			
		Sig. Bromid. Take a teaspoonful when necessary				

June 3rd 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18071	℞ Hyd. Chl. Mite gr. i Bismuth Sub-Carb. gr. iii Sacch. Albar gr. iii M Ft. ch in sing. chart. ft chart No. vi Sig. Take one powder 2 to 3 hours daily				
	18072	℞ Morphia Sulph gr ss Fr Belladonna m xii Fl Extr Cannabis Indica m iv Aquae gs ℥i Sig a teaspoonful each half hour till relieved.			Keith NN	
	18073	℞ Stokes Liniment ℥viii ℗ Sig. Use as directed			Marsh	
	18074	℞ Salol gr v No xii Sig. One pill every 3 hours.		XX	F F Brown	
	18075	℞ Salol gr. ii Phenacetine gr. ii Ext. Cannabis Ind. gr. 1/16 Et. ft in sing. capsule repeat cap. No. xii Sig. Take one capsule every 3 hours		DX		
	18076	℞ Belladonna & Aconite no ii Rub on place for pain & ch comms 20 cts per head		XD each	Keith Nov Moore	

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18077	℞ Strychnia	gr ¼		Pilman	
		Aquae	℥iv	.10		
		Sig Teaspoonful 3 times a day				
	18078	℞ Elix Lactopeptine			Pilman	
		Bismuth & Strychnia	℥iv			
		Sig a teaspoonful just before each meal.				
	18079	℞ Morph Acetas	gr 1/8	℞		
		Quini Hydrobrom	gr viii			
		Phenacetine	gr xvi	for	Albaugh	
		M. Ft. No viii Sig For Toothache			Kite.	
	18080	℞ Tinct. Aconite M.	iv			
		Tinct. Belladonna M.	viii	xx	Mrs Shay	
		Tinct. Euphrasia	℥i			
		Coca Cordial q.s.	℥i	Ft.		
		Sig. A teaspoonful every	two hours			
	18081	℞ Sol. Hyd. Cl. Cocaine	4%	M. xx		
		Listerine q.s.	℥i			
		Sig. Use in Atomizer				
	18082	℞ Quiniae Sulph	gr ii			
		Potassium Iodide	gr iv	☐x	Kite	
		Ext Cannab Indica	gr ⅛		Mrs Moore.	
		Met rep sumj cap. pil xii cap (3)				
		Sig. Take one capsule every 3 hours.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18083	℞				
		Tr Aconite m viii				
		Tr Belladonnae mxvi		☒	Kite	
		Tr Euphasia ʒ ii				Mrs L. Coffin.
		Coca Cordial q.s. ad ʒ ii				
		M Sig A Teaspoonful				
		every 2 to 3 hours.				
	18084	℞				
		Antipyrin gr v		☒	Kite	
		M et sig. ft chk no x				Mrs L. Coffin
		Sig. Take one powder as necessary				
	18085	℞				
		Muc. Acaciae ʒ ii				
		Cyanide Potass. gr. i				
		Syr. Prunj Virg. ʒ i		☒		
		Morphia Sulph gr. i		¼		
		Aquae ad ʒ i		☒		
		Sig. A teaspoonful at bedtime				
	18086	℞				
		Tinct. Lobelia ʒ vi		☒		
		" Sanguinaria ʒ iii				
		" Symplocarpus Foetida ʒ iii				"
		" Ipecac ʒ iv		¼		
		" Capsicum ʒ i		☒		
		Sig. Use as directed				
	18087	℞				
		Tinct. Belladonna ʒ iii		10		
		Fld. Ext. Eucalyptol. ʒ iii				
		Sig. (15) fifteen drops in a little water twice daily				

OVER

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18088 ℞					
		Tr Digitalis	m xxxii	ⅨX		
		Extr Ferri et Quinian	gs. ℥ i v		Kite	
		Sig a teaspoonful three times daily half an hour before meals.			Miss Wright	
	18089 ℞					
		Spondel Salts Bott i			Kite	
		Sig a teaspoonful in a glass of hot water at night		ⅨX	Mrs Reily	
	18090 ℞					
		Celerina	ʒ ii			
		Vin Mariani q s	ad ʒ viii		"	"
		Sig a teaspoonful diluted as often as necessary to relieve nervous depression		IX=		
	18091 ℞					
		Methy Acetas	gr 1/16		"	"
		Antipyrin	gr iv			
		Quinia Hydrobrom	gr ii	ⅨX		
		Ext Cannibis Indica	gr 1/8			
		Sig et rep sing cap vel capsule ho		xii		
		Sig For Prof use.				
	18092 ℞					
		Belladonna Plastri ho	ii		Kite	
		Sig cut to apply over breast.		ⅨX	Mowry	
	18093 ℞					
		Hyd. Chl. Cocaine	gr i ss			
		Ext. Belladonna	gr i			
		Ext. Cannabis Indica	gr ii			
		Ext. Ergotae	gr vi			
		Glycerin Theobromae	q s			
		Ft. Ol in sig vaginal suppositories				
		Ft suppositoria tales xii Sig Use as directed				

June 6, '90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18094	℞ Hyd. Chlo. Corros. Tablets Bt. i		☐X	Mc. Long	
		Sig. Use one half tablet twice daily				
	18095	℞ Sapo Hyd. Cerat. Cor. Cake i			Mir. Long	
	18096	℞ Antipyrine gr. ii Ext. Cannabis Ind. gr. 1/6 " Digitalis gr. 1/12 M ft. in chart. Capsule. Capsule No. xii		☐X		
		Sig. Take one capsule every 3 to four hours				
	18097	℞ Quinia Hydrobrom gr. i Ammonia Carbonas gr. iv M et ft. sing. cap. rep. capsules No. xvi		☐X	Kite Mrs Bishop	
		Sig One capsule every 2 hours.				
	18098	℞ Stokes Liniment ℥ vi Use as directed.		☒☐	Mack. Mrs Tupper	
	18099	℞ Mur. Morphia gr. i Spir. Aetheris Comp. ♏ ℥ ii Sig. Take a teaspoonful diluted every half hour till relieved.		☒☐	Kite Mrs Upham	

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18100	℞ Morphia Acetas gr iii Fl. Ext Pichii ʒ i " " Ergotæ ʒ iv Sig Take 10 drops in water 3 & 4 times daily.			Kale	Little
	18101	℞ Aromat. Syr. Rhei ʒ ii Calcined Magnesiæ ʒ ii Sig Teaspoonful Shake			Mrs. J. A. Corby	
	18102	℞ Stokes Liniment ʒ vi use as directed			Marsh	
	18103	℞ Pulv Peprini Sach Salicin āā ʒ i M in chart No XII div Sig One after meals.				
	18104	℞ Nitro-Glycerine 1% ʒ i Sig One drop three times daily			Kale	Reiby
	18105	℞ Meretthane gr XV Mark ft in ring chart ft chart No IV Sig Meretthane			"	"
	18106	℞ XXX Hennessy Brdt i Sig Brandy			"	"

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18107	℞	Ext. Frumenti	℥viii		Marsh	
18108	℞	Ext. Frumenti	℥vi		Marsh	
	Sig	ppe as directed				
18109	℞					
		Hyd Chloral	grx IX		Kirby	
		Bromid Ammon	℥i.			Kirby
		Fr Digitalis	mvi	HA		
	℔	Elix Aurantii	q s ℥ii			
18110	℞					
		Sulph Quinia	grx I.		Marsh	
	℔	Syrup Leicorice	℥iv	HX	M. Hojick	
	Sig	Take a Teaspoonful				
		every 6 hours.				
18111	℞					
		Ext Cannabis Ind	℥i		Kirby	
		Fr Avenae Sativa	℥i	HN	Johnson	
	℔	Coclerinae	gs	℥viii		
	Sig	Take a Teaspoonful				
		in water every 4 hours.				
18112	℞					
		Salol			"	"
		Phenacetine,	āā grii			
	Mix rep sing cap rep cap No			XVI		
	Sig	Take one capsule		HN		
		every 4 hours				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18113	℞ Emplastrum picis cum cantharide cum Ext Belladonna ℥ss cum " Cannabis Indica ℥i M ft spread on hid 8x8 in			Keile SN Reiley	
	18114	℞ Heyd Chloral Bromid Ammon ää gr v M et disp zing cap, rep cap to xii Sig Take 2 capsules at a dose			" " ☐N	
cap to	18115	℞ Tr. Belladonnae ℥i Tr Digitalis ℥iss Fowlis Solution ℥iss Aquae q.s. ℥iv msig. Take a teaspoonful in water after each meal		☐X	Rite Mrs Hammond	
	18116	℞ Fl Ext Buckthorn Bk ℥ss Sig Take 3 drops for a dose		1☐	Marsh Rothetag	
	18117	℞ Syr Ipecac " Squills. comp aa ℥ii Mist Ammonia ℥i Syr Tolut Glycerine aa q.s. ℥ii Ollis Cinnamomi Mistura		XX	½ hr ½ spoonfuls	
	18118	℞ Fld Ext Convallaria ℥iv " " Lupulae m cL X Tr Ferri Chloridae ℥iss Aqua Ferri et Gentian q.s. ℥iv.		☒X	msig. A teaspoonful in water after each meal. Rite.	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18118	℞				
		Ext Opii				
		" Belladonnae				
		" Cannab Ind aa	ʒss			
		" Ergotae	ʒi			
		Mollin q.s.	ʒi			Mc Bilby
		M ft ung.				
		Sig. Use a small amount locally.				
	18120	℞				
		Paraldehyde	ʒiv		Keith	
		Mucil Acaciae	ʒiv			Bixby
		Elix Aurantii				
		Aquae Cinnamomi aa q.s.	ʒiv			
		Sig Dose 2 great spoonfuls.				
	18121	℞				
		Hydrobromate Hyoscyamine	gr i		"	"
		Alcoholis	ʒi			
		Aquae Dist	ʒix			
		Sig Dose 3 to 5 drops.				
	18122	℞				
		Elix Lactopeptine	ʒiv		Marsh	
		Sub Nit Bismuth	ʒiii			Chapman
		Sig Take a teaspoonful every 6 hours.				
	18123	℞				
		Marsh Pills No x			Marsh	
		Sig Take one at night				
	18124	℞				
		Syr Scillae	ʒii			
		Glu	ʒi			
		Tr Capsici	mv			

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18125	℞					
		Salol gr iv				
		Phenacetine gr ii		☐X	Kite	
		Sacch pt ni sig chartae			W H Mowry	
		ft chartae no xii				
		Sig One powder every 2 hours.				
18126	℞					
		Ext Cafiziaya. Am			McKeever	
		Bismuth. Ferri et Strychnia		Btl	Kelly	
		Sig Teaspoonful 3 times		1.00		
		a day.				
18127	℞					
		Listerine	℥ii		Marsh	
		Sig use as directed		1.00		
18128	℞					
		Morph Acetas gr ii		X☐	Kite	
		Tannic Acid (very fine powd) gr xxx			D. F. Lochrin M.D.	
		Boracic Acid " " " ʒiii				
		et pulvis finicis				
		Sig Apply ni eye each morning				
18129	℞					
		xxx Hennessey	℥iv		Kile	
18130	℞					
		Aloin gr 1/4				
		Res Podophyllin gr 1/8		1☐	Kite	
		Ext Belladonnae gr 1/8			Mrs. Holloway	
		" Nucis Vomica gr 1/8				
		mist pil ni sig pillulae ft pillulae no viii				
		Sig. Take one or two pills at night.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1873 1		℞ Quinia Hydrobrom	gr i		Kidder	
		Antipyrin	gr IV		Mrs Howley	
		Ext Cannabis Indica	gr 1/32	ss		
		" Digitalis	gr 1/16			
		Mix et resp ding cap resp cap No		XVI		
		Sig One capsule every half hour as directed				
1873 2		℞ Quinia Sulph	gr ii		Kidder	
		Mur Ammonia	gr ii	ʒ	Mrs Doyle	
		Carb "	gr iii			
		Get resp sing cap resp cap No		XII		
		Sig Take one capsule every 3 hours.				
1873 3		℞ Aq Spir Ammonia	ʒ iv	ʒ	Kidder	
		Sig. Take a teaspoonful in half a glass of Water 3 times daily.				
1873 4		℞ Opii	ʒ ii	ʒ	Mrs Long	
		Fl Ext Ergotae	ʒ i	ʒ		
		Sig. Take 5 drops in water 4 times daily				
1873 5		℞ Cyanide Potassa	gr ii		Kidder	
		Elixir Althear		ʒ	Imbach	
		Aa Cocoa Cordial	aa gr ʒiv			
		Sig a teaspoonful diluted when necessary.				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18136		℞				
		Syrup Specac		☐☐	Nash	
		" Squills			& Myrick	
		" Tolu aa ℥i				
		Tinct Lobelia ℥ss				
		m & sig. Take a teaspoonful every 4 hours.				
18137		℞				
		Chloroformis	m iv		Hale	
		XXX Nunnery				Riley
		Coca Cordial		⊞x		
		Elix Aurantii ää qs ad	℥iv			
		Sig a teaspoonful diluted at night.				
18138		℞				
		Spir Ætheris Comp	℥ii		"	"
		Sig Spir Ether comp. teaspoonful diluted when necessary.		⊞☐		
18139		℞				
		Stokes Liniment	℥vi	⊞☐	Nash	
		Use as directed.				
18140		℞				
		Quiniæ Hydrobromas	gr i ss		Kite	
		Ext Ergotæ	gr iv	☐x		
		m & sig cap. fil xvi capsule.				
		Sig. Take one capsule every 2 hours.				
18141		℞				
		Morph Acet ää	gr 1/32		Keite	
		Calcii Cerium	gr ii	☐x	Sanford	
		Bismuth Sub carb	gr ii		Sig one powder	
		Sacch Lactis	gr ii		each hour.	
		Mix & sig chalk & chalk	No xii			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18142	℞	Tincturæ				
		Veri Mariana ää	℥ ii		Kile SN	Reilly
18143	℞					
		Mentha Extra Dry	0 ii		Kile	
				☐X	C. Reilly	
18144	℞					
		Hyd Chloral	grs iii/iii		" " "	
		Bromid Ammonia	gr v			
		Ext Digitalis	gr 1/24	☐X		
		M ft resp sing cap resp cap No				xii
		Sig Take one every hour.				
18145	℞					
		Potass Iod	℥ ss			
		Potass Brom	℥ ii	☐X		
		Gum Acacia	℥ ss			Mr Lovejoy.
		Sacchi Pr	℥ ss			
		Pr Lobelia				
		Fr ovulus Solut aa	℥ i			
		Pini Tar Solut	℥ vi.	☐X		
		Sig For Asthma.				
18146	℞					
		Morph Acetas	gr 1/24	☐X	Kile	
		Cerium Oxalate	gr iii.			
		Bi Sub Carbonas	gr I			Mr Fitchenford
		Pulv Opii ac	gr 1/4			
		Sacch Lactis	gr iii			
		M ft pulv sig chk ft chk No				xvi
		Sig. Take one powder each hour.				
18147	℞	Mark Pills No				x

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18148	℞					
		Morphia Acetas	gr 1/16		Kiely	
		Ext Belladonna	gr 1/8			Spooner
		" Cannabis Ind	gr ½			
		" Ergotæ	gr i		☒	
		Oleum Theobromæ	gs			
		M ft in sing rectal suppositoria				
		ft suppositoria no	VI			
		Sig use one after having a stool.				
18149	℞					
		Morphia	gr ½		Kiely	
		Rec Podophyllin	gr 1/8			Spooner
		Ext Belladonna	gr 1/4		☒	
		" Nucis Vomicae	gr 1/4			
		" Cascara Sagrada	gr i			
		M ft in sing pil ft pillula no	VIII			
		Sig one pill at night.				
18150	℞					
		Hyd chlo Cocaine	gr 1/10		Kiely	
		Phenacetine	gr ii			F. le. Barker
		Oglalæ Cerium	gr ii		☒	
		M Sacch Lactis	gr iii			
		ch ft in sing chart ft chart no	XII			
		Sig One every hour.				
18151	℞					
		Sulph Zinci				
		Acet Plumbi ää	gr ii			
		M Aq Rosae	℥ i		☒	
		ch Filter.	℥ ℔			
		Sig Eye Water.				
18152	℞					
		Mummx Extra dry	℥ ii		☒	Kiely
						C. V. Reilly

June 15/90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18153	℞ XXX Heenneys	℥iv	,III×	Keile C. V. Reilly	
	18154	℞ Ess Frumenti	℥i	,X+	Keile	
	18155	℞ Ess Frumenti	℥i	X×	Marsh	
	18156	℞ Bromo Pyrine	℥ss	,XX	Keile McShane	
	18157	℞ Tr Hyd Chlo Cocaine 4%	℥i		Keile	
		Listerine q.s.	℥i	,X	Imbert	
		Sig use in atomizer.				
	18158	℞ Hyd Chloral	grs XX		Keile	
		Bromid Ammonia	grs XXX		C.V. Reilly	
		Tr Elix Aurantii	℥iv	,IN		
		Sig One dose				
	18159	℞ Brandy	℥ii	,II	" " " "	
		Sig Brandy				
	18160	℞ Bromid Ammonia	gr iii		Keile	
		Ext Gelsemium	gr 1/8			Reilly
		" Digitalis	gr 1/16	,IX		
		" Cannab Indica	gr 1/8			
		M ft in sig pilulae No			XVI	
		Sig One pill every 2 hours.				

E. L. Freeman & Bro.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1876	18161	℞				
		Acacia Pulv q.s. (℥iv)				
		Paraldehyde ℥iv		50	Fitts	
		Ipeca Cordial ℥i				Mrs Reilly.
		Fl. Ext Althea ℥ii				
		Aquae q.s. ft emulsion ℥iv				
		Sig. Paraldehyde ℥i ℞ ℥i				
	18162	℞				
		Chloral Hydrat ℥i		1X	Dr Dupree	
		Sig. As directed				
	18163	℞				
		Spunde Saltz ℥ii. i 50				
		Sig. A heaping teaspoonful in a glass of water at night				
	18164	℞				
		Bromid. Potass. ℥ss.				Mack.
		Aquae Camphor. ℥i				
		Aquae ℥iii ox				
		Sig. Take a teaspoonful Every 3 or 4 hours				
	18165	℞				
		Quin. Pills āā gr. iv				
		No. x ox				
		Sig. Take one every four hours				
	18166	℞				
		Sol. Hyd. Chl. Cocaine ℥ss				V.
		Tr. Hyoscyamus ℥ii xx				
		Alcoholis				Mrs. Yarwin
		Aquae āā q.s. ℥i ℥ii.				
		Sig. Use in Atomizer				
		Qui				

June 17 — '90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1867	℞					
		Tinctae Hydrobromatis gr. i			℞	
		Phenacetini gr. ii				
		Ext. Cannabis. Ind gr. 1/8			Misspronia	
		" Belladonnae gr. 1/16				
ɔX		repulo sing. capsule		ɔX		
		repulo capsule No. xvi.				
	Sig.	One capsule every 2 hours				
1868	℞					
		Sul. Zinc	3ʃ.	10	Marsh	
	Sig.	Use as directed				
1869	℞					
		Morph Acetas gr. 1/24		ɔX		
		Ext Hyoscyamus g. ss			Kirk	
		" Nucis Vomicae gr. 1/4			Mrs A Mooney	
		" Cascara Sagrada gr. i				
		mitte in omnia pilulae # pilulae no xxiv				
	Sig.	Take one pill 4 times daily.				
1870	℞					
		Acidi Carbolici	ʒ	45m	ɔX	Dr Rollins
		Sodii Biboratis	℥	ʒi.		Mrs H Eckel
		" " Carb	℥	ʒi	Lotion	
		ʒ Glycerinae	6℥	ʒii		
		Aquae	q.s.	ʒ xxviii ... ʒi		
		misigna Wash.				
1871	℞					
		Lotio Nigra		ʒviii	ɔX	
	Sig.	Use as a bathing Lotion				

℞

E. L. Freeman & Bro.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1872	℞	Asafoetida gr. i Camphorae gr. ½ Ammonia Valerianas gr. iv M. Ft. sig. Capsula repallo capsula No. xvi				
	Sig.	one capsula as often as necessary				
1873	℞	Strupi Salts Bott. i				Kiele
	Sig	Take a heaping teaspoonful in a glass of water at night.		50		Mrs Keeny
1874	℞	Sherry Wine (Best) Bott.		100	"	"
1875	℞	Iodol gr. ii. Antipyrine gr. iv Ft. Cannabis Ind. gr. 1/8 M. Ft. in Pulv. Chartae Ft. Chart. No. viii				
	Sig.	Take one powder every three hours				
1876	℞	Fr. Nucis Vomic. ℥iv Fr. Arnica Radix. Co. ℥i Glycerinae q.s. ℥iv M.		50	K.	
	Sig.	Take a small teaspoonful four times daily				
1877	℞					

Stationers, 2 Westminster St.

June 19' 90

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18177	℞ Morph. Acetas gr. ¼				
		Tr. Zingiberis ℥ss				
		Coca Cordial q.s. ℥ss.				
		Sig. A teaspoonful in ½				
		water every hour till relieved				
	18178	℞				
		Hyd. Chlo. Corros. Sol. 1/50 ℥i				
		Tr. Myrrh ℥ii			Kite	
		Aq. Distillat q.s. ad ℥i				Mrs. F. Leary
		M. Sig. Use as a wash for mouth.				
	18179	℞				
		Carbon Bi Sulphide ℥i			Hale	
		Sig. Bi sulphide Carbon.			Wright.	
		Keep well corked & in a cool place				
	18180	℞ Hyd. Chloral gr. xx.				
		Bromide Ammon. gr. xxx.			Kite	
		Tr. Digitalis ℥ss				
		Tr. Nucis Vomic. ℥xv.				
		Sig. One tablespoonful every 3 hours				
	18181	℞				
		Morph. Acetas gr. 1/24				
		Quinias Hydrobromas gr. i				
		Atropinae gr. 1/100				
		Ext. Nucis Vom. gr. 1/16				
		in sing. cap. sol. No. xxiv				
	18182	℞				

E. L. Freeman & Sons

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18182	℞ Strychnia gr. 1/30				
		Ac. Sul. Aromatic ℥iv				
		Aquae ad ℥viii				
		Sig. A teaspoonful in a wineglass of water to be taken through a tube after meals				
	18183	℞				
		Morph Acetas gr 1/24				
		Apomorphia Hydrochlor gr ii		1.00	Tait	
		Bismuth Sub-carb gr iv			Mrs Thomas	
		mix in 8 chartas & chartam VIII				
		Sig. One powder each hour				
	18184	℞				
		Hyd. Chloral gr xx			Kidd	
		Tr Digitalis m x			& V. Billy	
		Tr Nucis Vomica m xv				
		Elix Aurantii ℥i				
		Aquae q.s ad ℥iv				
		Sig One dose.				
	18185	℞				
		Tinct Aconiti m iv			Keil-	
		" Belladonna m viii			Albany	
		" Conphraria m xii				
		Coca Cordial				
		Aquae aa q.s ℥i				
		Sig Teaspoonful in water every 2 to 3 hours.				
	18186	℞ Cosmoline ℥i				Warren
		Tinct. Picis Comp gtt x				Bacon
		Iodoform gr xx				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18187		℞ Stokes Liniment ℥ vi As directed			Mack	
18188		℞ Paraldehyde ℥iv Coca Cordial Elix Aurantii āā ℥i Mucc Acaciae ℥iv Aquae Cinnamomi q s ad ℥iv Sig ℥i Paraldehyde ℥i			Keil Dr O'Reilly SN	
18189		℞ Carbon Bi Sulphidi ℥i Sig apply with camel hair brush			Keil Main St. Leary	
18190		℞ Zingiber Hydrolum gr ii Antipyrin gr iii Ext Cannabis Indica gr 1/4 " Nucis Vomica gr 1/4 Mitte sing cap reps cap No xii Sig One capsule every one to three hours.		"	"	
18191		℞ Mist Cretae ℥vi Bismuth Sub Nit ℥i Cerii Oxalat ℥ii Acid Boracic ℥i Sig Shake well. Two teaspoonfl after each movement			Magruder SN	Fay

over

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.

1892 ℞ Antipyrin ~~3ss~~ 3.0 gr xv
Ext. Digitalis gr. 1/2 ~~iii~~
Ex capsule gelatin capsules ~~No xx~~
capsules cap. No ~~iii~~ ~~xx~~
Sig. Take one capsule when
required to relieve
headache

1893 ℞ Tr. Aconite ~~mxv~~ xv
Belladonnae ~~mxxxii~~ mxxxii
Euphasia ~~3iv~~ 3iv
Coca Cordial q.s. ~~3ii~~ 3ii
Sig. Take a teaspoonful in water
every two hours

1894 ℞
Salol
Phenacetine aa gr iv
mucilage charter ft chartas no xxxij ~~Kite~~ Miss Johnson
Sig. Take one powder ~~1 no~~
twice daily

1895 ℞ Syrupi Rubi Idaei Raspberry Juice ~~3i~~
Paraldehyde ~~3iv~~
M. Amantii mxxx ~~3x~~
Gum Acaciae ~~3ii~~
Aquae q.s. ~~3iv~~
Ex. Emulsio
Sig. Dose one to two teaspoonfuls
in water on going to bed.

1896 ℞
Syr Scillae ~~3ii~~
Tolu ~~3i~~
Et Caffeine ~~gr x~~ ~~xx~~

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18197		℞ Phenacetas gr. xvi Tr. Opii ℥ss Aquae ad ℥iv		6x 7th.		
		Sig. Use as directed				
18198		℞ Paraldehyde ℥iv Gum Acacia ℥ss Raspberry Juice ℥i Aquae q.s. ad ℥iv mix emulsio. Siz Dose 2 grate spoonfuls in water.		SD	Rite Mrs F. A Pilly.	
18199		℞ Hyd Chloral grs xv Bromid Ammonia gr xx Tr Digitalis m vi " Nucis Vomica m xv Elix Aurantii q.s ad ℥iv Sig One dose.		HS	Rite Dr. Pilly	
18200		℞ Tr. Aconite m xvii Tr Belladonnae m xvi Coca Aromat Elixir Aurantii aa q.s ad ℥ii Sig. Take a teaspoonful each hour till relieved		XD	Rite Miss McLaren	
18201		℞ Imported Bay Rum ℥viii Aquae Pura ad ℥vii Glycerine ℥i. Tr Cantharides ℥i M et filter through cotton magna		SD	Mrs Fay	

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18202	℞				
		Sol Ferrumenti	℥ vii	ⅩⅨ		
		Sig. Take a Tablespoonful every 3 hours				
	18203	℞				
		Emplastrum Cantharidis	1½×2½	1⊡	Rite Miss Gay	
	18204	℞				
		Sod Bor	ʒi	1⊡	Williams	
		Aq. Camph	℥ ii		Miss Dingy	
		M. solve				
	18205	℞				
		Tinct Aconiti	gtts xxx			
		Syr Scillae	℥ ss	ⅩⅩ		
		Syrup Tolu	℥ iii ss	For Mr Williams		
		Mucilage Syrup Tr Aconiti				
	18206	℞				
		Morph. Acetas	gr. 1/24			
		Quinias Hydrobromas	gr. i	ⅦⅠ		
		Antipyrine	gr. iii	ⅧⅠ		
✗		Aq. Camph. q.s.	ad ℥ ii			
		Sig. Take one capsule every 2 hours	No. viii			
	18207	℞				
		Fl. Ext. Glycyrrhizae	℥ i	ⅩⅩ		
		Sig. Teaspoonful in water				
		repeat in one hour if needed.				
	18208	℞				
		Morph. Sulph.	gr. 1/16			
		Quinia Sulph.	gr. ii	ⅩⅩ⊡	Rite	
		Aq. q.s. ad capsules no. vi				
		Sig. One every 2 hours.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1870		℞ Ungt. Zinci oxidi ℥ij Ung. Acid. Carbolic. aa ℥ß. Sig. Use night & morn				
18210		℞ Fld Ext Ergotae ℥ii " " Convallaria ℥iii Tr Ferri Chloridi ℥i Ferri et Cinchonae Comp Elix q.s. ad ℥iv misce. A teaspoonful in water after each meal.		☐X	Kite	Mrs Shelton
18211		℞ Opii ℥i Take 5 drops t.i.d. after meals.		☐X	Kite	
18212		℞ Hyd Chloral gr cxx Bromide Ammonia ℥vi Elixir Aurantii q.s. ad ℥iv misce. Dose one dessertspoonful in water repeat in ½ hour if necessary		☐X	Kite.	
18213		℞ Tilden's Fld. Ext. of Rosin Weed ℥iv Sig. Forty drops to be taken in a tablespoonful of water four times a day				
18214		℞ Aqua Hyd. Chl. Corros. Ck. ℥				
18215		℞ Acid. Tannic " Boracic " Iodol aa q.s. ad ℥iv M. Pulv.				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18216	℞ Sol Mur Cocaine 4 p/c Listerine q.s. Use as a wash for mouth	℥i ℥i	10	Martin Johnson	Kirk Dora
	18217	℞ Quinia Murias Arsinonia " Pulvis Ipecac Mf pulv sig capsules no X Sig Take one capsule each hours.	gr i gr V gr i		Kirk	
	18218	℞ Antipyrine aquae dist mft sol.	℥i ℥ ii	5X	Kirk	Reilly
	18219	℞ Salol Tinct Cinchonidiae ft sol.	℥ ss ℥ ii	10	Kirk	Reilly.
	18220	℞ Sol Quinine Syr Limonis Sig. Take a teaspoonful every 4 hours.	gr iv ℥ iv	00	Marsh	Ramsdell
	18221	℞ Elix Lunch Dun & Thych Sig. Take a teaspoonful every 4 hours.	℥ iv	0X	Marsh	John Gray

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18222 Rx					
		Morph Muriate gr 1/16				
		Quinia Hydrobromas gr II		1.X=	Kite	
		Phenacetine gr V				Mrs Fleary
		Ext Nucis Vomicae gr 1/4				
		" Cannab Ind gr 1/4				
		M & sig capsulae mitt cap no XII				
		Sig. Take one every 2 hours.				
	18223 Rp					
		Fowlers Solution m CXL				
		Syr Sarsap Comp ℥ss		X	Dr March	
		" Lumbricis aa q.s. ad ℥vi				
		Sig. Teaspoonful three times daily				
	18224 Rx					
		Paraldehyde ℥iv				
		Gum Acacia Pulv ℥ss				
		Raspberry Juice ℥i				
		aquae q.s.				
		M & Sig. Take one to two greatspoonfuls in half a glass of water at night.				
	18225 Rx					
		Finch Ferri Chloridi ℥i		1.X	Williams	
		Sig 5 drops in water after each meal				
	18226 Rx					
		Mc Munns Elixir Opii ℥ii			Coleman	
		Sig use as directed		1.X=	Mrs Eddis	
	18227 Rx					
		Paraldehyde ℥vi			F. A. Reilly	
		Pulv G. Acacia ℥ss				
		Succus Rubi Idaei ℥i		1.X=	Dr Kite	
		Mistura aquae q.s. ad ℥iv				
		Sig Paraldehyde 20 m to ℥i				

E. L. Freeman & Sons

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18228 R	Stokes Liniment Liq. Use as directed.	℥vi	☒☐	Mack	
	18229 R	Londonderry Lithia Water Liq. Take ☉ ☂ daily	viii	½ gallon	☐X	Kirk Asst Surgeon
	18230 R	Pot. Iodid. Aquae Liq. ℥i t.i.d.	℥i ℥ii	f. ℥ii. f. ℥ii.	XX	
	18231 R	Fr. Arnica Tinct. Cinchonae Off. S. Liq. Dose ½ to ℥i three times daily	℥i ℥iii	f. ℥ii.		Dr Shaw IX
	18232 R	Paraldehyde Pulv. Acaciae ℥ss Succus Rubi Idaei ℥i Aquae q.s Sig Paraldehyde ℥i to ℥i	℥iv mistura ℥iv			Kirk Dr Shaw IIIX
	18233 R	Elix. Cinch. Iron, + Strych Liq. Take a tablespoonful every 6 hours	℥iv		☒X	
	18234 R	Thayers ½ oz Ext Wash pt ½ Press label Two teaspoonfuls after each meal			☒X	Williams

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18235	℞ Antipyrine gr. i Sacch. Lactis gr. i M. Ft. in sig. Chart. Ft. Chart. No. x. Sig. Take one each hour			K.	Shank
	18236	℞ Aromat. Sp. Rhei ℥i Aq. dest. Tbs teaspoonfuls				
	18237	℞ Acid. Nitro-Muriat. dilut. ℥ii Sig. Two to fifteen drops in water (through tube) after meals (Nitro Mur. Acid)			Shaw	
	18238	℞ Pot. Iodid. ℥ss M. Aquae destil. q.s. ℥vi M. Sig. Teaspoonful in half a glass of water before meals Iodide Potass			Shaw	
	18239	℞ Acid. Lactic ℥ii Essence Pepsine ℥ii M. S. Teaspoonful in water after meals Lactic Acid & Pepsine			Shaw	
	18240	℞				

E. L. Freeman & Sons

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18240	℞ Bals. Copaibae	℥ii			
		Spts. Nitros. Dulc.	℥ii			
		Ol. Juniperi	℥ii			
		Fl. Opii	℥ss			
		Sig. 20 drops when going to bed also 10 drops at 10 A.M. next morning			From C. E. Adams 205 Brook	
	18241	℞ Acid Carbolic Purae	℥ii	XX	Townsend	
		Glycerinae	℥i		Barnes,	
		msig. apply with brush to affected parts three times daily.				
	18242	℞ Pil Sulphide Calcium gr½ each no XX			Townsend	
		Sig One every three hours.		XD	Barnes	
	18243	℞ Boric Acid (finely pulv.)	℥i		Adams	
		Sig apply as directed		1D	Left Hospital	
	18244	℞ Tinct. Lactopeptine	℥iiii	SX	Marsh.	
		Bismuth Sub-Nit.	℥iiiss		Ladd Store	Parke
		msig Take a teaspoonful after meals.				
	18245	℞ Phenacetinae in chart				
		ää gr. ii No. vi				
		Sig. One powder repeated in two hours if necessary		XD		

VEW

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18246	℞ Morph. Muriat gr ½. Syr Scillae ℥i. Syr Ipecac ℥ss ~~℥ii~~. Coca Cordial q.s. ad ℥ii. Sig. A teaspoonful every 2 hours				
	18247	℞ Thayers Gran Extr Malt 1 bot. Pursue label. Sig Teaspoonful after each meal	☒X		Williams A. Brown	
	18248	℞ Morph Acetas gr ½. Quinia Sycholromas gr i. Salol gr ii. met ft in xvi sig chartae ft. chartae no XVI. Sig One powder each hour	☒X		Kite For Jimmy T.A. Builz	
	18249	℞ Chloral Hychat grs xx. Sig. To be used externally	☒		Dr Nosher	
	18250	℞ Syrup Liquirit ℥iv. Sulph Quinia grs xxxx. Sig Teaspoonful every 6 hours.	☒X		March	
	18251	℞ Ext Cannabis Ind gr ½. Coca Butter gr ii. ft suppos rect No i. ft suppos No VI. Sig One suppository at a dose & repeat in two hours if necessary.	☒X		Wyllis Shaw	

E. L. Freeman & Sons Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18252	℞				
		Tinct Hellebori	gtt XX			
		Bromidi Ammoniæ	grs XXX	XX	Keith	
		℥ Digitalis	m VI			Dr Chesh.
		℥ Nucis Vomicæ	m X			
		Infusi Aurantii	ʒ ii			
		Sig. One dose diluted.				
	18253	℞				
		Morphiæ Muriatis	gr 1/24		Keith	
		Bismuthi Sub carb	gr ii			Park
		Ferri Aspalat	gr ii	XX		
		Mistura in ring chart ft chart	No XVI			
		Sig One powder after each meal				
		℞ when necessary.				
	18254	℞				
		Pulv.				
		Phenacetini āā	gr iii	XX		
		Mistura in ring chart ft chart	No XVI			
		Sig Take one powder every				
		3 hours.				
	18255	℞				
		Pulv.				
		Strychniæ	gr 1/4			
		Ext Rhei Podophyllini	gr 1/8			
		Ext Nucis Vomicæ	gr 1/8	XX		
		" Belladonnæ	gr 1/8			
		Mistura in ring pillules ft pillules	No VIII			
		Sig Take one pill at night.				
	18256	℞				
		Pulv. Dover's Anodyne	ʒ ss	XX	Dr Frost.	
		Sig 20 drops in water for pain and				
		may be taken every four hours				
		if needed.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18257	℞ Bromide Ammon ℥i Elix Aurantii q.s ad ℥i Sig a teaspoonful in water every 2 hours.				Kate
	18258	℞ Stokes' Liniment ℥vi Sig. Use as directed				
	18259	℞ Tr. Nuc Vomic ℥i ℈ss Ext Ext Ignia ℥i (con ℥ss) Liq Potass ℥iii Ext Buchu fld ℥ii Aquae q.s ad ℥iv Sig Teaspoonful three times a day			W. P. Buchin Leo Sawyer	
	18260	℞ Quin Sulph gr v In rice paper wafers. No xii (cap no 6) Sig. One capsule 3 times a day.		℈x	Wylie Mrs. Shaw	
	18261	℞ Tr Nucis Vomica ℥i Acid Nitro Mur Dil ℥ss Elix Gentian et Ferri q.s ad ℥iv Sig a teaspoonful well diluted ½ hour before meals		℈x		Kate
	18262	℞ Paraldehyde ℥vii Pow'd Acacias ℥ss Raspberry Juice ℥i-℥i Aquae q.s ad ℥iv Sig a great spoonful well diluted to induce sleep		℈		

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18263	℞ Tr. Opii Drod. M.xv.		10		
		Glycerinæ (Pmae) q.s.	℥i	44		
	Sig.	Glyc. & Opium for gums				
	18264	℞ Paraldehyde	℥iv			
		Pulv. Acaciæ	℥ii	SA	K.	
		Succus Rubus Idæi	℥i	44		
		Aquam q.s. ad.	℥iv	44	Mrs. Carey	
	Sig -	one to two teaspoonfuls well diluted				
	18265	℞				
		Sodii Bi Carbonatis	℥ii		J.B. McKinnon	
		Lactis Acidi	℥i		for E. B. Cockburn Jr	
		mist div in chartas no	xii			
		Sig. One in milk after meals				
	18266	℞				
		Podophylli	gr vi			
		Leptandrin	gr xii		1 D	Mr Donald Carey
		Nux Vomica	gr vi			
		Dandelion q.s. mist pil no xxiv				
	18267	℞ Acid Nitro Hydrochlor Dil	℥i			
		Sig Take ~~to tbs~~ ~~daily~~ a teaspoonful every day in a tumbler of water.			Mr Hodder	1 D
	18268	℞ Sulfonal in Chart.				
		āā. Gr. vii No. xii				
	Sig.	one powder dissolved in a cup full of hot water				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18269	℞ Antipyrin gr V Ext Cannabis Ind gr 1/8 " Nucis Vomica gr 1/8 M Ft pulv sig caps pulv caps No XVI Sig One capsule every 2 hours till relieved			Hale Callahan	
	18270	℞ Emplast. Cantharidis 1½ × 3 inch.				
	18271	℞ Ext. Pancreatin 5.00 Ft. capsules No XV. Sig. One after meals				
	18272	℞ Ale. Ext. Nuxvom. .25 Capsici .10 Ext. Taraxici 2.00 Ft. pil. No. XV. One before meals.				
	18273	℞ Camphorae gr. i Sodii Borat. gr. i Aquae Rosae ℥ss Aquae ℥ss Sig. Eye Drops – Apply as directed three times a day				
	18274	℞ Syr. Rubi Aurant ℥i Sig. Teaspoonful				

July 2 — 90.

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	~~18274~~	℞				
	18275	Aloni	gr SS			
		Res Podophyllin	gr 1/8	1 ☐	Kite	
		Ext Nucis Vomicae	gr 1/4		Mrs Fa-Perky	
		" Belladonnae	gr 1/8			
		mft pt in emp pilulae pil no VIII				
		Sig. Take one at night.				
	18276	℞				
		Tr Capsici	m VIII	☒ ☐	Kite	
		Tr Arena Sativa Aorae	℥i		Capt Adams	
		Tr Nucis Vomicae	℥i			
		Le alcina	q.s. ℥iv			
		msig. Dose one teaspoonful diluted				
	18277	℞				
		Hydrobromate Hyoscyamin	gr 1/20	1 ☐	Kite	
		Paraldehyde	℥ ii		Capt Adams	
		Mistura	q.s. ad ℥ ii			
	18278	℞				
		Emplast Belladonnae	8x8 no ii		Kite	
		Dist to apply to chest		☒ ☐	each Wallace	
	18279	℞				
		Syrup Ipecac				
		" Squills			Marsh	
		" Tolu	aa ℥i	☐ ☐		
		Tinct Lobelia	℥ii			
		Sig Teaspoonful for a dose.				
	18280	℞ Syr. Sarsap. Comp.	℥ ii			
		Fld. Ext. Stillingia	℥i p.			
		Syr. Prunii Virg.	℥i			
		Aquae	ad ℥ ii.			
		Sig. A teaspoonful t.i.d.				

July 7th 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1828	℞ Acid. Lactic ℥ii Ess. Pepsin ℥ii (4 Bro. + 4) Dig. Half to one teaspoonful in water after meals			☐X Wylie	
	1828 2	℞ Tinct. Lobelia ℥iv Dig. Take a teaspoonful for a dose			☐X St. But.	
	1828 3	℞ Tinctur Hydrastis gr. i Mur. Ammon. gr. iii ## Et. ## reptdo sing. Capsule reptdo Capsule No. XVI Dig. one Capsule every 2 hours			☐X McAmbert	
	1828 4	℞ Oxalate Cerium gr. ii Dis. Sub. Carb. gr. iii Pulvis Zingib. gr. i ## Et. ## in sing. Chart. ## Chart. No. VIII Dig. one powder every hour			1☐	
	1828 5	℞ Extr. Calch. Iron Q. Hyoch ℥iv Sig. Take a teaspoonful Every six hours with a teaspoon of water			☐X	

Dr

July 29. 1889

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18286	℞ Phenacetini Gr. ii		☒x		
		Quiniae Hydrochlor. ~~Gr. ii~~ Gr. ii			Judge Lapsley	
		Ext. Nucis Vom. Gr. 1/8				
		" Cannabis Ind Gr. 1/8				
		ft. in sig. capsule				
		repetatur cap. No. xxiv				
		Sig. Take one capsule every 3 hours				
	18287	℞ Wyeths Elix. Quinine. disct.				
		a ℥i. Fiat Chlorid ℥iv		☒x.	T. J. Cushing Quick	
		Sig. Teaspoonful after each meal				
	18289	℞ Tinct Arnicae	℥iii		Donaldson	
		" Opii	℥iii			
		Sig Liniment	℥i	☐☒		
	18290	℞ Paraldehyde	℥iv		Kite	
		Mistura G.S.	℥iv.	☒☐	J. E. Galvin.	
		Sig. Dose one to two teaspoonfuls well diluted.				
	18291	℞ Liq. Calisaya et Ferri Chlor.				
		P. D&C (D. W Bloodgood)	℥ii	☐☒	Dr. H. P. Helms.	
		One to two teaspoonfuls before meals.				
	18292	℞ Fl Extr Carcara Sag	℥i		Donaldson.	
		Spts Glycerini	℥iv	☒☒		
		Sig 20 drops after supper				

Freeman & Sons

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18293	℞	~~Mur. Ex. Muriat. gr. X~~ Mur. Ammon. gr. ii Succ. Muscar. gr. i ~~M.~~ M. in sig. Capsules M. Capsules no VI				
18294		Bromid. Ammonia gr XXX Valerianae ℥ii ℞ Elixir Aurantii gr ℥ii ℥ii Sig One dose			Kile to Cole ##	
18295	℞	Hydrobromate Hyoscin gr 1/100 Methamin ℥i ℞ Aquae gr ℥ii Sig Take in water.			Kile Cost Levy. ##	
18296	℞	Liq. Sodae chlorinat ℥i Aq. Menthae Pip ℞ Aquae aa ℥ii Sig Mouth Wash			Wilson .##	
18297	℞	Morr. Morphi gr 1/16 Bismuthi Sub carb gr V ℞ Salol gr V Effer in sing. spark ft. chart No VIII Sig One powder every 2 hours.			Kile ##	
18298	℞	Pepsin Jensen ℥i Ft. Capsici m XXXII ℞ Elix. Lactopeptine gr ℥iv Sig Take a teaspoonful in water.			Kile 1.X=	Peck

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18299	℞	Vaseline	℥i			
		Pyoktanin yellow	gr i	1.00		
		Sig ext ernally				
18300	℞	Bismuth Sub Nit	℥iii		McGaughey	
		Galabe Leg iii	gr xxxii			
		Div in chart No xvi		.00		
		Sig One powder at 10.				
		3 & 8 each day.				
18301	℞	Argent Nit cryst.	gr ii		"	
		Ext Hyoscyamus.	gr xv			
		Powd Opii	gr ii	.00		
		Div in pill No xvi				
		Sig One pill before				
		each meal.				
18302	℞	Saccharin	℥ss		Keith	
		Carbonate Soda	℥ii	1.00		
		Sig Saccharin	℥ii			
18303	℞	Hyd Chloral	grs xxx			
		Bromid Ammon	gr xxx			
		Fr Digitalis	m vi		Keith	
		" Nux Vomica	m x		"	
		Elix Aurantii	q.s ad ℥iii	.00		
		Sig Take in water				
18304	℞	Mixture Bill No x				

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1830[illegible]	℞	Calcl Phenacetin ää gr iii Mist ft in sing chart ft chart No XVI Sig Take one powder every 3 to 4 hours.			Keil HX	
18306	℞	Sulph Stramonium Sulph Quinine aa gr xvi Macrotin gr viii (omit) Morphine gr i make into viii pills.		1 Doz	Admit P. Barnard.	
18307	℞	Pulv Effervescent Salts Bot i Sig a teaspoonful in a glass of water at night.			Keil Capt Allen SN	
18308	℞	Mur Ammonic ʒi Sol Hydrochlor Cocain 4% ʒi Glycerin qs ad ʒiv Sig use a teaspoonful in a wineglass of water 3 to 4 time daily			Keil HX	
18309	℞	Aq Anisy ʒvi sig. Take a teaspoonful every 6 hours in a tablespoonful of water.		1 Doz	Marsh	
18310	℞	Elix Valerian. Ammon. ʒiv ~~Fluidextract~~ Tincture Take a Sig Valerian. Ammon. teaspoonful in water each hour till relieved			Bt	

July 6th. 90

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18311	℞					
		Brom. Soda	℥iv	XO			
		Tr. Gelsemic.	♏.xxxxii	♏♏.			
		Elix. Amantii	q.s. ℥ii	♏♏.			
	Sig.	A teaspoonful every					
		2 to 3 hours					
	18312	℞					
		Morin	gr. i				
		Ext. Belladonna	gr. 1/4				
		Ext. Nucis Vomic.	gr. 1/4	♏♏.			
		M. ft. in sing. pil.					
		ft. pil. No. ii					
	Sig.	one at night.					
	18313	℞					
		Zinc. Oxid.	℈ 7	18			
		Acid. Salicylic	℈ 2				
		Ung. Aq. Rosar	10,	♏♏.			
	Sig.	Apply at night.					
	18314	℞					
		Tr. Aconiti	♏. vi	XO			
		Brom. Soda	℥i.				
		Elix. Amantii	q.s. ℥ii	♏♏.			
	Sig.	A teaspoonful every					
		2 hours					
	18315	℞					
		Hyd chlo Cocaine	gr 1/4				
		Opalescein	gr iii	XX	Kite		
		Bi Sub Bismuth	gr ii		Mfr. Sample		
		M et ft in sing chartae ft chtno xvi					
		Sig. One each hour at first.					

Stationers, 2 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18316	℞ Soda Bi carb	℥ss			
		Glycerine				
		Alcohol ää	℥i		HD	
		M. Aquae q s ad	℥viii			
		Sig Locally.				
	18317	℞ Salol gr v				
		misce chart ft chart no viii	1D		K.H.	
		Sig One powder every 4 hours.			F.L. Sanford	
	18318	℞ Hydrobromic Hyoscine gr 1/100			Keil-	
		M. Aquae q s ℥ii			HH	
		Sig a teaspoonful diluted				
		if desired every 4 to 6 hours.				
	18319	℞ Methane gr xv			Keil-	
		Mitte in sing chart ft chart no ii				
		Sig One at going to bed	1X			
		repeat in 1 hour.				
		if necessary.				
	18320	℞ Phenacetine gr v			Keil-	
		Mitte sup sing cap no viii				
		Sig Take one capsule	1X			
		as directed				
	18321	℞ Hydr Chlo Mitte gr ii			Keil-	
		ft in sing chart ft chart no viii			M. Johnson	
		Sig One powder every 4 hours,	1D			

July 7th 90

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18322	℞ Tinct. Cinch. Co. & Strych.	℥ i v	☒x	Mask	
		Sig. Take a teaspoonful every hours with water				
	18323	℞ Hydrarg. Chlor. Mite	gr. ii			
		Sodae Bi. Carb.	gr. xii	☒x		
		Lactopeptine	℥ ii	ℳ.		
		div. in chart. No. xii				
		Sig. one after breakfast, dinner and supper				
	18324	℞ Strychnia Sulph.	gr. ½	☒		
		Acid. Phosphates Arbuckle	q.s. ad. ℥ iv	ℳ.	Mrs. Shaw	
		Sig. Teaspoonful in water after meals				
	18325	℞ Resorcin	ʒ ii	☒x		
		Tinct. Vini Rect.	℥ ii			
		Aquae	℥ ii	ℳ.		
		Sig. Lotion for Scalp				
	18326	℞ Sig. d. Chlo. Terros Soap cake	i	☒	Keith	
	18327	℞ Morin	gr. ¼			
		Ext. Belladonna	gr. ⅛		Keith	
		" Nucis Vomica	gr. ¼	☒	Long	
		Mistl. in sing. pil. No.	No. viii			
		Sig. One at night.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1832	8	℞ Hyd Chlo Mite gr iii Sach Albas gr iii Mix in sing chart ft chart No ii Sig One powder at night.		1X	Kite	
1832	9	℞ Aconite Rad m iii Bromid Sodae gr xl Elix Aurantii q s ℥i Sig a teaspoonful evry 2 hours.		1D	Kite	
1833	0	℞ Lotio Nigra ℥iv Sig. Use as a wash		XD	Mc Allen	
1833	1	℞ Morchus (spuria) gr iii ft sing chr ft chr No viii Sig. One powder every 2 hours.			Kite XXD	Fla. Sanford
1833	2	℞ Nitre ℥ss Ol Juniper ℥ii Tr Aconite ℥i Sig Dose a teaspoonful.		DX	S. McM. Gaudens V.S.	
1833	3	℞ Londenderry Lithia Bot i Sig Drink from a pint to a quart daily use in place of other waters.		DX	Kite	Cable
1833	4	℞ Wyeths Elixir Gentian Co. Tr Ferri Chlo ℥iv Teaspoonful after each meal.		DX	Williams	

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18335	℞ Vini Ipecac	℥ss		Willcox	
		Syr. Scillae	℥ss		& Rosewater	
		Syr. Prunii Virg.	℥iii ss			
		Sig. Teaspoonful every three hours				
	18336	℞ Elixir Valer Ammonia	℥iv		Kelly	
		Sig Take a teaspoonful in water as often as necessary.			& Henry	
	18337	℞ Tablets Antipyrine	℞		K.	
		ā gr. v. No. XII			Mfg. Hagland	
		Sig. Take one tablet every two hours till relieved				
	18338	℞ Pil Rhei Co. No XV			& Mackey	
		Sig. One pill at night				
	18339	℞ Alcohol	oi			
		Sig. Alcohol				
	18340	℞ Talcum Powd. Magnes				
	18341	℞ Sod. Bi Carb.	℥ss.			
		Pulv. Rhei	ʒi			
		" Ipecac.	℥ss.			
		Caffeine Citrate	gr. iv			
		Ext. Euonymi Fluid	ʒii			
		Ext. Columbo Fld.	ʒss.			
		Elix. Cascara Sagrada	ʒi.			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18342	℞				
		Mun Morph gr. 1/8		10	Tibbs	
		Ft Kinio ℥i				Johnson
		Aqua Cordial q.s. ad ℥i				
		msig. Give in water.				
	18343	℞				
		Rect Spirits ℥vi	☐X	& Dr	Coleman	
		Aquae ad ℥vi				
		Ft Cinchona ℥ii				J. M. Sachse
		Ft aconite Rad ℥ii				
		msig Use as directed.				
	18344	℞				
		Mengt Aq. Rosae	℥i			
		Zinc Carbonati	grs X		1☐	
		Acid Carbolici	m ii			
	18345	℞				
		Wyeths Elixir of Sanitas et Fruit-Ferri Chloridi ad ℥iv				
		Sig. Teaspoonful before meals.	☐X		Williams	
	18346	℞				
		Vini Colchicum Sem ℥ii	~~XX~~		Mauk	
		Sig. Take a teaspoonful once in 6 hours.	XX		Gibbs	
	18347	℞				
		Phenacetini in Tablet	XX		Williams	
		ad gr v no vi				
		Sig one Tablet night & morning.				
	18348	℞				
		Morphan gr XV		1☐	Keile	
		Aqua in 5ing shake ft. shake Sig ii				
		Sig Take one powder in water.				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18349	℞ Alchlor Polara	℥ss	1X		
		Sig mre as directed				
	18350	℞				
		Quinine Sulphat grs XLVIII				
		Acid Sulphuric q.s. ad solv			D.W. Lehman	
		Fld Ext Taraxaci ℥viii		1XD	F.C. Sanford	
		misce Dose - 3 times a day.				
		one teaspoonful, in a wineglass of water				
		on rising - at noon - at night.				
	18351	℞				
		Decale Comitum	℥iv	1D	Kite	
		Sig Engrtae				
	18352	℞				
		Fresh Lard	℔ i			
		Sulphur	℥xii	1X=		
		Spir of Camphor	℥i			
		Album Ovi	no ii			
		m apply to patts affected once a day				
		do not wash until healed				
	18353	℞ Leisterine	℥ii	1N	Reiti	
		Sig Leisterine			White	
	18354	℞ Quinin Hydrobromee	gr i			
		Salol	gr iii	℔		
		at. ft. in sing. Chart.		DX		
		ft. Chart. No. XVI				
		Sig. Take a Powder				
		every two hours				

July 18th " 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18355	℞	Tinct. Pepsin (Saech.)	℥ii			
		Iodid Bi Carb	℥iv		Dr.	
		Chart. No. XX.			Dx	
	Sig. one wafer one pint of milk as directed					
18356	℞	Quinia Hydrobrom	gr i		Keith	
		Salol	gr ii			Hubbard
	℞	Antipyrin	gr ii		IIIX	
	disp in sing cap rep capsule		No		XVI	
	Sig Take one capsule every hour.					
18357	℞	Quinia Hydrobrom	gr i		Keith	
		Salol	gr ii		IIIX	
	℞	Phenacetin	gr iii			
	disp in sing capsule rep		cap No		XVI	
	Sig Take one capsule every 2 hours.					
18358	℞	Morphin	gr 1/4		Keith	
		Hyd Chlo Mite	gr ii		IX	
		Ext Belladonna	gr 1/8			
		" Nucis Vomicae	gr 1/4			
	℞	in sing pills ft pillulae	No		VIII	
	Sig Take one at night.					
18359	℞	Phenacetin	gr v		Keith	
		Pulvis Zingib	gr ii		XX	J. Coffin
	℞	in sing chart ft chart	No		VIII	
	Sig One powder every half hour till relieved.					

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18360	℞	Spts Frumenti	℥iv		Hale	
	Sig	Whiskey Dose 2 great. spoonfuls in hot water		++		
18361	℞	Sapo Alive	℥i		Hale	
		Ether	℥ii			
		Ammonia	℥ii			
		Alcohol	℥iii			
	℔	Aquae	q.s. ad ℥ii			
18362	℞	Morph. Sulph.	gr. i	++		
		Chloroform	m. x.			
		Syr. Prunii Virg.	℥iv	++		
	Sig.	Teaspoonful three times a day				
18363	℞					
		Acidi Carbolici	℥ii		Mitchell	
		Olei Lini ad	℥iv			
		misce apply externally only				
18364	℞					
		Aquae Rosae	℥ii			
		" Camph	℥i		Marsh	
		Pulv. Boracis	gr. i			
		Tinct. Opii	℥i			
	Sig.	Use for awash for eyes.				
18365	℞					
		Quinia Sulph	grs. xx		Kite	
		Sodae Salicylate	℥i			
		Mellis	℥i		White	
		misce Petrolei	q.s.			
	Sig	Use as an ointment				

July 11th 90—

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18366	℞				
		Salve				
		Phenacetine aa gr ii		IX	Kite	
		mel Ape sing cap. fiat xvi cap.				Mrs Wilson
		Sig. Take one capsule every 2 hours				
	18367	℞				
		Unguenti Hydrg Nitrat.		IX	Fulleyh.	
		Simple cerate aa ℥i				
		Oil Rosemary — gtts iii — mft Pomade				
	18368	℞				
		Glycerini (Price's)	℥xii			
		Borg-glycerole	℥ii			
		Tinct. Arnic	℥i		Dr Donaldson	
		Bellad. Ext.	℥i	1.50		
		Fld. Ext. Hydrastis Can.	℥iv			
		Acid. Carbol. (Cryst)	℥i			
		Dig. — as above —				
	18369	℞				
		Phenacetine	℥ii		Norton	
		Pulv Morph comp	℥ss	IX=		
		mel dir ni chart no xii				
		Sig. One powder every ½ hour				
		till relieved.				
	18370	℞				
		Tr Opii				
		" Aconite Rad		IIIX	Jerome	
		" Camphor				
		" Mentha Pip aa ℥i				
		Sig Poison Liniment				
		use a few drops.				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18371	℞				
		Elix Clover				
		" Wintergreen			Jerom	
		" Thyme			HD	
		" Peppermint aa ℥i				
		Fiat Benzoin				
		Glycerine aa ℥ii				
		Sig Liniment				
	18372	℞				
		Decoct. Valerianae	℥i	18		
		Elix. " Val- "	℥ii			
		Sig. Take a teaspoonful in water every 3 hours				
	18373	℞				
		Bismuth Sub. Carb. gr. iii			Keb	
		Oxalate Cerium gr. ii			XX	
		M. ft. in sing. Chart ft chach No viii				
		Sig Take one powder each half hour.				
	18374	℞				
		Syr Scillae Co	℥iss		Metter	
		" Ipecac				
		" Senegae aa	℥ii			
		Fiat Mixture.				
		Sig A Tb Dulc aa	℥ss			
		Potassa Nitras	℥i			
		Syr Tolu qs	℥iv			
		Sig Teaspoonful doses every 2 to 4 hours.				
	18375	℞ Pil. Salol aa gr. v.				
		Schiffin No. xx				
		Sig. Two pills before meals				

Station
DATE

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.

18376 ℞ Ess. Pepsin.
F. Bro. F. ℥i ℞
Fr. Nucis Vomica ℥ss ℞ Abl quantity
Sig. Two teaspoonfuls three times daily in a little water

18377 ℞ Hyd. Chl. Corros. gr. i
Pot. Iodid gr. Cl. x.
Sodae Salicylate ℥ii
× Syr. Sarsae q.s. ad ℥iv
Sig. A teaspoonful diluted often each meal
× use one ounce of water & then q.s. of Sarsae

18378 ℞
Phenol Sodique ℥i
Ess Hamamelis ℥i
Glyc Tann Acidi ℥ss
Aquae Camphor ℥ss
" Colognae ℥ii
" Fontgrad q.s. ad ℥viii
Sig Mouth Wash.
John S. Flagg.
Chadbourn.

18379 ℞ Ferri Citrich Iron
& Strychnia Bott i 1.x.
Pilman

18380 ℞ Pharmacopia gtt. xx
Min. in Tabl. i
Pharmacopia Tablets
xx Rite
Prof Kemp.

18381 ℞
Fauchilds Pepsin ℥i
Ess of Pepsin (Fauchilds) ℥ii
Sig. Teaspoonful with meals.
□x S.M. Roberts.

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18383	℞ Stokes Liniment ℥iii				
		Liq. Use 3 or 4 times a day				
	18384	℞ Sodae Salicyl ℥v. ʒx				
		Aq. Menth Pip.				
		Aquae ~~ℳ~~ āā ℥i. ~~ʒss~~				
		Liq. 10 grains Salicylate Soda				
		to the teaspoonful				
	18384	℞ Wyeths Elix. Valerian				
		& Ammonia ℥iv				
		Liq. ℥i t. i. d.				
	18385	℞				
		Ac. Carbol. ℥i			Mitchell	
		Olei Lini q.s. ad ℥ii			1 ☐	
		S. Apply externally only as directed				
	18386	℞				
		Tr Arnica Rad ~~Rich~~			5 ☐	
		Syr Hypophosphite				
		Spts Lavendulae aa ℥ii				
		misc. Teaspoonful				
	18387	℞				
		Ac. Acetic ~~ℳ~~ ~~ʒss~~				
		Aquae q.s. ad ℥viii				
		Liq. For External use				
	18388	℞				
		Hydrarg. Chlorid. Mercury	3 gr	make 5 pills	5 ☐	
		Ext. Opii	3 gr	(This is poison)		
		Sulph. Quinine	15 gr			

Stationers, 9

DATE.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1838	℞					
		Aloin	gr 1/4		Robt	
		Hyd Chlo Mite	gr ii			Brock
		Ext Belladonna	gr 1/8		##	
		" Nux Vomica	gr 1/4			
		M. ft " in sing pillulae ft pil No VIII				
		Sig Take one pill at night.				
1839	℞					
		Tinct Bi sulph	℥ ss		Roberts	
		Ext Valerian Fl	ʒ i			
		Sulp Ammon Aron	ʒ iiss		,##	
		Ext coca Fl	ʒ i			
		Elix Calisaya	ʒ i ʒ iss			
	℞	Glycerinae gs	ʒ iv			
		Sig Dessert spoonful in water as occasion requires				
1839	℞					
		Plumbi Acetas	gr xx		Coleman	
		Fr Opii	ʒ ii		##	
		Aquae	ʒ iv			
		Sig use as directed				
1839	℞					
		Methaen	gr xv			
		M. ft in sing. Chart				
		ft. Chart No vi				
		Sig use one powder to induce sleep				
1839	℞					
		New England Rum Qt			## Dr Coleman	
1839	℞					
		W hiskey good	ʒ vii		1## Marsh	
		Sig Take a teaspoonful 5 times a day				

N

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18395	℞	Emplastrum Cantharides 2×2 inch	1 ☐		Rite.	
18396	℞	Acidi Muriatici dilute ℥ ss				
		Aq. Distillatae ℥ ij		☐ ×	J Banga	
		Ft. Cardamomi gtt 20				
		sig. Take a teaspoonful after each meal				
18397	℞	Aloin gr ss				
		Hyd chlo Mitis gr ij			J. Rite	
		Ext Belladonnae gr 1/8		1 ☐	Mrs Pengilly	
		" Nucis gr 1/4				
		mist ft xii sig pillulae ft pillulae no ~~x~~ iv				
		sig. Take one pill at night				
18398	℞	Phenacetin in tablets			Millar	
		āā gr v No xii		☐ ×		
		Sig One tablet after each meal				
18399	℞	Sol Hyd chlo Corrosiv 4%	℥ ij		Rite	
		Glycerine	℥ ss			
		Sig use in atomizer	℥ iv	☐☐		
18400	℞	Elix Pyrophosphate Iron Quinine & Strychnia			Donaldson	
		Mycthis	℥ iv	☐☐		
		Sig Half to one teaspoonful after eating				

Stationers, 3 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18401		℞ Ext. Apii gr. i " Belladonna gr. 1/8 Oleum Theobrom q.s.			Keli	
			Mitten sig regulat suppositor ft suppositoria No VI			✠	
			Sig use one suppository every 2 hours				
	18402		℞ Phenacetin in tablets āā gr V No XII			Kelly	
			Sig One tablet morning noon & night			✠	
	18403		℞ Bromidi Ammonia " Sodae aa ℥ iii.		☒	Kite	
			℞ Aquae Salviae comt ℥ vi Sodae q.s. ℥ iv			McReilly.	
			Msig. Take a teaspoonful in water every 4 hours.				
	18404		℞ Pulv. Capsici gr. vi Zingiber Supl. ℈ i M. in Capsules No xi Sig. Take one three times a day			✠	
	18405		℞ Sul. Zinc. gr. ii Aquae ℥ ii			✠	
	18406		℞				

July 15th '90

E. L. Freeman & Co. Stationers,

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18404	℞ Acid. Boricic gr. v Aquae Rosae Aquae Camphorae ā q.s. ℥i ℥ss. Dig Use as drop in eye					
	18407	℞ Ext Hammamelis fl Ext Hydrastis fl aa ℥ii msig. One teaspoonful in wine glass of water every four hours.			Hanchett Mrs McCarthy.		
	18408	℞ Emplst Belladonna 8X8 in Sig ii Rub to affected breast	8X		Keil		
	18409	℞ Citrate Bismuth et Ammonia gr. x. ft. Chart. No. i. mitte No. XXIV Sig. one powder half an hour after food three times a day	⊞X				
	18409/8410	℞ Chloral Hydrate ℥i Aquae Cinnamon. ℥ii ad ℥ss. Sig. 4 drops as directed	⊠X				
	18411	℞ Liq. Potass. Arsenitis ℥ii Ext. Cinchon. Fld. ℥i Elixt. Calisaya ℥iii ad ℥iii Caffeinae Citrate gr. VIII Sig. Teaspoonful after meals	⊠⊠				

July 15th 1890

Stationers, 3 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
		18412	℞ Bromid. Ammon. ℥iv SB Tr. Aconit Satiric Concr. ℥iv Tr. Cinnamon q.s. ad ℥iv M. Sig. Take a teaspoonful in water every 3 to 4 hours				
		18413	℞ Quinine Hydrobromat gr. i. Repeat sing. capsule ## Repeat Capsule No. X. Sig. Take one capsule every hour				
		18414	℞ Syr. Sarsae Co. ℥ii Fl. Ext. Stillingia ℥i f. ℈ Iodid. Potass gr. xx ℥ii Aquae ℥ii M. Sig. A teaspoonful three times a day				
		18415	℞ Wyeth's Elixir of Triple phosphates (Hypophosphites) ℥iv Sig. Teaspoonful after each meal.				
		18416	℞ Morph. acetas gr. ¼ Coca Cordial Glycerine Elix. Althae ā.ā. qs. ℥iv M. Sig. Dose a teaspoonful to relieve cough repeat as often as necessary				

OVR.

July 15-th '90

E. L. Freeman & Co.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18417 ℞	Elixir. Bromid Soda	℥iij	XS		
	Sig.	Teaspoonful for a dose in a little water	℥iiij			
	18418 ℞	Bismuth Subnit.	℥iiss			
		Vin Pepsini	℥vi	Wt. But. DX		
		Glycerine	℥iv			
		Aquae Pmae q.s. ad	℥viij	Wt.		
	Sig.	℥i before each meal				
	18419 ℞	Hydrobromate Hyoscyamine	gr 1/16			
		Bromide Sodae	℥ii		Rite	
		Eclipse Cinnamon q.s.	℥ii	XX	Mrs Rose	
	Sig.	A teaspoonful diluted every 4 hours.				
	18420 ℞	Sodae Hyposulphite	℥ii		Dr Griffith	
		Aq. Distill	℥viii	DX	Mrs R	
	Sig.	One to two teaspoonfuls in glass of water before breakfast every other morning				
	18421 ℞	Pil Morph Sulph No	iv	IX		
			aa gr 1/6			
	Sig	One every 3 hours.				
	18422 ℞	Sul Quinine	gr L			
		Sup Lemonis	℥v	XD	Dr Mack.	
	Sig	Take a teaspoonful every 6 hours.				

Stationers, 8 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
		18423	℞ Acidi Muriatici Dil cc 10 — 2½ℨ				
			Lumina Muriatic 2gr 30gr		XX		
			Tr Nucis Vomicae 10. 2½ℨ				
			Alip Papsmai 100. 25ℨ				
			Sig. One Teaspoonful before each meal in water.				
		18424	℞ Magnes. Sulphat. ℥i				
			Fluid Sulphatis ℥i ℥ℨ				
			Acid. Sulph. dil ℥ℨ. ℥i				
			Syr. Zingis ℥i. ℥i. ℥ℨ.				
			Aquae q.s. ad. ℥xvi ℥ℨ.				
			Sig. Dose — one tablespoonful 3 times a day				
		18425	℞ Wyeths Elix Valer Ammonio ℥i ℥iv		IIII	Wilson Dergan	
			Sig Teaspoonful t.i.d. ℞ 2 teaspoonful before an attack				
		18426	℞ Wyeths Elix Gentian & Iron " " Triple Phosphate āā ℥ii		IIX	Wilson Dergan	
			Sig Teaspoonful after meals				
		18427	℞ Resorcin gr xx		XX	Hall Wilson	
			Glycerin (Pias) ℥i				
			Aq Rosae āā q.s ad ℥ii				
			Sig Use on face				

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18428	℞	Resorcin	gr xx		Hall	
		Glycerin			Mason	
		Aq. Rosae	ää gr ℥ij			
		Sig use to wash inflamed parts	℥ij			
18429	℞	Chloral Chloral	gr xv		Hall	
		Fl Extr Glycyrrhiza	m xxx			
		Ediz Aurantii	℥ℓ		Cottlewyth.	
18430	℞	Quinae Sulph	grs L			
		Extr Nucis Vomicae	gr v			
		Ferri Sulph Exp	grs xv		W. Campbell Jr.	
		Pulv Capsici	grs vi		Mrs J. Kobbe.	
		Extr Hyoscyamus	grs xv			
		Mist div in capsulas no xx				
		Sig. One 4 times a day				
18431	℞	Syr. Zingeri	℥vi.			
		Sub. nit. Bismuth	℥iv			
		Sig. Take a teaspoonful every six hours				
18432	℞	Potass. Cyanide	gr ii ℔.			
		Fld. Ext. Eucalyptus				
		" Althea				
		" Coca " Cordial	℥iv			
		Sig. A teaspoonful every 3 hours				
18433	℞	Fld. Ext. Hydrastis Canadensis	℥i		Brt. Brt.	
		Sig. Take 15 drops 3 times a day				

July 17 '90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18434	℞ Sodii Bromid. ℥i Aquae ℥vi. ☐x Mft. Sol. Sig. A teaspoonful in ¼ of a tumbler of water 3 times a day when necessary				
	18435	℞ Magnes Sulph. ℥ii Acidi Sulph. dil. ℥ii ☐x Aquae q.s. ℥ii Sig. A tablespoonful before breakfast				
	18436	℞ Hyd chlo mitis gr i Acidi Borici gr xxx Starch ℈ ss ℥ss mft pulv (every fifth) Sig use after bathing		10 ☐x	Rita Mrs Hyam	
	18437	℞ Mc Munn's Elix. Opium ℥ii ☐x Sig. Use as directed		☐x	Colman	
	18438	℞ Antipyrini Ri Sub Ie aa Sacch Albae aa gr i ware every 2 hrs ft chh no xvi Sig. One powder every 3 hours.		☐x	Rita Mrs King	

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18439	℞ Sodii Boratis Camphorae aa gr ℈ Aq. Rosae aquae dist aa ℥ss Sig. Eye wash.		1D	Williams Mrs Gordon.	
	18440	℞ Ol Myrrhae ℥iv Sig Teaspoonful night & morning			William Gordon	
	18441	℞ Zinci Oxyd grs xv Acidi Salicyl grs iii Mengt Aq. Rosae ℥iiss Sig Apply at night.		1D	" "	
	18442	℞ Liq. Plumbi Subacet ℥iii Acidi Carbolici ℥ss Glycerini gr ℥ii Sig apply externally with camel hair brush.			Roberts	
	18443	℞ Wyeth Edix Triple Phosphate ℥iv Sig Half a teaspoonful after each meal			William	
	18444	℞ Acid. Carbol. Cryst. gr. xx Glycerini ℥iv Ess. Menth. Vir. gtt. xx Ess. Pepsini (Fairchild) q.s. ℥iii Sig. One teaspoonful in half a glass of hot water after meals				

July 1870 ½

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1844	℞				
		Valerianate Ferri				
		" Zinci		S☐	Griffith	
		" Quinia aa	℥ss			Mrs Rosewater
		Ext Secale Cornutum	grs xxx			
		Sodii Arsenitis	grs i			
		M fiat caps no xx				
		Sig. One after meals.				
	1845	℞				
		Stokes Liniment	℥vii	☐☐		
		Sig. Use 3 or 4 times a day				
	1847	℞				
		Fr. Buchu	℥i	☐☐	St. Brt.	
		Sweet Spt. Nitre	℥i	10		
		Aquae	℥ii	☐☐		
	1848	℞				
		Paraldehyde	℥iv	S☐	Keith	
		Mistura q.s.	℥iv		Mr Richardson	
		msig Take a quarter spoonful in half a glass of water to induce sleep.				
	1849	℞				
		Sol Heyd chlo Cocaine	gr i	40	Keith	
		Lachrymine	gr ii	☐☐		
		Sig use in atomizer	℥iv			
	1850	℞				
		Phenacetine in tablets	No xii			Williams
		āā gr v		☐☐		
		Sig One tablet at ten o'clock repeat in an hour if necessary.				

E. L. Freeman & Sons. Stationers.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18451	℞ Quinia Sulph in capsules ää gr iii No xii. Sig One capsule morning noon & night.		☐x	Willia		
	18452	℞ Antipyrine Gr. v. Tablets No. x. Sig Take one tablet every 2 hours till relieved		☐x	K.		
	18453	℞ Aqua Carlsbad Bot. No vi (Steel) Take a glass daily		1.5☐	K.		
	18454	℞ Iodid. Potass. ℥i Aquae ℥ii Teaspoonful twice a day		dbl. dist. ☐x			
	18455	℞ Syrup Ipecac " Squills " Tolu ää ℥i Fluid Lobelia ℥ss " Apii ℥ii Sig Take a teaspoonful every 4 hours.		☐x	Mark		
	18456	℞ Bromid Potassa ℥iiii Aquae ℥iv Fluid Extract Cod ℥iii Sig Teaspoonful in water before meals		☐x			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18457	℞ Pulv Ext Colocynth Comp	℥i			
		Ext Nux Vom	gr XV			
		" Belladonna	gr X		half quantity	
		Ergotin	℥i		☐x	
		M ft Div in pil No LX				
		Sig One pill morning & night.				
	18458	℞ Pulv. Ext. Colocynth Co.	℥i			
		Ext. Nucis Vomic. gr. xv.			half quantity	
		Ext. Belladonnae gr. x.	ȳth.			
		Ergotin	℥i			
		div. in pill No Tox				
		Sig. One pill morning & night.				
	18459	℞ Fairchild Pepsin	℥ss		Robert	
		Bismuth Subnit	℥ii		☐☐	
		M ft chart No X				
		Sig One before eating				
	18460	℞ Acidi Nitrici	℥iii		☐x	
		Acidi Hydrochloric.	℥vi		ȳth.	
		Put in glass stoppered Bottle				
		Sig. Three drops in wineglass				
		Water after meals				
	18461	℞				
		W Whiskey	℥vii		☐x	Marsh
		Sig. Take a teaspoonful				
		every 6 hours.				
	18462	℞ Stokes Liniment	℥vi			

July 21/90

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18463	℞ Pil Hydrarg grs XII Lonina Sulph gr XX Mft sh capsules No VIII Sig One capsule every 3 hours.		1⁰⁰	Jackson	
	18464	℞ Salicine 3ii St. Chart No XII Sig. one before meals		0⁵⁰		
	18465	℞ Potassa Bromid ℥ i ℈ Aq Cinnamoni ℥ ii Sig 20 drops in water 3 times a day		1⁰⁰	Robert.	
	18466	℞ Pil. Assafoetida āā gr. v. No. XII Sig. One pill morning noon and night		1⁰⁰		
	18467	℞ Quinine Pills 2g. each no XXX Sig Take one every 4 hours.		0⁵⁰	Marsh	
see 18644	18468	℞ Zinci Oxyd ℥ ss Pulv Amyl ℥ ss Mix & triturate fine powder Sig. Powder.		1⁰⁰	Williams Wm H Lawrence	
	18469	℞				

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18469	℞	Mur Morphia	gr 1/24		Keil	
		Tannia Hydrobrmas	gr i.			Wylie
		Ext Cannabis Indica	gr 1/4		HN	
		M ft resp sing caps resp caps No XII				
		Sig One capsule each hour if necessary.				
18470	℞	Acid Nitro Muriatic Dil	6	℥ iss		
		Tinct Cinchon Comp	6	℥ iss	☒X	J. Swinburne Hopkins
		Syp Zingiber	60	℥ xv		
		Aq dist	60	℥ xv		Mr Smith
		M sig. Teaspoonful t. i. d.				
18471	℞	Acid Hydrochlor Dil of the Triple Phosphates (1/60 gr Strychnia)		℥ iv	HX	Williams
		Sig Teaspoonful after each meal.				
18472	℞	Calcl Phenacetine āā gr iii			HN	Keil Carey
		M ft resp sing caps resp caps No XVI				
		Sig Take one capsule every 3 hours.				
18473	℞	Acidi Phosphor Dil		℥ ss	☒X	McMichael
		Aquae ad		℥ iv		
		Sig Take Teaspoonful before meal & at night				
18474	℞					

over

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18474	℞				Hale	
		Acid Carbolicum	gtt XX			B. H. Long
		Glycerine	℥ ii			
			℥ ii			
18475	℞					
		Lactopeptine	℥ i		Healy	
		Sodii Bi Carb	gtt XII			Mrs Peck.
		mist ℞ charts # XII				
		Sig. One (1) every Two (2) hours. when necessary.				
18476	℞					
		Sodae Salicylate	gr XV		Hale	
		Aqua q s ing chart ft chart	ad VIII		Lawson	
		Sig Take one powder every 3 hours till pain relieved	3			
18477	℞					
		Antipyrine	gr. XXII			
		Bromide Soda	℥ i ℈.			
		Fld. Ext. Glyc. Comp.	℥ ii			
		Coca Cordial	℥ i			
		Elix. Aurtiae q. s. ad	℥ iv			
Sig.		Take a teaspoonful every three hours				
18478	℞					
		Elix Lactopeptine	℥ i iv		Mack	
		Sub Nit Bismuthi	℥ ii			
		Sig Teaspoonful every 6 hours.	iv			
18479	℞					
		Emplast Cantharidis			Wilkins	
			IX			

July 23 1/2 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18480	℞ Bismuth Sub Nit	℥ii ss		Nellis	
		Aquae	℥ iv		"	
		Sig Teaspoonful after each meal				
	18481	℞ Tr. Nucis Vom.	℥i			
		Sig. 5 to 10 drops in a wineglass water before each meal				
	18482	℞ Acid. Nitro Mur. dil.	℥iv			
		Tr. Nucis Vomic.	℥i			
		Aquae q.s. ad	℥iv			
		Sig. Teaspoonful every three hours in water				
	18483	℞ Sodae Bi Carb.	℥ix			
		Sodae Salicylatis	℥ii			
		Vini Colchici Rad.	℥ii			
		Ext. Ipecac. Fld.	℥ss.			
		Spts. Ethers Nit.	℥ii			
		Glycerine	℥i			
		Strychnia Sulph.	gr. ½			
		ol. Gaultheriae	gtt. ii			
		Aquae Cinnamomi q.s. ad	℥iv			
		Sig. Dessertspoonful 3 times a day between meals in water				
	18484	℞ Phenacetine in tablets	ää gr V	No IV	Wilson	
		Sig 2 tablets repeated in an hour if				
		once but no more				

E. L. Freeman & Sons. Stationers, 3

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18485	℞					
		Syr. Scillæ	℥ ii	XX			
		" Tolu	℥ i				
		Tr. Capsici	~~℥ ss~~ v ~~ml~~				
	18486	℞					
		Tinct. Capsici	℥ i	50.15			
		Alcohol ās					
		Witch Hazel āā	℥ iv	ml.			
	18487	℞					
		Potass. Citrat.	℥ ii				
		" Acetat.	℥ ii				
		" Bi Carbon.	℥ i.				
		Syr. Limonis					
		Aquæ Rosæ āā q.s.	℥ iv	ml.			
		Liq. Teaspoonful in water after meals					
	18488	℞					
		Wyeth's Elix of Gentian & Tinct Ferri Chloridi	℥ iv	XX	Williams		
		Sig Teaspoonful before each meal.					
	18489	℞					
		Bismuth Sub Nit	~~℥ ii~~ 55				
		Aquæ	℥ iv	XX	Williams		
		Sig Shake the bottle					
		Teaspoonful after each meal					
	18490	℞					
		Fairchild's Pepsin	℥ i.	XX			
		Bismuth Sub. nit.	℥ iv				
		Pulv. Cubebæ	℥ i.	ml.		Roberts	
		Pulv. Chalk. No. x.					
		Sig. One before eating					

July 23 '90"

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1849	℞ Potas. Citrat.	℥i			
		Sodae Bi Carb.	℥i			
		Spirt. Ethers Nitrosi	℥ii ℈.		Roberts	
		Liq. Potass. Arsenits	℥i	☐X		
		Aquae Anisi				
		Fix. Gentian āā ad	℥ii			
		Sig. Teaspoonful after each meal in water				
	1849 2.	℞ Acidi Carbolici	℈ss	XD	Roberts	
		Mag. Diachylon (Hebra)	℥v			
		" Zinci Oxidi	℥iii			
		misc. apply on a rag.				
	1849 3	℞ Glycerit Acidi Tannici	℥i	1D	Roberts	
		Sig. Use with a brush				
	1849 4	℞ Sodae Bi Carb.	℥i	☐X		Townsend
		Tr. Opii Camph.	℥ss.	℔.		
		Mist. Cretae ad.	℥iii			
		Sig. Teaspoonful every three or four hours				
	1849 5	℞ Bromid. Potas.	℥ss	XX		
		Aquae	℥ii	℔.		
		Sig. Teaspoonful in water every three hours				
	1849 6	℞ Hyd. Chl. Mite	gr. i ℈.	℔.		
		Sacch. Lactis	gr. iii			
		M. sing. chart. No.	viii			
		Sig. Take one powder at night.				

July 24 90

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18497	℞ Syr Squills			Pilman	
		" Ipecac āā ℥i				
	18498	℞ Sul. Quinina grs. XXXX				
		Acid. Sul. gtts. XXXX				
		Tinct. Gentian ℥i				
		Aquae ℥iii				
		Sig. Take a teaspoonful every six hours				
	18499	℞ Bromid. Potass. ℥ß				
		Aquae ℥viii				
		Sig. Tablespoonful as directed				
	18500	℞ Sodae Biboras gr. i/v				
		Aquae Distill. ℥i				
		Sig. ft. sol. et filter Eye Water				
	18501	℞ Syr. Rhei Aromat. ℥i				
		Sig. Spiced Syr. of Rubarb Teaspoonful				
	18502	℞ Glycerite of Acidi Tannici ℥ii				
		sig For the throat.				
	18503	℞ Londonderry Lithia Still ½ gall Bott				

Stationers, 3

DATE.
18

Daily 25th 90th

Stationers, 9 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18504	℞					
			Sulphuris	℥ ii			
			Sp̄ts of Nitr	℥ ii		☐X Atkinson.	
			Sup Specac				
			Pangonic aa	℥ ss			
			M sig Take a large teaspoonful each				
			morning and as much after as necessary.				
	18505	℞					
			Ext Pancreatis	℥ i		☐X Allenwells	
			Put in bottle send 3ss sample powder				
			sig. One every feeding				
	18506	℞					
			Potas. Bi Carb.	℥ ss.			
			Bismuth Sub Carb.	℥ i			
			Cretae Praep. Pulvis.	℥ ss.			
			Tr. Opii Camph.	℥ ss.		☐X	
			Sp. Vini Gallici	℥ ii			
			Glycerinae	℥ ss			
			Aq. Menth. Pip. q.s. ad	℥ iv ℈.			
		Sig.	Teaspoonful every two hours				
	18507	℞					
			Aromatic Ammon	℥ ii		110	
			Sig. Take a teaspoonful in water every 3 hours.			Vite	
	18508	℞					
			Liquis Virgis	℥ iv		XO Vite	
			Sig use as a wash				
	18509	℞					
			Quinine Pills gr ii mXX			XX Marsh:	
			Sig - One every 4 hours				

July 25th 93

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18510	℞ Phenacetine gr v m. sig. chartae #1 chartae no xii Sig One powder every 2 hours		☒X	Kite	
	18511	℞ Gardners Syr Hydriodic Acid ℥iii Sig a small teaspoonful ℥iii before meals in water.		☐☐	by th bruggist.	
	18512	℞ Pil Morph Sulph gr 1/8 no iv Sig. One every 3 hours till relieved		1☐	Macdonald	
	18513	℞ Tr Lobelia " Aconite Rad " Cspii aa ℥ss Sig. Use as directed - Poison		1☐	MacDonald.	
	18514	℞ Lodio K iodis ℥iv Sig Use as a wash for Eye		☐☐	Kite	
	18515	℞ Ext Hyos 2 gr Sach Lac 10 gr. Sach Hyoscyamus gr x Po Camphor gr x Po Valerian ℈ii Sodae Bi Carb gr x m ft chr no xii Sig. Powder as needed to quiet.		☒☐	W Osborn.	
	18516	℞ Pil Pancreatinin 25 (C. R 96) Sig One 1/2 hours after meals.		☐X	Holmes.	

E. L. Freeman & Co.
Stationers, 3
DATE.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1851						
7	℞					
		Elix Iodo Bromide Calcium Comp			Waggoner	
	M. Et Eff Guarani	aa	℥ iv ℥ ii		Sig Take a teaspoonful after each meal.	
1851						
8	℞					
		Iodide Potassa	℥ viii		Mack	
	M. Syrup Liquorice		℥ iv			
	Sig Teaspoonful every		6 hours.			
1851						
9	℞					
		Hyd Chlo Corrosiv	gr iv		Kile	
	M. Mollin		℥ ss		Mrs Brooks.	
	Sig use at night.					
1851						
20	℞					
		Acid Meur Dil	gtt ℥			
		Pepsin Sacch	gr v			
		Elix Simp	℥ ii			
	M. Aqua	q s	℥ ii			
	Sig Teaspoonful in water 3 times a day before meals.					
1851						
21	℞					
		Ol Eph Eucalyptus	℥ i		Kile	
		Tr Avena Sativa	℥ i			Imbrie
	M. Celerina	q s	℥ iv			
	Sig Teaspoonful every 3 hours.					
1851						
22	℞					
		Sodii Nitra	℥ viii		Keile	
	Sig use freely on face.					

E. L. Freeman & Son Stationers, 3 V

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18523	℞				
		Luminal Bychlobromo	gr i.			
		Salol	gr iii	☐X	Vite	
		mitt sig capsul pil cap no XII				M Mack.
		Sig. Take one capsule every 3 hours				
	18524	℞				
		Salol		☐X	Vite	
		Phenacetine aa gr ii				Mrs Funk.
		mitt pl iii sig capsul pil XVI				
		Sig. Take one capsule every 3 hours.				
	18525	℞				
		Resorcin	gr LXXV		Millain	
		Glycerin	℥ V			
		Sig apply with brush Resorcin				
	18526	℞				
		Zinci Acetas		☐X	Walker	
		Syl Ballad aa gr VIII				
		Glycerini	℥ ss			
		Aquae Dest	q.s. ad ℥ VI			
		Sig. As directed				
	18527	℞				
		Morph Acetas	gr 1/4			
		Tr Zingiberis	℥ i			
		Tr Kinio		1☐	Kite	
		Luca bordial aa q.s. ad ℥ i				Local Stab.
		mitt sig. A teaspoonful in water				
		every one to 2 hours.				
	18528	℞				
		Bromof	gr V			
		Aq Rosae	℥ i-ss			

DATE.

Freeman & Son Stationers, 3 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18529	℞	Glycerine	℥ii		Bell	
			Sol Pot Chlorate	℥i ss			Coffin
			Liq Soda Chlorin	℥iii			
			M. Syrup q s	℥iii			
			Sig Small teaspoonful every 3 hours for sore throat.				
	18530	℞	Ft. Ext Guarana	℥ii		Robert.	
	18531	℞	Phenacetin gr tablet			Millian	
			āā gr v No xii				
			Sig One tablet t. i. d.				
	18532	℞	Bromide Sodae gr v			Kate	
			Ant. rep sing cap rep cap No xii			Watts	
			Sig Take one capsul as often as necessary to relieve nervousness.				
	18533	℞	Ext. Nucis Vomicae gr 1/8			Kate	
			" Cannabis Indica gr 1/12			Haeny.	
			" Digitalis gr 1/12				
			M. Cascara Sagrada gr i				
			Eff. in sing pillulae No pillulae No xxiv				
			Sig Take from one to 3 pills daily				
	18534	℞	Tr. Opii ℥i				
			Plumbi Acetas ℥i				
			Ext. Hamamelis Fld. ℥i				
			Glycerine ℥i				
			Aquae q s. ad. ℥viii				
			Liq. Extract dly				

July 26 90

E. L. Freeman & Sons Stationers, 3

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18530	℞				
		Wyeths Elixir of the triple phosphates (1/60 gr. Strychnia)	℥iv	☐x	Williams	Mr Leith
		Sig: Teaspoonful after each meal.				
	18536	℞				
		Cyanide Potassa	gr i		Kirk	
		Chloroformis	m viii		Worsley	
		Coca Cordial	℥iv	xx		
		℞ Elix Althea, gs	℥ii			
		Sig Take a teaspoonful				
		every 2 hours.				
	18537	℞				
		Hyd Chlorid	gr x	x☐		
		Bromid Sodae	grs xxx			
		Fl. Extr. Glycyrrh.	℥ss.			
		℞ Elix Aurantii q.s.	℥ii			
		Sig One dose				
	18538	℞				
		Elix. Cascara Sagrada (Pugans Aromatic) Lilly & Co.	℥iv			
		S. Teaspoonful t. i. d.				
	18539	℞				
		Morph. Sulph. in Pil.				
		āā gr. 1/8	No. vi			
		Sig one pill night & morning				
	18540	℞				
		Fowlers Solution	℥i			
		Sig. Ten three drops in water after each meal				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18541	℞				
		Resorcin	℥i			
		Mollin	℥ii			
		Glycerine q.s.	℥ii			
		Sig. Use as an ointment				
	18542	℞				
		Hyd. Chln. Cocaine	℥i			
		Listerine				
		Aqua Camphor aa. q.s.	℥i			
		Sig. Use as in Atomizer				
	18543	℞				
		Sodii Bromid	℥ii			Roberts
		Spts Ammon Arom	℥ii ss			
		Extr Valeriane Fl	℥ss			
		Elix Calisaya	℥ss			
		Elix Sassafras	℥ss ii			
		Glycerine q.s.	℥ii			
		Sig Teaspoonful 3 times a day.				
	18544	℞ Nux Vomica	℥i			William
		Sig Five drops after each meal.				
	18545	℞				Roberts
		Potass Acet	℥ii			
		Sodae Salicylate	℥ss			
		Pulv Rhei	gr v			Benedict
		Specac	grs iii			
		Extr Ecthuis Nit	℥ii			
		Glycerine	℥i			
		Aq Gaultheria	q.s			℥ii
		Sig Teaspoonful in water after meals				

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18546	℞				
		Ol Eqdini	℥ i		Roberts	
		Mengt Diachylon (Hebra)	℥ ii	XD		
		℞ Morphia Sulph	gr ii			
		Sig apply on a cloth.				
	18547	℞				
		Hyd. Chlor. Corrosiv.	gr 1/40	XX.		
		Pot. Iodidi	gr iii			
		et ft in pil. mass. xiii. et				
		div. in Capsulæ	No. X=			
		Sig. ft. Cap. No. X				
		One capsule after meals				
	18548	℞				
		Zinci Sulph	℥ ii	XD		
		Powd Alum	℥ ii ss		Sanders	
		misc. Teaspoonful to pint				
		of hot water.				
	18549	℞				
		Ext. Pichi Fol	℥ v			
		Glycerinæ	℥ i	□X	Roberts	
		Ol Sanethum	gtt ii			
		Aliquot Quantum ad	℥ ii			
		misc. Teaspoonful after meals				
		3 times a day.				
	18550	℞				
		Sol. Fowleri (Fowlers)	℥ i	1D		
		Sig. Poison—Two drops				
		in water after each meal				
	18551	℞				
		Cod				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18557		Phenacetin cr tablets āā gr v No x One tablet repeated in ½ hour until pain is relieved or until 3 are taken			Williams	
18552		℞ Potash Acetatis ℥iv Aqua Pura ℥viii" Dose teaspoonful four times daily			Hays & Burlingham	
18553		℞ Magnes Sulph. ℥i,v Fluid Sulph. ℥i Acid. Sulph. dil. ℥iii Aquae ℥iv Syr. Aurantii Cort q.s. ad ℥viii Sig. one tablespoonful in a glass of water				
18554		℞ Phenacetine gr. iv. Salol gr. iv. Et repetio sing. capsule repetio capsule No. xvi Sig. Take one capsule every two hours				
18555		℞ Morph. Acetat. gr. ⅜ Fld. Ext. Eucalyptus ℥ii. Coca Cordial ℥i Elix. Adhar q.s. ℥iv Sig. Take a teaspoonful every hour				

Use Fld. Ext. Aurantii ℥i

July 29th 90

E. L. Freeman & Sons

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18556	℞ Calcii Cerium gr i Bismuth Sub Carb gr i Mist in sing chart ft chart No XVI Sig One powder each hour.			Hale DX	
	18557	℞ Alcohol	Oi	DX	Hale	
	18558	℞ Valentine Beef Juice Bott i	1.X=	"		
	18559	℞ Spirits Salts Bot i Sig. Take a teaspoonful in Carlsbad water once a twice daily		50	K Shaw	
	18560					
	18561	℞ Morph. Acetas gr 1/16 Ext. Cannabis Ind. gr 1/8 Ext. Nucis Vom. gr 1/8 Et capello sing. capsule No XVI Sig. Take one capsule Every two hours till relieved		10	K Shaw	
	18562	℞ Liniar Hydrobromas gr i Salol gr III Et ft. sing. Capsule No. XVI Sig. Take one capsule every 2 hours		25X		

Orr

July 29th 90.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18563	℞				
		Zinci Acetate	gr xii			
		Morphia "	gr ½			Conr.
		Leiterine	ʒiii	xx		
		Aquae Dist q s	ʒiv			
		Sig as directed				
	18564	℞				
		Sodae Salicyl	ʒv	xx	Williams	
		Aquae Menth Pip			J.H. Brady	
		aquae aa	ʒii ss			
		Sig. Teaspoonful after each meal.				
	18565	℞				
		Phenacetin	gr iii		Niles	
		Ext Cannabis Ind	gr ⅛	xx	Cary.	
		Mitte in sing chart ft chart No	viii			
		Sig One powder each hour.				
	18566	℞				
		Potassii Bromidi	ʒii ℔.			
		Ext. Valerian. Fld.	ʒi.	ox		
		Glycerine	ʒi.			
		Elix. Calisaya	ʒi.			
		Sig. Teaspoonful in water				
		Twice a day or as needed				
	18567	℞				
		Fil. Aloin	gr. ¼			
		Strychnia	gr. 1/60			
		Belladonnae	gr. ⅛	xx		
		& Ipecac	gr. 1/6			
		Schieffelin & Co. Grl.	Coated No. xx.			
		Sig One at night				

July 29 90th

E. L. Freeman & Son, Stationers.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18568	℞ Syr. Ipecac ℥i ℈. ℔ii Syr. Scillae ℥ss ℈. ℔ii ℔x Tinct. Lobelia ℥i ℈ii. Sig. Take a teaspoonful for a dose				
	18569	℞ Syr. Rhei Aromat. ℥i ℔x Sig Teaspoonful				
	18570	℞ Phenacetine in Chart. āā. gr. ii No. vi ℔D Sig. one powder repeated in an hour ℥ furnish nine main				
	18571	℞ Syr Ipecac ℥iss Kello xxx Hennessy ℥i ℔x ℔ Elix Aurantii gr ℥i Sig Take a teaspoonful ℥i every 20 minutes till vomit				
	18572	℞ Mur Morphia gr 1/24 Kello ℔ Quinia Hydrobromas gr i Mylo et rep sing cap rep cap No xvi ℔x Sig One capsule every 2 hours				
	18573	℞ Pepsin (Fairchilds) gr. xxx Sodii Bromidi Tinct. Pulsatilla ℥ii ℥vi Tinct. Nucis vomicae ℥ii 1.℥ Tinct. Cinch. Co. ℥ii Tinct. Sumbul ℥iv Elixir Cascara ℥ii Elixir Coca ℥iv Vin. Ipecac opt. ℥xx ℔. Sig. Half teaspoonful ℥ three times a day			Bacon.	

July 30 - 96

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18574	℞ Hyd Chlo Mite	gr ii	10	Kelly	
		Sodae Bi carb	gr iii			
		Ft chart sig chart ft chart No ii				
		Sig One powder as a dose.				
	18575	℞				
		℥ Aconite	m xvi	XD	Kito	
		℥ Belladonnae	m xlviii		M.G.M. Rollins	
		Inca bromidi	gs. ℥ ii			
		misq. a teaspoonful every 2 hours.				
	18576	℞ Acid. Arsenici	gr 1/6			
		Strychnia Sulph.	gr 1/6	DX		
		Quinae Sulph.	℈ss			
		Ferri Redacti	℈ss	W.		
		Sig. ft Pil. No. xii				
		Sig. one after meals				
	18577	℞				
		Salol		XD	Kito	
		Phenacetine aa	gr iij		Wm Hammond	
		mft ft chartas misq chartas ft chart No xvi				
		Sig. One powder every 2 hours.				
	18578	℞				
		℥ Arenae Satiral bract	℥i	XD	Kito	
		Ac Glycia			Mrs A.R. Rich	
		Inca Bromidi aa	℈s. ℥iv			
		misq. 2 teaspoonfuls w water when necessary.				
	18579	℞				
		Quinae Hydrobromas	gr i	XX.		
		Phenacetine	gr iii			
		mch ufal misq caps Rep cap No xvi			Mrs A.R. Gardner	
		Sig One capsule every 2 hours.			Kito	

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18580	℞ Acidi Hypho Bromic ℥i Sig 10 drops in water For Headache		1D	McLaughlan	
	18581	℞ Phenacetine in tablets āa gr V No XII Sig One tablet repeated every half hour until the pain is relieved or until three are taken			William	D+
	18582	℞ Morph Sulph in pillulae āā gr 1/16 No XII Sig One pill b. i. d.		1D	William	
	18583	℞ Acidi Muriat Dil ℥i Sig Five drops in water before each meal.		1D	William	
	18584	℞ Syrup Comp Hor ℥ii Spir Vin Rect ℥iv Chloroformi ℥i Acth Sulph ℥i Ft Mist āā ℥iii Ad Coxyth gtt XX Sig For toothache			MacDonald	H+
	18585	℞ Paraldehyde ℥ii Misturae q. s. ad ℥ii Sig. Take 1/2 quantity in half a glass of water when necessary		1X	Kirke	Bill Robertson

July 31st - 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18586	℞ Hydrarg. Bi Chlorid gr. i Kali Iodidi ʒv Syr. Sarsaparilla Co. ʒi Aquae q.s. ʒiv Sig. one teaspoonful t.i.d.		XX	Kite M Walters	
	18587	℞ Syd Chlo Morani Sol 4% ʒi Lenitivae ʒ.s. ʒii misig. Use a teaspoonful in a wine glass of water as a gargle.		OX	Kite Mrs Howard	
	18588	℞ XXX Hennessy ʒ ss Sig Brandy.		IX=	Kite Howard	
	18589	℞ Cyanide Potash gr ss Fl Ext Eucalyptus ʒii Syr Scillae ʒiv Elixir Amarth q.s. ʒii misig. A teaspoonful in water every 2 hours.		XO	Kite	
	18590	℞ Tinct Opii gtt XX Syr Zingib ʒ ss Aquae ʒii Sig Teaspoonful every 4 hours.		XO	Williams	
	18591	℞ Acid Carbolic ʒii ss Aquae q.s ad ʒvi Sig use locally as directed		OX	Neilson	

July 31st '90

E. L. Freeman & Son. Stationers.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18592	℞ Salol m tablets ao gr v no XII Sig. One tablet 3 times a day.			Williams		
	18593	℞ Tulipi Scalisaya ℥ss aq ℈ anethiae ad ℥ii msig. Teaspoonful 3 times a day.		1.00	Roberts.		
	18594	℞ Oxalate Cerium gr. IX Pulvis Ipecac gr. ½ M. Ft. sing. Chart. #. Chart No. VIII Sig. One powder as often as necessary					
	18595	℞ Bromid Ammonia ℥iii Fl Avena Sativa ℥ii Tr Calerinae gtt ℥ii Sig Take a teaspoonful in water every 2 to 3 hours		.00	Kidd Dewy		
	18596	℞ Bromid Potassa ℥ss Aquae ad ℥ii Sig Teaspoonful night & morning		10	Wilson		
	18597	℞ Acidi Muriat Dil ℥ss Sig Five drops in water after each meal		10	Wilson		

over

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18598	℞					
		Morph Acetas	gr 1/32		Keith	
		Tinct Hydrobromas	gr ½			Pollen
		Mist Ammonia	gr IV	XX		
		ch rep sing cap rep cap ad	No XVI	dbl, ON.		
		Sig One capsule each hour.				
18599	℞					
		Iodide Potash	℥ iii	☐X	Marsh	
		Syrup Liquorice	℥ iiii			
		misc. Take a teaspoonful				
		every 4 hours.				
18600	℞					
		Collo Avena	℥ iv		Williams	
		Sig Poison, External use		XX		
18601	℞				Keith	
		Resorcin	℥ i	XD	Mrs Col McLaurin	
		Glycerinae				
		Aquae Rosae aa q.s.	℥ ii			
		misc. Use as a lotion.				
18602	℞					
		Hydrarg Bichlor	gr ii	☐X	Mitchell	
		Aquae ad	℥ vi			
		Sig. Apply externally only as directed				
18603	℞					
		Acid. Salicylic	℥ i	XX		
		Collodion	℥ i	III.		
		Sig. External only				
18604	℞					

Friday Aug 12th 1898

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18604 ℞					
		Morph Sulph	gr ⅛			
		Ext Belladonnae	gr ⅛	☐X	Kite	
		" Ergotae	gr ⅛			Mrs Gould
		Ft Supposit No VI				
		Sig. One every 2 hours.				
	18605 ℞					
		Tr Opii Camph.				
		Tr. Opii Dropp. LII. XX				
		" Kino	℥i			
		Acid. Sulph. Aromat. ℥i.				
		Syr. Zingiber Aa ℥ss.	℥ii			
		Sig. Teaspoonful every hour until relieved				
	18606 ℞					
		Fowlers Solution	℥ ss	1☐	Kite	
		Sig. One drop in water after each meal.				
	18607 ℞					
		Resorcin	℥i	X☐	Kite	
		Glycerinae q.s.	℥ii			
		M sig. Use on head.				
	18608 ℞					
		Phenacetin Tablets gr V	No XII	☐X	Kite	
		Sig Take one tablet every 2 hours.				
	18609 ℞					
		Tinct Buchu	℥ii			
		Spts Aetheris Nit	℥iii	☐X	Pittman	
		Tinct Opii	℥i			
		Aquae	℥i 55			
		M sig A Teaspoonful 3 times daily				

Saturday Aug 2nd 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18610	℞ Mengt Hydg Nitrat				Enright
		Simple Cerate	ää ℥i.	10		
		℞ Ol Rosemary	gtts iii			
		fr Unguade.				
	18611	℞ Carbolic Acid	m xx			Keb
		℞ Glycerine	gr ℥ii ℥ii	10		B.F. Long
	18612	℞ Tyschnia Sulph	gr ½			
		Ext Ipeca Fl	℥ss	☐☐		
		" Conch Fl	℥ss			S.M. Roberts
		Glycerinae	℥i			Dunbank.
		Ol Gaultheriae	gtts ii			
		Aq Cinnamomi ad	℥iii			
		Sig A dessertspoonful				
		3 times a day.				
	18613	℞ Cocaini Mur	gr ii			
		Acidi Carbolici	gr v			
		" Boracici	ʒss			
		Glycerinae	℥iii			
		Aq Rosae ad	℥i			
	Sig	Use with a douche.				
	18614	℞ Sul Quinin	gr L			
		Sul Acid	gtts L			
		Syrup Zingiberis	℥iii			
		Sig Take a teaspoonful				
		every 4 hours.				

Saturday Aug 2nd 190

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18615	℞ Potass. Chlorat.	℥i			
		Sig A teaspoonful in a glass of water & snuff up the nose				
	18616	℞ Acid Phosphoric Dil	℥ss			
		Strychnia Acetate	gr ss			
		Ext. Calisaya	℥v ss			
		Sig Take a teaspoonful 3 time a day in a wineglass of water				
	18617	℞ Ext. Coca Fld.	℥j.			
		Ext. Cinchona Fld.	℥j.			
		Glycerine	℥i			
		ol. Gaultheriae gtt.	iii			
		Aquas Cinnamon q.s.	℥iii			
		Sig. Dessertspoonful 3 times a day				
	18618	℞ Beef Peptonoids 1 Bot.				
	18619	℞ Pulv. Rhei	gr. x			
		Soda Bi Carb.	℥j			
		Pulv. Cinnamoni	gr xv.			
		S.ft. Capsules No.	xii			
		Sig. One after each meals				
	18620	℞ Quiniae Bisulph.	℥j			
		ft. in Capsules No.	xii			
		Sig. Take one each morning as directed				

July 22nd 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1862		℞ Chloroform	gtt. x		Wilkins	
		Syr Pruni Virg	℥ ii ss			
		Sig Teaspoonful three or four times a day.				
18622		℞ Acidi Carbolici	℥ i	10	Coleman	
		Olei Lini	℥ ii			
		Sig apply externally				
18623		℞ Stokes Liniment	℥ vi		Marsh	
		Sig use 3 or 4 times a day.				
18624		℞ Elix Calisaya Iron & Strych	℥ i ss		"	
		Sig Teaspoonful every 6 hours in a dessertspoonful of water.				
18625		℞ Kalii Bromid	℥ ii			
		Ext. Valerian Fld.	℥ i.			
		Ext. Coca Fld.	℥ i.			
		" Cinchonae Fld.	℥ i.			
		" Glycerine	℥ i.			
		Ol. Sassafras gtt.	iv			
		Aq. Gaultheriae q.s. ad	℥ iv			
		Sig. Dessertspoonful three times a day				
18626		℞ Iodol	℥ i.			
		Boracic Acid	℥ i.			
		Sodae BiCarb. aa	℥ i.			
		Sig. Use in insect powder bellows				

Aug. 2nd 90

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18627	℞ Morph Mur grss Bromid Potassa " Sodae āā ʒi " Ammonia ʒii ℞ Elix Aurantii q.s ʒii Sig Teaspoonful in water every 3 or 4 hours.			Keli HA	
	18628	℞ Hyd. Chlor. Corrosiv. gr ½ ʒi S. Apply on gums, Cocaine			K HA	Shaw
	18629	℞ Carbon Bi Sulphide ʒii S. Apply with brush on Cheek			K HA	Shaw
	18630	℞ Ol Ricini Glycerine Fl Opii ℞ Fr Cardamon Co Sig One tablespoonful every hour.	ʒvi ʒvi mxxx ʒiii		Carwell HA	
	18631	℞ Bromide ~~Potassa~~ Ammonia ℞ Aven Salvatone Celerina gr ½ Sig Take a teaspoonful in water every 4 hours.	ʒi ʒii ʒii		Keli Harris HA	
	18632	℞ Codeiae Sulfonal Bayer ℞ make powder No X Sig One. two or three powders during night as required	gr X ʒi ss		Corley IX=	

Aug 30 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18633		℞ Tr. Ferri Chloridi	℥i	10		
	Sig.	10 drops in water after meals				
18634		℞ Potas. Acetas	℥iii			
		Ext. Pichii Fld.	℥vi			
		Ext. Glycyrhiz. Fld.	℥ii		DX	
		Glycerine	℥i			
		Ol. Gaultheriae	♏iii			
		Aquae Cinnamomi, q.s.	℥viii			
	Sig.	Dessertspoonful with water after meals				
18635		℞ Inglurin	grs 130		Probasco	
		Div in chart No	xvi		XX	
	Sig	One powder before meals.				
18636		℞ Potassii Bromidi	♏℥vi			
		Glycerinae	♏℥vi		XX	
		Tinct Opii	♏xxx			
		Tinct. Cardam Co	♏℥ss			
	Sig.	Take a tablespoonful every hour				
18637		℞ Ammon Morphia	grs ½		Hale	
		Bromid Soda	℥vi		Dr. Mooney	
		Tr. Avena Sativa	♏℥iv		OD	
		Celerina	gtt 20			
	Sig	Teaspoonful in water every 4 hours.				

Aug 3 '90

Aug 3/90

E. L. Freeman & Son Stationers.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18638	℞ Phenacetin	gr ii		Keith		
		Ext Nux Vomica	gr 1/4			Meeny	
		" Cannabis Ind	gr 1/8				
		" Careara Sagrada	gr ii				
		M. ft. in sing. pil. ft. pillules No XXIV					
		Sig One after each meal.					
	18639	℞ Morphia Sulphate	gr iv		Keith		
		Fl Zingiber	℥ i				
		" Ferro	℥ iii				
		M. Coca Cordial q s ad	℥ ii				
		Sig Take 2 teaspoonfuls in water as directed					
	18640	℞ Stokes Liniment	℥ vi				
		Sig. Use every four hours					
	18641	℞ Phenacetin in tablets			Wilson		
		ā ā gr v	No XII				
		Sig 2 tablets followed by one every hour until the pain is relieved or until four are taken.					
	18642	℞ Eau Sedative de Raspail					
Make up according to U.S. Dispensatory		— Aq. Ammon.	60 parts.				
		— Alcohol, Spir. Camph.	10 parts				
		— Sodii Chloridi	60 "				
		— Eau Aquae	1 000 "				
		Sig. — Use as directed					
	18643	℞ Hearth Pills No XX					

Aug. 3rd 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18644	℞ Stokes Liniment	℥ vi		Marsh	
		Sig use every 4 hours.				
	18645	℞				
		Potass Iod	℥ i			
		Bismuthi Sub Nit	℥ i		Roberts	
		Elixir Ferri Quinina	℥ ii		B. S. Brawny	
		Aquae Gaultheriae	℥ i		Ocean View	
		Sig. Shake & take a ~~tea~~ dessertspoonful after meals.			House	
	18646	℞ Sodii				
		Citras Praeparata	ää	~~℥ i~~ ℥ i ß		
		Acidi Carbolici		~~gtt.~~ XXX		
		Sig. Externally				
	18647					
	18~~46~~47	℞ Elixir Calisaya		~~℥ i~~		
Elix. Caly Strych. ℥ ß		Strychninae		~~gtt.~~		
		Sig. Dessertspoonful before meals				
	18468~~4~~					
see		Bromide Potassium	℥ iv		Mrs Clancy.	
		" Soda	℥ ii			
		" Ammonia aa	℥ ii			
		Elixir Amarti q.s.	℥ iv			
		misce. a teaspoonful q.d.s. 4 times daily.				
	18649	℞				
		Mist. Acaciae	℥ ii			
		Cyanide Potassii	gr i		Pilman	
		Syr Prunii Virg				
		Aquae	aa ℥ i			
		Sig Teaspoonful. 4 or 5 times a day.				

E. L. Freeman & Son Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
1865	0	℞ Ext Belladonna Morph Sulph aa gr ½ M ft ung suppository VI suppos rect- Sig. One night & morning.		XX	Williams	Fay.	
1865	1	℞ Pulv Rhei Sodae Bicarb Syr Zingib Aq Anisi q s Sig Teaspoonful before each meal.	℥iss ℥ii ℥ss ℥iv	XX	Leggett		
1865	2	℞ Bismuthi Subnit ℥i ss Ext. Cocae Fld. ℥i XX Elix. Calisaya et Stych. ℥i Sig. Dessertspoonful q.s. ad. ℥iv before meals					
1865	3	℞ Resorcin ℥i Glycerite of Tannin ℥i Glycerine q.s. ℥ii M ft in Lotion Sig. Use on skin three times daily.		XX	Rita		
1865	4	℞ Brandy	℥iv		Keats		
1865	5	℞ Ol Rici B Sig Dose 5 drops	℥i		"		

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1865	℞	Syr Rhei Aromat	℥i		Williams	
	Sig Teaspoonful every two hours until three be taken			1.8		
1865	℞	Tablets Bismuth Subnit gr V				
		to VIII				
	Sig One tablet each hour.					
1865	℞	Tinct Iodine	℥ii		Griffith	
		Iodine Resublimed	gr XX	1.0		
	Sig External use.					
1865	℞	Tablets Pharmacopoeia				
		āā gr. v	No. VIII			
	Sig One tablet every two hours					
~~1865~~ 1866	℞	Hydrarg. Bin Iodidi	gr. 1/4.			
		Ammon. Iodidi	℥iii			
		Sodii Iodidi	℥iii	1.5		
		Ft. Gent. Comp. q.s. ad	℥iii			
	℞ et Sig. ℥i t.i.d. in water after meals					
~~1865~~ 1866	℞	Strych. Sulph.	gr. 1/4			
		Ext. Bisis Inspiss.	℥ii			
		Ext. Colocynth.	gr. XV	1.0		
		Resin. Podophyllin	gr. iii			
		Ext. Taraxac	ℨi.			
	ft. in capsules		No. XX			
	Sig. one t.i.d. before meals					

E. L. Freeman & Son Stationers, 3

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	~~1865~~	℞					
	1866	Mur Morphia	gr vj		Kale		
		Bromid Potass	℥ ij				
		" Soda			☐ x		
		" Ammonia	āā ℥ i				
		℞ Elix Aurant q s	℥ ij				
		Sig Teaspoonful in water each hour till relieved					
	18663	℞ Salol in pill	āā gr v		Wilkins		
		to XII			## x		
		Sig One pill after each meal					
	18664	℞ Morph. Muriat	gr. i		☒ x		
		Ext. Cannabis Ind.	gr. xx				
		Ext. Hyoscyamus	℥ i				
		Ext. Ergotae	℥ i				
		Mollin	q.s.	℥ i			
		S Use as an ointment					
	1865	℞					
		Mur. Morph.	gr. ss.				
		Bis. Sub-Carb	℥ ij		## ☐		
		Tinct. Zingib.	℥ ij				
		Coca Cordial q.s.	℥ ij				
		Sig. A teaspoonful every half hour till relieved					
	1866	℞					
		Fld. Ext. Eucalyptus	℥ i ss.				
		Tinct. Arena Sativa	℥ iv		ss ☐		
		Fr. Nucis Vomicae	℥ ij				
		Glycerae q.s.	℥ i		##		
		Sig. A Teaspoonful in water after each meal					

July Aug 5 90

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18667	℞ Spiritus Fr. ʒ vi		☒X		
		Sig. ft in sing - Chart ft. Chart No. XII				
		Take one every 2 to 4 hours				
	18668	℞				
		Liq Iron & Strych Lilj	ʒiv	☒X	Marsh	
		Sig. Take a teaspoonful with a teaspoonful with a teaspoonful of water			Taylor	
	18669	℞ Fairchilds Pepsin	ʒvi		Roberts	
		Ess Pepsine	ʒiii	☒	Prof Perkins	
		Sig Teaspoonful at meals. Pepsin.				
	18670	℞ Ammoniæ Carbonat	ʒiii		Roberts	
		" Mentha Pip	gtt v		Mrs Carpenter	
		" Spts Vini Gallici	aa ʒiii	☒X		
		Sig Dessert spoonful as required in water.				
	18671	℞				
		Quinia Bisulph	ʒss		Roberts	
		Strychnia Sulph	gr ½	☒X	Stevens	
		Caffein Cit	gr vi			
		Elix Calisaya	ʒi			
		Sig Teaspoonful before meals				
	18672	℞ Potassa Bromid	ʒss		Roberts "	
		" Iodidi	ʒi	☒X		
		Fl Ext Ergotæ	ʒi		Sig Teaspoonful	
		Glycerinæ	ʒss		in water	
		Aq Cinnamomi	aa ʒii		between meals.	

Aug 3rd 99

E. L. Freeman & Son Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18673	℞ Phenacetin in tablets āā gr v No xii Sig Take every 2 hours.			Hale		
	18674	℞ Phenacetin in tablets āā gr v No xii Sig One tablet repeated in an hour until the temperature is reduced or until 3 are taken			William		
	18675	℞ Elixir Cit of Laithia Bitt ℥ i Sig Teaspoonful in water t i d.			"		
	18676	℞ Tr Cit Gentian Comp ℥ i Aq Spirits Fr Vini ℥ iv Sig Teaspoonful after each meal			Williams		
	18677	℞ Hydrarg Chlor Mite in chart gr ii ft chart No xvi Sig Calomel. One powder at night.					
	18678	℞ Pilulae Assafoetidae ao gr v No xii Sig. One pill one hour after each meal.			Williams		
	18679	℞ Phenacetine gr v ft in ring chart. ft chart No viii Sig One powder every 2 hours.					

Aug 6th '90.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18680	℞				
		Tinct. Ducha	℥i			
		Syr Tolu	℥ii	☒X	Marsh	
		Tinct Asa.	℥ii			
		Aquae Camph	℥i			
		Msig. Take a teaspoonful every 6 hours.				
	18681	℞				
		Wyeths Elixir Phosph. Iron, Quinine & Strychnia	℥ii		Dr. Donald	
	18682.	℞				
		Tinct. Aconite Rad.	℥ii			
		Tinct. Cinchon	℥ii			
		Spir Vini Rect.	℥vi			
		Aquae	℥vi			
		Sig - Wring flannels out in this and apply putting hot plates over				
	18683.	℞				
		Salol in Chart. āā gr. i	No. xii	XX		Williams
		Sig. One powder every four hours				
	18684	℞ Pharmacetine in Tablet āā gr. ii	No. vi	X		Williams
		Sig. to reduce fever One repeated in an hour until the fever is reduced & until there are taken				

VEL

August 6th 1890

E. L. Freeman & Sons. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18685	℞ Sapo Heyd. Chl. Corrosiv. Caket i		1$		
	18686	℞ Iodol	3ii	0x		
		Sig. Use as directed a powder				
	18687	℞ Elix. Cinch. Iron et Strychnia	3iv	$x		
		Sig. Take a teaspoonful every six hours in a tablespoonful of water				
	18688	℞				
		Ft Ferri Chlo	℥ii	Kello		
		" Nux Vomica	℥iii	$x		
		Elix Ferri et Gentiang.	℥i			
		Sig Teaspoonful in water 4 times daily.	℥iv			
	18689	℞ Aloin	gr¼	Kello		
		Ext Nucis Vomica	gr⅛			
		" Belladonna	gr⅛	#x		
		" Cascara Sagrada	gr ii			
		℞ for sing pillules. ft pillules No		xii		
		Sig One or two pills at night.				
	18690	℞ Potass. Bromid	℥ss.			
		Aquae	℥ii	$x		
		Sig. Teaspoonful in ice water repeated in two hours if [illegible]				

August 7 1892

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1691	℞ Carbon Bi Sulphide Sig. Use locally.	℥iv		Keith	Graham Mrs Ida
	1692	℞ Citrate of Iron & Strumenti Sig Use as directed.	℥i ℥viii	☒X	Mauch.	
	1693	℞ Sodae Salicylate ℥j. Aquae Gaultheria ℥iv Sig. one teaspoonful at 9 am. 4 & 8 P.M.		☒X		
	1694	℞ Phenacetin in tablet ää gr v No vi Sig 2 tablets followed by one every hour until the pain is relieved or until 4 are taken			W. Klein	
	1695	℞ Phenacetine Gr. iii Salol Gr. iii in sing. chart ft. Chart No xii Sig. Take one powder every 3 hours		☒X		
	1696	℞ Stokes Liniment ℥iv Sig use as directed		☒N	Mauch	
	1697	℞ Cascara Pills No xv		1N		

(605)

Thursday Aug 1st 1895

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18698	℞				
		Paraldehyde	℥ii	$1.00	Keith	
		Mistura g.s.	℥iv		McGregor.	
		Sig: Dose One to Two teaspoonfuls				
		in water				
	18699	℞				
		Syr Ipecac				
		" Squills				
		" Tolu aa	℥i.			
		Tinct Opii	℥ii			
		Sig: Take a teaspoonful				
		for a dose				
	18700	℞				
		Chloral Hydrat,	℥vi			
		Sodii Bromid,	℥iii ℥ii			
		Aquae	Oi			
		Sig. Teaspoonful or more				
		as directed in water				
	18701	℞				
		Tinct Opii	℥ii		Mitchell	
		Sig Put 20 drops in two				
		tablespoonfuls of water				
		use as injection				
	18702	℞				
		Ext Belladonna			Wallace	
		Marsh Sulph aa gr 1/8				
		Cocoa butter sufficient to				
		Sig One suppository every 4 hours				
	18703	℞				
		Elix Iron, Lime & Strych	℥iv		Palmer	
		Sig Teaspoonful after				
		each meal.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18704	℞ Ext Damiana Sulfonal Chloralamid āā ℥i ss Ext Hyoscyami gr XV Caffein Cit ℥i M ft in caps No XXX Sig One 4 times a day.		10¢	Porter	Billy
	18705	℞ Aquae Rosae " Camphor āā ℥i " Borax gr ii Sig use as directed		1¢	Marsh	
	18706	℞ Godiei Potassa ℥ii Syrup Lacticine ℥iv Sig Teaspoonful every 6 hours.		10¢	Marsh	
	18707	℞		10¢	Dr. Gregory	
		Ft Lease Sig Ext 40 Glycerinae 30 Elix Tarax rem Ess 120 M Sig. One teaspoonful two or three times a day as needed.	℥x ℥viiss ad ℥iv		Wm. Adams	
	18708	℞ Resorcin gr 75 Glycerine ℥v Sig apply with brush.		1¢	William	
	18709	℞ Vigatis Elix. Guticine & Hr. Tinct. Hemi Chl. ℥iv Sig. Teaspoonful after each meal		10¢		

Aug. 7th 1890

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18710	℞ Morph. Sulph. gr. i Chloroformi ℥ss Syrupi Pruni Virg. ℥i Sig. Teaspoonful in water three times a day				
	18711	℞ Salol Phenacetine aa gr iii m et ft ni sig chartas ft chartas no xii sig. one powder every 2 hours				
	18712	℞ Phenacetine gr i Ext Nucis Vomicæ gr 1/16 " Cannabis Ind gr 1/16 mix et ft sig capsulæ. ft caps no xii sig one each hour.				
	18713	℞ Tannin ℥i				
	18714	℞ Acidum Boracicum ℥i				
	18715	℞ Sig. ~~AAA~~ Brandy ℥vi Take a tablespoonful every 6 hours				
	18716	℞ Adeps ℥vi Pulv. Opii ℥i Carbolic Acid ℥ii Sig. Ointment				

Aug. 8th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18717	R Sodae Salicylate Aquae Menth Pip Aquae aa Sig Teaspoonful evy 3 hours.	℥v ℥ii ℥ii			
	18718	R Phenacetina gr. v. No. xii Sig. Two tablets followed by one every hour until the pain is relieved or until xx found and taken			Williams	
	18719	R Bismuth Subnit. ℥i ss M. Chart. No. xii div. Sig. one powder after each meal			Williams	
	18720	R Saphtalin gr. iv Salol gr. ii Ext. Hyoscyamus gr. 1/8 et capsule sing. capsule repeat capsules No. xii Sig. one every three hours				
	18721	R Phenacetine in pulv aaa gr ii no xii Sig. To reduce fever One repeated in an hour until fever is reduced or until three are taken			Williams	
	18722	R Salol in chart aa gr i no xviii Sig. One powder every 3 hours.			Williams	

August 8th 1890

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18722	℞ Tinct. Opii	℥iii			
		Glycerinæ	℥i	SD		
		Alcohol Dil.	℥ii	Mf.		
		Sig. Shake well. Liniment for Ext. use				
	18723	℞ Stokes Liniment				
		Sig Use as directed	℥vi			
	18724	℞				
		Sodii Bromid	℥ss		Barker	
		Potassa "	℥iii			
		Ammonia "	℥ii	SD Bottle keep the		
		Aquae Pura	℥vi			
		Tinct Cinchonia Co				
		℞ Syr Aurantii Cort. ää	℥iii			
		Sig a tablespoonful in a wineglass of water after each meal.				
	18725	℞ Zinc Oxidi				
		Bismuth Sub Nit ää	℥ii			
		℞ Lycopodium	℥i	MD		
		Sig Infant powder.				
	18726	℞				
		Tablets Hyd chlo Corrosiv			Keith	
		Sig use ½ tablet in a glass of water	Bott i	.07		
	18727	℞ Corrosive Soap				
			Cake i			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1872	8	℞ Eglit Saccharated Pepsin ℥ij Sub Nit Bismuth ℥iij Sig Teaspoonful every 6 hours.	℥iv	$1.00	Marsh	
1872	9	℞ Dovinia Pills gr iij No XX Sig Take one every 6 hours.	XX	$1.00	Marsh	
1873	0	℞ Mur. Morphia. gr. ¼ Fr. Zingiberis ℥i Fr. Kino ℥ii Coca Cordial q.s. ℥ss Sig. ℥ss diluted each half hour	℥ss	$1.00	J. Marsh M.D.	
1873	1	℞ Lycopodium ℥iv Oxide Zinc Powd ℥ii Triturate together & apply.	℥vi	$1.00	Marsh	½ quantity
1873	2	℞ Syr. Rhei Aromat. ℥i Sig. Teaspoonful repeated in an hour if necessary	℥i	$1.00	Marsh	
1873	3	℞ Phenacetine in tablets a.a.g. v. No. XII Sig one tablet Phenacetine gr. v				
1873	4	℞ Apiol ℥i Sig Apiol	℥i	$1.00	D. Kite	

Aug. 9th 1890

E. I. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18735	℞	Sodii Borat			Wilkie	
		Camphorae	ää gr i.	1⌀		
		Aq Rosae				
	ℳ	Aquae	ää ℥ii			
	Sig	Eye drops. To be applied 3 times a day.				
18736	℞					
	Sol	Cocaine Hydro 2%	℥i	1⌀	W.	
	Sig	2 or 3 drops in the eye at night				
18737	℞	Chloroformis	℥i	1⌀	Donaldson	
		Tinct. Camph.	℥i			
		Spts. Terebruth	℥i	1⌀		
		Liniment.				
18738	℞					
		Mur. Morph. gr. ss.				
		Fl. Zingiberis	℥i.	1⌀	Capt. A.A. Gardner	
		Fl. Kigo	℥vi			
		Coca Cordial q.s.	ad ℥ii	1⌀		
	Sig.	Take a teasponful each hour till relieved				
18739	℞					
		Valerinate Ammonia	gr xxx		Kile	
	ℳ	Elix " "	ää ℥i	1⌀	Moore	
	Sig	Teasponful in water each hour.				
18740	℞					
		Ext. Coca Fl	℥ss		Robalt	
	ℳ	Elix Calisaya & Strychnia	aa ℥ii	0⌀	Rae	
	Sig	Teasponful before meals				

August 9th 1890

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18741	℞ Acidi Nitrici	℥ii		Robert	Rae
		" Muriatici	℥iii			
		Sig 4 drops after meals in wine glass of water. Glass stoppered Bt.			++	
	18742	℞ Elix Valer Ammonia	℥ii		Kaili	
		Sig Take 2 teaspoonfuls in water as often as necessy.			++	
	18743	℞ Paraldehyde	℥ii		Kaili	
		Nitrurat Hydr gr ss	℥ii		++	
		Sig To induce sleep Dose one greatspoonful in half a glass of water.				
	18744	℞ Aloin gr. 1/4				
		Ext. Belladonna gr. 1/8				
		" Nucis Vomic. gr. 1/4			++	
		~~Ft. ft.~~ " in sing. pill. culus ft. pill. No. iv			++	
		Sig. Take one pill at night				
	18745	℞ Phenacetine gr. iii			++	
		Et ft. in sing. Chart. ft. Chart. No. xii			++	
		Sig. One powder each hour till relieved				
	18746	℞ Elix Cal Ferri Et Strych	℥iv		½ quantity M.S.A.	
		Sig - Teaspoonful after each meal.				

E. L. Freeman & Son Stationer

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18747	℞ Tyd Methylene Cocaine 4/Bd ℥i Listerine q.s. ℥ii Sig. A teaspoonful diluted in water. Keep to as a wash for throat.			Kito Boyte		
	18748	℞ Salol Phenacetine aa gr iii in sig capsules. No 12 caps no xvi Sig. One capsule every 2 hours.			Kito Boyte		
	18749	℞ Chloroform	℥iv		Gadsden		
	18750	℞ Mangotas Glycerine Suppositories No. ii Sig. one in the morning if necessary		1			
	18751	℞ Ol. Ricini ℥i Sig. Castor oil Dose: one teaspoonful		1			
	18752	℞ Aquae Calcis ℥iv Sig. Two ~~teaspoonfuls~~ tablespoonfuls in each tumbler of milk		1			
This was numbered 18752 by mistake	18753	℞ Liq. Ammon. Acetat. ℥i Spts. Aether's Nitrosi ℥ii Aquae Camph ℥ii Aquae Destill. ℥i Sig. ℥i every 3 hours			U.S.S. Eagle		

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18754	℞ Aloin	gr 1/4		Kile	
		Ext Belladonna	gr 1/8		Mapleton	
		" Nucis Vomica	gr 1/8			
		" Cascara Sagrada	gr ii			
		Dig et ft in sing fillules fo fillules No		viii		
		Dig One pill at night.				
	18755	℞ Acetosh Sulph	grs			
		Bismuth Sub carb	ʒii			
		Tinct. Zingiberis	ʒii			
		Coca Cordial q.s.	ʒi	℔		
		Sig. Dose. A teaspoonful in water every two hours				
	18756	℞ Boracic Acid	gr. xxx			
		Listerine	ʒii	℔ i HO		
		Sig. Use a teaspoonful in a glass spoonful of water as a wash				
	18757	℞ Iodol	ʒiii	sx		
		S. Use as a powder				
	18758	℞ Tinct. Lobelia	ʒi			
		" Sanguin. Canadensis	ʒii			
		Syr. Scillae	ʒiv	ʒv		
		Tr. Opii Camph.	ʒiv			
		Elix. Amantii ad.	ʒviii	℔ i		
		Sig. Teaspoonful to dessertspoonful four times a day				

Aug 10th 90

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE
	1875	℞ Fr. Ferri Chlorid. ℥iv. ☐x Sig. Half teaspoonful twice a day in water					
	1876	℞ Ung. Zinc. oxid. ℥iv ☐☐ Sig. To be applied Externally					
	1876	℞ Fairchilds Ess. of Pepsin ℥ii xx Sig Teaspoonful at eating time					
	1876	℞ Phenacetine Gr. Chanet, āā gr ½ No. VI Sig One powder repeated every hour until three doses are taken			Willian		
	1876	℞ Zinci Chlorid 7 Acidi Sallicyl 2 Mengt. Ag Rhae 10 Sig Apply at night.			Willian 1☐		
	1876	℞ Phenacetine gr V Mft in sixty chart. ft chart No XII Sig One powder every 3 hours.			Kirk ☐x		
	1876	℞ Phenacetin Salol āā gr V ft in chart No I					

& Son Stationers, 3 Westminster St.

ENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1876		℞				
			Tinct Lemmint	℥ vi	☒☐	Marsh	
			Liq as directed				
	1876		℞				
			Morph Murias	gr ℔ss			
			Bismuth Sub Carb	℥ i	☒☐	Kirk	
			℞ Zingiberis	℥ ii		C. H. Money	
			Lacca Cordial	q.s. ℥ ii			
			ℳ Sig. Teaspoonful each hour.				
	1876		℞				
			Mur Morph	gr ℔ss		Kirk	
			Tinct Ipecac	℥ i ss	☒☐		
			℞ Lacca Cordial	gr ℥ ii			
			Sig Teaspoonful each hour.				
	1876		℞				
			Chloroform		☒x		
			Tinct Tolutan				
			Tinct Camphor				G. Donaldson
			Alcohol aa	℥ i			
			Aq Ammon ff	℥ ii			
			Msig Liniment				
	1876		℞				
			Caffeine Citratis	gr xii			
			Antipyrine	gr xlviii	☒☐	J. W. Hayes	
			Bromide Sodii	℥ ss			
			Elix Simplex	℥ iii			
			Msig. Teaspoonful				
			every 4 hours if necessary.				
	1877		℞		☐☐		
			Sodii Bromide	℥ ii		1 Teaspoonful every 4 hours	
			Antipyrin	℥ i		in water if necessary.	
			Aq Ammoniæ	℥ iii			& pack-
			Aq Cinnamomi	℥ iii			

Aug 11th 1890

E. L. Freeman & Son Stationers.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18772	Rx Zinc. Acetat. Gr. xii Aquae Destill ℥iv M.					
	18773	Rx Salol Gr. i Bismuth Subcarb. Gr. iv Soda Bicarb. Gr. iv M. et ft. in sig. Chart. ft. Chart. No. xii Sig. Take one powder every three hours					
	18774	Rx Hyd. Chlor. Mite. Gr. i Sacch. Lactis Gr. i M. et ft. in sig. Chart. ft. Chart No. viii					
	18775	Rx Pharmacetine in tablets āā gr. v. No. xii Sig. one tablet repeated in half an hour until the pain is relieved or until three are taken					
	18776	Rx Quinia Bi sulph āā gr vi in capsules No x Sig Quinine as directed			Roberts		
	18777	Rx Quinia Bi sulph āā gr ii in capsules No xiv Sig Quinia as directed			Roberts		

505

Aug. 11th 1890

eman & Son. Stationers, 3 Westminster St.

PATIENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
		18778	℞ Bismuth Subnit ℥ ii ss Aquae ℥ iv misce Shake the bottle Teaspoonful after each meal.		☐X	Williams	
		18779	℞ Infus Gentian Co ℥ iv Tinct Ferri Chloridi Sig. Teaspoonful before each meal.		☐X	Williams	
		18780	℞ Extr Oxalas in pill. āā gr i No XII Sig. one pill three times a day		☐X		
		18781	℞ Morph Sulph gr 1/16 Extr Aralata gr iv Salol gr ii misce chart ft chart no XII Sig. One powder every 2 hours.		☐X	Kite	
		18782	℞ Unguent. Zinci Oxid ℥ ii Sig. Use as directed		☐X		
		18783	℞ Tinct. Iron & Strych. ℥ iv Elixir q.s. Sig. Take a teaspoonful every 6 hours		☐X		

O.K. E.E.

Aug 11th 1890

E. L. Freeman & Son, Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18784	℞ Mengt Zinci	℥ss	10			
		Sig Externally as directed					
	18785	℞ Polarra Permang	gr ii		Mitchell		
		℞ Aqua	℥ vi	10			
		Sig Use as a gargle.					
	18786	℞					
		Sol Cocaine Hydroch 2%	℥ ii		William		
		Sig Cocaine. Three drops		10	E. Johnson		
		in the eye at night.					
	18787	℞ Sodii Borat					
		Glycerinae	āā gr i		"	"	
		Aq Rosae		10			
		℞ Aquae	āā ℥ ss				
		Sig Eye drops to be applied					
		4 times a day					
	18788	℞					
		Mystis Elix Gentian			W	"	
		et Fe Ferri Chlorid	℥ ii	10			
		Sig Coffee spoonful t i d.					
	18789	℞					
		Tinct Iron ✕ Strychnia	℥ iv		Mack		
		Sig Teaspoonful every 6 hours.					
	18790	℞					
		Liq Soda Chlorinat	℥ i		William		
		Aq Menth Pip					
		℞ Aquae	āā ℥ ii				
		Sig Gargle					

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18791	℞	Phenacetin in chalk			Wilkins	
		āā gr iii	No VI	1⊠		
		Sig One powder repeated at night if the fever continues				
18792	℞	Lact Jric	℥ SS	1⊠	Marsh	
		use as directed				
18793	℞	Muriate Morphia	gr SS			
		Ft Knis	℥i v	X⊠	Kilgore	
		Ft Nucis Vomica	℥i			
		Aqua Cordial	q.s. ad ℥ii			
		Msig A teaspoonful in water each hour till relieved				
18794	℞	Morph. Sulph. gr iii		X⊠X		
		Coca Butter q.s.			F. C. Dugas	
		Supps. No VI				
18795	℞	Hydrarg Chlo Mite 8.	℥ ii	1⊠	Vermyne	
		Ft be dusted in the eye	twice a day with brush.		Kilgore	
18796	℞	Alum crude 0.2	gr iii			
		& Sulph Purae 2.	m 45	X⊠	Vermyne	
		aq Distillat			Kilgore	
		Msig One drop in the eye 3 times a day				
18797	℞	Hydrarg Praec rubri āā	gr 1½		Vermyne	
		Vaselini (Rosae) ℥	℥i	1⊠	Mitchell	
		Mft unguent Sig apply to eye lids at night				

Aug 12th Tuesday

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18798	℞				
		Sod Borat 0.6 .	gr i IX			
		Glyc Pur 6.	℥ i. ss	☒X	Vermyne	
		Aq de ampher				Mrs Miller
		aq Rosa ea 60.	℥ XV ℳ			
		sig To bath the eye several times a day.				
	18799	℞				
		Santal midy (in capsuls) no	XXV	1. ☒X	Vroyony	
		sig ii t. i. d.				
	18800	℞ aquae ℥ s.	℥ viii	☒X		
		Sol. Plumbi acetas	℥ i			
		Fr. Opii	℥ ii			
		sig				
	18801	℞				
		Mur Morphia	gr ss		Kirk	
		Fr Zingib	℥ ii			
		" Rosa	℥ i		H B	
		Coca Cordial qs	℥ i			
		Sig Teaspoonful each hour.	℥ i			
	18802	℞				
		Mur Morph	gr 1/24.			
		Bi Sub Carb	gr VI	☐X	Kirk	
		Opalate Cerium	gr ii			
		mist pt vi sig chartae pulvis no	XII			
		Sig One each hour.				
	18803	℞ Fragrans Rhinitis Tablets (Half Strength)	No. XII			
		Sig. One tablet morning noon & night.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18804	Sul Lumin ℥ L Syr Le iconice ℥ iv m sig Take a teaspoonful every 4 hours.		☒☐	Cod Mark	
	18805 ℞	Jnici Chloridi ℥ i Aqua q.s. ℥ ss m sig as directed		1☐		
	18806 ℞	Sodii Salicyla ℥ v Aqnae ℥ iv Sig Teaspoonful every 4 hours.		☒+	William	
	18807 ℞	Spts Vini Gall Aquae Calcis ää ℥ x Liquor Cardamom ℥ x Sig Teaspoonful every 3 hours.		## Take bright.	Stout	
	18808 ℞	Bromidi Sodii ℥ ii. Ft Aroma Sativa Concl ℥ iv Ft Vinum Vomicae ℥ i Infusi q.s. ad ℥ ii m sig Take a teaspoonful minute every 2 hours.		DX	Take half an hour	
	18809 ℞	Wyeths Elix Gentian Co ℥ ii et Liquor Ferri Chlorid ℥ ii Sig Half a teaspoonful after each meals.		N XX		

Aug 13/90

E. L. Freeman & Son Stationers.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
18810	℞	Tenzinia Hydrobromas	gr i/IV		Kirk		
		Phenacetin	gr IV	,SX			
		Sig ch rep sing cap rep cap hs	No XVI				
		Sig One every 2 hours.					
18811	℞	Sulfonac	grs XXX		Kirk		
		ft in sing chart ft chart hs	No II	,DX			
		Sig One powder at night.					
18812	℞	Aqa le alcis	℥iv	1X	Williams		
		Sig One third lime water & two thirds milk.					
18813	℞	Ext Belladon		DX	Williams		
		Morph Sulph aa gr 1/8 M					
		in sing suppos rect: VI suppsita	No VI				
		Sig. One repeated in 4 hours if necessary.					
18814	℞	Antipyrin	℥i				
		in chart VI div		DX			
		Sig One powder in water for headache					
18815	℞	Pulv Doveri	gr X				
		in chart No V div		1X			
		Sig One three times a day.					
18816	℞	Phenacetin in tablets aa gr V	No VI				

Aug 14/90

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18817	℞ Ext Aconiti	gr ss		Keith	
		" Belladonna	gr 1/8			
		" Ergotae	gr ii			
		Alcum Theobrom	q.s.			
		Mft rep sing rectal Suppos ft suppositg No VI				
		Sig One each two hours.				
	18818	℞ Quinia Sulph	gr XX			
		Acid Sulph dil	q.s.			
		Syr Cort aurant	℥ ii ss			
		Teaspoonful after each med				
	18819	℞ Alcum Ricini	℥ ii			
		Tr Canthar	āā ℥ ii			
		℞ Ext Vini Rect	gr ss			
		Sig use for the hair at night.				
	18820	℞ Bromid Ammon	℥ ii		Keith	
		Tr Avena Sativa	℥ i			
		℞ Cederina	gr ℥ ii			
		Sig Take 2 teaspoonfuls in water every 3 to 4 hours.				
	18821	℞ Ext Aconiti	gr ss			
		" Belladonnae	gr 1/8			
		" Ergotae	gr ii			
		Alcum Theobromae q.s. mft ft				
		iii supp. Sig suppository No VI				
		Sig Take one one every 2 hours				
		till relieved.				

E. L. Freeman & Son, Stationers.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
	18822	℞ Mystr Edix Valer Ammonia	℥ ii/ii		Williams		
		Sig Two teaspoonfuls 3 times a day		#D			
	18823	℞ Ol Monthae	℥ i/2	XX	Williams		
		Sig Half a teaspoonful after each meal					
	18824	℞					
		Tinct Opyd	7	18½2			
		Acid Salicylic	2	3 ọz	1D	Williams	
		1 mg Aq Rosae 10		℥ ii/ii 55			
		D sig. Apply twice daily					
	18825	℞ Acid Nitro Muriat Dil	℥ ii/ii				
		Sig Take 10 drops before each meal well diluted through a tube		#D			
	18826	℞					
		Liq Potassa Arsenit	℥ i/				
		℞ Fiat Tinct Nucis Vomica	℥ v/	1D			
		Sig Take 12 drops after each meal.					
	18827	℞					
		Ac Arsenici	gr SS	DX	McCullough		
		Chinin Salicyl	gr xx		Mrs Randall		
		Ext Taraq	S.S. ut fiat pil no x vi				
		sig. One capsule three times daily					

Stationers, 8 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18828	℞ Myrtle Edix Pyrophosphate Iron. Quinia & Strychnia	℥ i/IV		Donaldson	
		Sig Teaspoonful morning & evening before eating				
	18829	℞ Phenacetin	gr V			Keller
		Mist in 3ing chart ft chart No	XII			
		Sig Take one powder evy 3 hours.				
	18830	℞ Edix Cinch Iron & Strych	℥ i/IV			Meade
		Sig Take a teaspoonful evy 6 hours. in a teaspoonful of water.				
	18831	℞ Salicin	℥ i			
		Acid Boracici	℥ i			
		Strychnia Sulph	gr SS			
		Cocaine Mur	gr III			
		Bismuthi Sub-Nit	℥ i			Roberts
		Franchilds Pepsini	℥ i			
		Glycerini	℥ i SS			
		Al & Anthmas	℥ II			
		Aq Chloroformi ad	℥ III			
		M Sig. Shake & take a dessertspoonful before meals.				
	18832	℞ Salol				
		Phenacetine aa gr III				Keller
		ft m xvi chartas ft chlt No	XVI			Miller
		Sig. Take one powder every 2 hours.				
	18833	℞				

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18833	℞ Aloni gr 1/4 Ext Nucis Vomicae gr 1/4 " Belladonnae gr 1/4 mft ft mi sig pillulae ft pil no viii Sig One pill at night.		1 ☐	Kite	Miller
	18834	℞ Aquae ℥ i v Sig 5 drops every 4 hours well diluted.		X ☐	Kite	Miss Shaw
	18835	℞ Tr Arena Saliva bone ℥ i Sodamia q.s. ℥ i v Sig. 2 teaspoonfuls in water every 4 hours.		☒ ☐	Kite	Miss Shaw
	18836	℞ Bi Sub Carb ℥ i Tr Opii Camph m xl viii Tr Nucis ℥ i Elixir Amari q.s. ℥ ii misc A teaspoonful every 3 hours.		X ☐	Kite	
	18837	℞ Phenacetine gr i v Ft misc chart No xii Sig. One powder every 2 hours.		☐ X	Kite	Mrs Hardy
	18838	℞ Bismuth Sub Nit ℥ i Pepsin Fairchild ℈ i Tr Nucis Vomica ℥ i ss Salicin ℥ i ss Glycerine ℥ i ss Ext Gentian q.s. ad x ℥ ss Aq Chloroformi q.s. ℥ ii			Robalt	Sig Teaspoonful before meals.

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18839		Rx Phenacetin in tablets ää gr V to VI Sig One tablet repeated every ½ hour until the pain is relieved or until 3 are taken.			N H+	
18840		Rx Nitro Muriatic Acid dilute ℥iv Sig Poison		☐☒ ~~☒x~~	Donaldson A. S Brown	
18841		Rx Strychnia Sulph gr ½ Acid Phosphate (Ober) ℥ij Aquae q s ad ℥iv Sig Shake Bott. Teaspoonful in water 3 times a day.			Pittsburgh.	
18842		Rx Ext Opii gr ¼ " Belladonnae gr ⅛ " Ergotin gr ½ (2 grs each) mit pt xii sig not suppos ℔ suppos no VI Sig Use one every 3 hours.		☒x	Kite Mrs Butler	
18843		Rx Brandy ℥vi Aquae ad ℥xij Sig Teaspoonful every 2 hours			Meade H+	
18844		Rx Spts. Frumenti ℥ss Sig. Use as directed.		H+		

E. L. Freeman & Son

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18845	℞ Mur Morphiæ gr SS Tr Zingiberis ℥i. Aqua Cordial q.s. ad ℥i misce a teaspoonful in water each hour till relieved		1D	Kite Miss Nellie	
	18846	℞ Aloin gr 1/4 Ext Nucis Vomica gr 1/8 " Belladonna gr 1/8 " Cascara Sagrada gr ii Make in sing pillules ft pillules No VIII Sig Take one pill at night		1D	Kite	
	18847	℞ Apiol ℥ss Sig Take 5 drops in water after each meal.		1X	Kite	
	18848	℞ Potass Citratis ℥SS " Iodide ℥iv Vini Colchici Rad ℥ii Ext Apocac Fl m VI Tr Nucis Vomicæ ℥i SS Ext Gentiana Co Fl ℥SS Syr Aurantii ℥SS Aq Cinnamomi ad ℥iii misc Dessertspoonful in water after meals.		1X	S. M. Roberts Miss Dunbank	
	18849	℞ Ext Cascara gr SS " Belladonna gr 1/8 Acidum Salicylicum gr V M Theobromæ q.s. ut ft suppositor No VI		1X	Sig One every 3 hours Kite	

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1850	℞	Spts Frumenti	℥viii			
	Sig	use as directed				
18851	℞					
		Acidi Phosphor Dil	℥i			
		Aquae ad	℥vi			
		Sig. Take a teaspoonful before meals & at night				
1852	℞					
		Morph Sulph	gr 1/16			
		Bi Sub Carb	gr iv			
		Acidi Tannicum	gr ii			
		mch ft ni cmj chtt ft chtt no	xvi			
		Sig One every 3 hours.				
1853	℞					
		Spts Fr rectificati	℥viii			
		Sig use as directed.				
1854	℞					
		Extr Opii	gr 3/8			
		" Belladonnae	gr 1/8			
		" Ergotae	gr ii			
		Oleum Theobrom	q.s.			
		Mistft in sing rectal cap ft suppositories	No vi			
		Sig One every 3 hours.				
1855	℞					
		Phenacetine				
		Salol	āā gr iii			
		Mistft sing cap rep Capsules	No xvi			
		Sig Take one capsule every 3 hours.				

Aug 16/90

E. L. Freeman & Son Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
18856		℞ Elix Lactopeptine ℥ i v Diamorph Sul Vit ℥ i v Sig Take a teaspoonful every 4 hours.		$2.00	L. D. Mash.		
18857		℞ Phenacetine Salol aa gr ⅲ ii, melt up smg cap xpnt cap no XVI Sig Take one capsule every 2 hours.		$1.00	Kite Miss Mills		
18858		℞ Aro Spir Ammonia ℥ ii Sig. Take a small teaspoonful in water 4 to 6 times daily		XX	Kite Miss Mills		
18859		℞ Strychnia gr i Acid Phos Dil ℥ ii Syr Lemon ℥ ii Sig Teaspoonful in water t i d.			Emery NB		
18860		℞ Acid. Phosphonici Dil ℥ i v Sig Take 5 drops three times a day in water		1X	Frequently		
18861		℞ Sodae Bi carb gr iii iv Bismuth Sub " gr ii ii Cerium Oxalate gr i i Ft chartula chart. ft chart No XVI Sig One powder every half hour.		8X	Keith		

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1886 2	℞				H.	
		Acidi Muriatici Dil	℥ i			Coorby
		Sig Five drops in water with each meal	℥ i	1⁰		
1886 3	℞					
		Hyd chlo corrosiv	gr iii		Kale	
		Mollin	℥ iv	xx		Reilly
		℞ Simp Cerati q s	℥ i			
		Sig use on face at night.				
1886 4	℞					
		Leiterini	℥ ii	1⁰		
1886 5	℞					
		Bromid Potassa	℥ iv		Kale	
		" Sodae				Downey
		" Ammonic aa	℥ ii	1⁰		
		℞ Elix Aurantii q s	℥ i			
		Sig Teaspoonful 3 to 4 times	℥ iv		daily	
1886 6	℞					
		Pil Terpin Hydrat	aa gr to iii		Kale	
		Sig Take one pill 4 times daily.	^ to xxxiv	SN	Sanborn	
1886 7	℞					
		Sulph Quinia	gr xxxx		Mead	
		℞ Syr Ipecac	℥ iv	1⁰		
		Sig Teaspoonful every 6 hours.				
1886 8	℞					
		Oleum Eucalyptus	℥ ss		Kale	
		Camphor Monobrom	℥ i-ss			Sanborn
		Tr Avena Salivia	℥ ss	SN		
		Agacia	℥ ss			
		℞ Aquae	q s		℥ iv	
		Sig 2 teaspoonful in water	6 hrs.		daily	

E. L. Freeman & Son. Station

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DAT
	18869	℞ Sal. Zinci	℥ ss	10			
		Sig. Use as directed.					
	18870	℞ Quinia Sulph	gr x				
		Acidi Sulph dil	q. s.	X ☐	Williams		
		Sp amantiborat	℥ ii ss				
		Teaspoonful after meals.					
	18871	℞ Hyd chlo Cocaine & q/s Sol	℥ i				
		℞ Zingiberis	℥ ii	X ☐	Kite.		
		℞ Tinct	℥ ss				
		Coca Cordial q.s.	℥ ii				
		Sig a teaspoonful each hour.					
	18872	℞ Hoffmans Anodyne	℥ ii	X ☐	Kite	Mrs Daly	
		Sig a teaspoonful in water every hour till relieved					
	18873	℞ Tr Ferri Mur	℥ vi				
		" Nucis Vom	℥ iii				
		Quinia Sulph	℈ ii		Whitbeck		
		℞ Elix Simplex	q.s ad ℥ iv				
		Sig Teaspoonful in water immediately before meals.					
	18874	℞ Bromide Ammonia	℥ iv	☒ ☐	Kite		
		℞ Avena Sativa Conc	℥ iv		Mrs Rodfish.		
		Aqua q.s.	ad ℥ iv				
		Mix. Take a teaspoonful in water every 4 hours.					

& Son. Stationers, 3 Westminster St.

ENT.	DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
		18875	℞				
			Fl Extr Althea	℥i		Kile	
			Coca Cordial	℥i ℥ss			
			Elix Aurantii gtt	℥i ℥iv		Bt	Kilgore
			Sig 2 teaspoonfs every 2 hours.				
		18876	℞				
			Phenacetin				
			Salol	āā grs iii		Kile	
			ft in sing chart ft chart No viii			HH	Allen
			Sig Take one powder every 2 hours.				
		18877	℞				
			Hyd chlo Cocaine	gr 1/16		Kile	
			Bi Sub Carb	gr iv			
			Aspalate Cerium	gr ii			
			mfm sing chart ft chart No xii				
			Sig Take one each hour.				
		18878	℞				
			Syr Hypophosphites Gardners	℥viii		Wilmott	Moore
			Sig One teaspoonful 3 times a day before meals				
		18879	℞				
			Cascara Cordial	℥iv		"	"
			Sig ½ teaspoonful in water 3 times a day after meals			HH	
		18880	℞				
			Hyd chlo Cocaine	gr 1/16		Kile	
			Fleur Morphie	gr 1/24			
			Bismuth Sub carb	gr iv		Bt	
			ft chart sing chart No xii				
			Sig Take one powder each hour till relieved				

Aug 17/90

E. L. Freeman & Son, Station

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18881	℞ Syrup Tolutan Aq Camphorae aa Sig as directed	℥ iii ℥ viii		Davis	
	18882	℞ Acid Boric Tinct Nucis Vomicae gtt Sig use as directed	℥ ii ℥ viii		Hale HX	
	18883	℞ Hydrastis Fl Extr Sig Teaspoonful to small cup water & use as directed.	℥ iv		Meibold SD	
	18884	℞ Apiol Sig use as directed	℥ ii		Sharp 1D	
	18885	℞ Argenti Nitrate gr Aq Anisi Distill Sig as directed	vii ℥ iii ss		HN	
	18886	℞ Cherry Rum Sig	ℴ i		HX Marsh	
	18887	℞ Fl Extr Pareira Brav Comp Spts Juniper Benzoic Acid Sulph Morphia Sig Teaspoonful 3 times daily Jamp m iii Fennel m i	℥ i ℥ ii ℥ i gr i		NX	
	18888	℞ Marsh Pills No Sig as directed	xv			

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18889	℞	Hydrac Salicylate	℥ss			
		ft chart No XII				
	Sig	One 3 times a day				
		Take each powder with				
		teaspoonful of Swt & ℔ Water				
18890	℞	Chloroform				
		Tinct Camphor			Donaldson	
		℔ Terebenth				
	℞	Alcohol āā	℥i			
	Sig	Liniment				
18891	℞	℔ Frumenti	℥viii		Nellis	
	Sig	use as directed				
18892	℞	Mur Morph gr 1/24			Keil-	
		Quinia Hydrobrom	gr i		& Kemp	
		Phenacetin	gr iii			
	℞	Shin ring caps resp caps No	XVI			
	Sig	One capsule each hour				
		till relieved.				
18893	℞	Valerinat Ammonia	℥i		Keil	
		Fr Hyoscyamus	℥i			Folger
	℞	Elix Valer Ammon	gr ℥ii			
	Sig	2 teaspoonfuls in water				
		every hour till relieved.				
18894	℞	Conjunct Pills 2 gr.	X			
	Sig.	Take one every 4			Mark.	
		hours.				

Monday Augl 17th 93

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	1889	℞				
		Sulph Quinia	gr xxv			
		" Acid Aromat	ʒ.s. dis.			
		Glycerini	ʒi	XX	Elkins	
		Tinct Nux Vomica	ʒ ii ss			
		" Quassia	ʒ i ss			
		Aqua Lactopeptine	ʒ.s. ad ʒ iv			
		misj. One teaspoonful in a little				
		water three times a day before eating				
	1890	℞				
		Phenacetine				
		Lactose aa gr iii ni misj div		XX	Fitz	
		in chr no xii			Mrs Ide	
		sig. One powder every 2 hours.				
	1891	℞				
		Mur Morphia	gr 1/24			
		Quinia Hydrobroma	gr i.	XX	Fitz	
		Phenacetine	gr iii			
		mix up misj capsulas fil xii				
		sig One capsule every 2 hours.				
	1892	℞				
		Fr Aconiti	m xvi		Reik	
		" Belladonna	m xxxii			
		Aqua Cordial	℥ viii			
		℞ Syr Scillae āā gr ʒ ii				
		sig Teaspoonful in water every 2 hours.				
	1893	℞				
		Sodii Boras	gr v			
		Aq Camphor	ʒ ss	XX	Abbott	
		Aq Dist ad	ʒ ss		Agnes.	
		misj. Drop in eyes night & morning.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1890	℞					
		Pulv Rhei Comp	ʒi			
		Resinol Sub Nit	ʒiss	1.00	Dr A Martin	
		Pulv Sacch alba	ʒiss			
		M Div in chk no XII.				
1891	℞					
		Ext Coca Fl				
		" Cinchon Fl ää	ʒvi			Roberts
		Strychnia Sulph	gr ½			
		Glycerine	ʒi			.04
		Ol Gaultheriæ	gtt ii			
	℞	Aq Cinnamomi q s	ʒiv			
	Sig	Dessert spoonful				
		before meals 3 times a day.				
1892	℞					
		Tinctura Gelsemii ää gr ix				Mauth
		Aq ℥x				
	Sig	Take one every 4 hours.				
1893	℞					
		Stokes Liniment	℥vi			.04 Mauth
	Sig	use 3 or 4 times a day.				
1894	℞					
		Potassa Sitr	ʒi			Roberts
		" Iodidi	ʒii			
		" Citratis	ʒii			
		Ext Ipecac Fl	gtt ii	vii		.04
		Spts Aetheris Nit	℥iii			Double 04
		Syr Tolut	ʒvi			
	℞	Aquae Cinnamomi q s	ad ℥ii			
	Sig	Teaspoonful in				
		water every 2 hours.				

E. L. Freeman & Son. Station

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1890	℞	Lotio Nigia ~~℥ iij~~		XX	Williams	Thomas.
		Sig. Poison Ext use				
		Apply night & morning.				
1896	℞					
		Zinci Oxide ℥ss		XO	Willam	
		Pulv Amyl ℥ss			Thomas.	
		Fine Powd very fine				
		Sig Powder.				
1897	℞					
		Alcohol Dil	℥vi		Mearle	
		Sig use as directed				
1898	℞					
		Fleur Mentha gr 1/24			Kirk	
		Quinia Hydrobrom gr ¾				
		℞ Bismuth Sub Carb gr iv.		HA		
		Mix & sig capsule ft cap No xij				
		Sig Take one capsule each hour.				
1899	℞					
		Quininae Sulph		IX	D Ney Sheets.	
		Acid Salicylic aa gr vi				
		fiat capsulae no vi				
1900	℞					
		Elix Lenich Iron & Strych	℥iv.		Mearle	
		Sig Teaspoonful every 6 hours		OA		
		in water		but bought		
1901	℞					
		Aq Destill 500 grams 15 ℈		OX	Unknown.	
		Bromide & Potassii 25 gr. 6 ℈ 15 ℊ.				
		salt sol.				

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18912	℞				
		Bromid Sodae	℥iv		Keith	
		Fr Avena Sativa	℥iv			Robert
		" Nux Vomica	℥i	.01		
		℞ " Celerina gr	℥iv			
		Sig Take a great spoonful in water every 3 hours.				
	18913	℞ Acidi Salicyl gr v				
		Sod Biborat			Wilmer	
		" Bicarb aa gr x		10		
		Aquae Rosae				
		Glycerinae aa ℥i				
		Sig Pour through nose morning & evening.				
	18914	℞ Fleur Morphia	gr 1/24		Keith	
		Lemnia Hydrobrom	gvi			
		Aq Pimis sing shake ft shake No XII				
		Sig One powder every hour till relieved				
	18915	℞ Tr Kinio	℥ss		XX Wilkinson	
		Tinct Opii	℥ii			
		Syr Simplicis q.s ad	℥ii			
		Sig ℥i every 2 hours.				
	18916	℞ Ext Belladonnae				
		Morph Sulph. aa gr 1/8			Wilcox	
		℞ Chloral Hydrat	gr x			
		in sing vehicle to fit capsules No VI				
		Sig One at night.				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
1891 7	℞	Cerii Oxalat.	grs XII		Wilkes	
		in chart No XII div				
	Sig	One powder morning noon & night.				
1891 8	℞	Tr Nucis Vomicæ	℥i		Kolb	
		" Avenæ Sativæ	℥i			
		" Celerinæ	℥iv			
	Sig	Teaspoonful in water every 3 hours.				
1891 9	℞	Quinia Bi sulph caps			Roberts	
		āā gr iii No XX				
	Sig	One 3 times a day.				
1892 0	℞	Mur Morph	gr 1/24		Kitchen	
		Bromide Sodae	gr vi		Mrs Shaw	
		Quinia Hydrobromas	gr i			
		mitte sing capsulae no. capsulae				No XVI
	Sig.	Take one capsule every 2 hours.				
1892 1	℞	Sul Zinc	℥ss		Marsh	
	Sig	Use as directed				
1892 2	℞	Syr Liquoriae	℥iv		Marsh	
		Sulph Quinia	gr XXXX			
	Sig	Teaspoonful every 4 hours.				

55

an & Son, Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
18923	℞	Phenacetin	gr iii/iii		Kal	
		Bismuth Sub carb	gr iv/iv		DR	
		Mix sig chart ft chart No xii			DH. SD	
		Sig And powder each hour				
18924	℞	Antifebrin	grs xxx	1⊠	McFadden	
		mic dt no vi				
		Sig as directed				
18925	℞	Tartaric Acid	℥i	⊣		
		Cream tartar	℥i	⊣		
		Powdered Salts	℥i	⊣		
		Carbonate Soda	℥i	⊣	1⊠	
		Powdered Sugar	℥i	⊣		
Sig.		Use as a drink when added to water				
18926	℞	Ammon bi carb	grs xvi			
		Tr Opii Camph	℥ ii	1⊠	Mason.	
		Syr Tolu	℥ i			
		Syr Acacia	q.s. ad ℥ ii			
		Sig 1/2 Teaspoonful to 5 times daily.				
18927	℞	Ext Belladonna		⊠X	Williams	
		Morph Sulph aa	gr 1/8			
		mix sig suppos.	vi suppos.			
		Sig One night & morning				
					I.X. Williams	
18928	℞	Effervescent Lithia Rosemary Salt				
		Sig Teaspoonful bid. in water				

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18929	℞ Fr Aloii				
		" Capsici				
		" Spts Camphor				
		Fr Rhei				
		℞ Ess Peppermint āā ℥ ℈				
		Sig Teaspoonful in water every				
		2 or 3 hours for diarrhea				
	18930	℞				
		Morph Sulph gr 1/24				
		Ri Sub Nit Bismuth gr iv				
		Phenacetine gr iii				
		mist ft in amg chr ft chr no XVI			Keith	
		Sig One powder every 2 hours.			Miss Melville	
	18931	℞ Syrup Ipecac			Marsh	
		" Squills				
		" Scilla āā ℥ i		07		
		Fr " Lobelia ℥ ii				
		Sig Teaspoonful				
	18932	℞				
		Ext Sandal Wood jāi				
		Sig use as directed		1.25		
	18933	℞				
		Syrup of Singer ℥ iii		OX	Marsh	
		Sub Nit Bismuth ℥ iii ss				
		Dose a teaspoonful every 4 hours.				
	18934	℞				
		Tinct Aconite ℥ ss		10		
		Tinct Opii ℥ ii				
		Chloroform ℥ i				
		Distilled Water q.s. ad ℥ i			Eminent	

Wednesday Aug 20th 80

Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18935	Wyeth's Elixir Gentian et Ferri ℥iv Sig Take 2 teaspoonful in water before each meal		ΔX	Rita	Mrs Allen
	18936 ℞	Tinct Aconiti Rad " Apii aa ℥ii Chloroform Aquae Ammoni aa ℥ss Alcohol ad ℥iv Sig Apply externally only.		ΔX	Mitchell	
	18937 ℞	Liniment ℥i Sig as directed		1X	Astin Williams	
	18938 ℞	Phenacetini in tablets āā gr v No xii Sig One tablet morning noon & night.		ΔX	N	
	18939 ℞	Morph Sulph gr ⅛ Tr Arnica Radicis Comp ℥ii Liq Glycyrrhizae ℥i Sig Take a teaspoonful each hour.		ΔΔ	Rita	Lambert.
	18940 ℞	Muriate Morph gr 1/24 Pil Sub Carb gr iii Phenacetine gr iii M ft sig chk ft chk no xii Sig Take one powder each hour.		ΔΔ	Rita	Mr Rich

E. L. Freeman & Son. Stationers

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.	DATE.
1894	1 ℞	Salol m tablets aa gr V (Pull) XXIV Sig One tablet every 4 hours		☒X	Williams	Whalan	
1894	2 ℞	Quinto Remedy ℥iv Sig Take a teaspoonful three times a day in a little water		☐☐	Pattison		
1894	3 ℞	Ammon Mur grs XL Tr Asfii dr amph Sy Senega aa ℥ss ℥ii Sy Prunni V Sig ad ℥ss ℥ii Sig ℥i in water every 2 or 3 hours.					
1894	4 ℞	Rect Spirit ℥viii Aquae ℥vii Tinctura Vr ℥i Sig. Use as directed		☒X	Coleman		
1894	5 ℞	Elix Lactopepsini ℥iv Sub Nit Bismuthi ℥iii Sig Teaspoonful every 6 hours.			Marsh SD		
1894	6 ℞	Sulfonal grs XXX ft in chart No ii			Kirk XX	Shaw	
1894	7 ℞	Ext Asfii gr SS Ext Belladonnae gr 1/4 Acidi Gallici gr 10 Ol Theobromae q.s. ut fiat suppos No xii			Sig Use one every 2 hours. Kirk.		

an & Son. Stationers, 3 Westminster St.

TIENT.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18948 ℞					
		Bismi Aphidi	℥i	XX		Locker
		Acid Carbol	gtts VIII			
		Ungt Pethol	℥i		℞ Strength.	
	18949 ℞					
		Bromidi Sodae	℥i			
		℥ Arena Sativa	℥ss		XX Kite	
		Celerina	q.s ℥iv			Mr Kite
		℞ij Dose a teaspoonful in water				
	18950 ℞					
		Pulv Glycyrrh	℥ii			
		Bismi Aphidi	℥iii			
		Pulv Starch	℥i	XX		
		℞ij Apply hot water and follow with this Twice daily.				Mr Colough
	18951 ℞					
		Salol	℥ii			
		Phenacetin	℥i	℞ 12 powders		Burney
		℞ij Take one every 2 or 3 hours.				
	18952 ℞					
		Pil Quin. Sulph.	℥ss gr ii gr ii			
	Sig	Two every three hours				Mac Donald
	18953 ℞					
		Quinin Sulph				
		Acid Salicylic aa gr VI		10	Benj Shark.	
		make xij capsules				Kane
	18954 ℞					
		Quinin Sulph				
		Acid Salicylic aa gr XVIII		10	Benj Shark	
		make xij capsules.				

Thursday Aug 21st '90

E. L. Freeman & Son.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18955	℞				
		Fl Arom Sativa	℥iv			
		Glycerinae		SI	Kite	
		Coca Cordial aa q.s.	℥iv	ss water		Mrs Shaw
		Sig. Teaspoonful every hour.				
	18956	℞				
		Fl Arom Sativa	℥i		Kite	
		Glycerina q.s.	℥iv	08		
		Sig Teaspoonful in water 4 times daily				
	18957	℞				
		Bromide Sodae	℥vi	9	Kite	
		Fl Arom Sativa	℥ss			Dr Falkner
		Glycerinae q.s.	℥iv			
		Sig a teaspoonful in water every 4 hours.				
	18958	℞				
		Paraldehyde	℥vi		Kite	
		Mistura q.s.	℥iv	9	Dr Falkner	
		Sig Dose a greatspoonful in water at night.				
	18959	℞				
		Ag. Camph	℥iii	1	Mrs Peoples	
		Sodae Boras	℥ss	ss		
	18960	℞				
		Mag Hyds Nitr	℥ss	1		
		" Ag. Rosae	℥i	ss		" "
	18961	℞				

& Son, Stationers, 3 Westminster St.

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT.
	18961	℞				
		Vini Ipecac	℥i			
		Tinct Rhei				
		" Le mohona lo aa	℥iii		Lambuth	
		Soda Bi carb	℥i		☐B	
		Aquae ad	℥iv			
		℞ Sig a teaspoonful after meals.				
	18962	℞				
		Fl Ext Cascara Sagrada	℥ii	☐X	Rankin	
		20 to 40 drops in a wineglass of water at bed time				
	18963	℞		☐X=		
		Haydens Viburnum Comp	℥vi	☐☐	Rankin	
		Sig Dessertspoonful in a wineglass of water 3 times a day.				
	18964	℞				
		Sodae Brom	℥iss			
		Tr Opii Deod	℥i			
		" Verat Virid	mxx			
		Sig Ammon Carb	℥iii	☐X		
		℞ Syr Sarsae Co	℥vii			
		Sig Teaspoonful once in 2 to 3 hours.				
	18965	℞				
		Bromid Sodae	gr v		Keith	
		Phenacetin	gr ii	☐X	Dunham	
		℞ Mitte in sing caps ft caps No			xvi	
		Sig Take one capsule every hour.				
	18966	℞				
		Salol in pil	ää gr v		Williams	
		No xii		☐X		
		Sig One pill every 4 hours.				

Aug 21/90

E. L. Freeman &

DATE.	NO. OF PRESCRIPTION.	NAME OF ARTICLE.	QUANTITY.	PRICE.	PHYSICIAN.	PATIENT
18967		℞ Salol in powder āā gr V No XII Sig One powder every 4 hours			W.	
18968		℞ Phenacetine grs V in each powder make 12 powders			Mrs Dr Lowry.	
18969		℞ Pil Assafoetidae ad g iii Sig One pill every 2 hours.				
18970		℞ Vini Ipecac fℨi Syrup Scillae fℨss " Tolu fℨiiss Sig Teaspoonful			W	
18971		℞ Sul Quinine Pill no X aa gr ii Sig Take one every 4 hours.			Mack	
18972		℞ Chloral Hydrate fℨiss Syr Glycyrrhiza fℨi Sig One teaspoonful when needed for sleep.			double	
18973		℞ Phenacetin gr X Aloin in sing scruple & scruple No XII Sig Take one powder every 2 hours.			Keith	

dbl

total
3,363

18134
Long

J. ALBAN KITE, M. D., N. Water St.

OFFICE HOURS: 9 A. M., 1 TO 3 P. M. and 7 TO 8.30 P. M.

R. E. CONGDON, Reg. Pharmacist, Main St., Nantucket, Mass.

℞

Each Tem Hat 15 7/42

is useful reduce the

amount of Morphia by 1/4

Pain

Kite